

Gen File
C:DP

MORIHARA LAU & FONG LLP
A LIMITED LIABILITY LAW PARTNERSHIP

FILED

2019 MAR 27 A 9:51

March 27, 2019

PUBLIC UTILITIES
COMMISSION

The Honorable Chair and Members of the
Hawaii Public Utilities Commission
465 South King Street
Kekuanaoa Building, Room 103
Honolulu, HI 96813

Re: Kauai Island Utility Cooperative's ("KIUC") 2018 Annual Net Energy
Metering ("NEM") Program Activity Summary

Dear Commissioners and Commission Staff:

Pursuant to Hawaii Revised Statutes ("HRS") § 269-103,¹ please find enclosed KIUC's Annual NEM Program Activity Summary for the year ending December 31, 2018 ("2018 NEM Summary"). See Attachment A. As indicated in the 2018 NEM Summary, the cumulative installed NEM capacity in kilowatts ("kW") produced by eligible customer-generators for the year ending December 31, 2018 was approximately 719 kW. The attached 2018 NEM Summary also includes: (i) information regarding the NEM information packets previously mailed to customers, installations and kilowatt-hours inflows associated with the installations, and (ii) a breakdown of NEM program activity on the island of Kauai in the years 2005 through 2018, for purposes of comparison.

Additionally, although KIUC recognizes that information relating to its Schedule "Q" Modified Tariff customers are not part of the NEM statutory reporting requirement under HRS § 269-103, please also find enclosed as Attachment B additional information reflecting, among other things, the type, amount, and progress of Schedule "Q" installations that were completed from 2008 through 2018. See also Attachment A for information reflecting customers that have transferred from KIUC's NEM to Schedule "Q."

Also enclosed (although not required as part of the NEM statutory reporting requirement under HRS § 269-103) is information regarding, among other things, the

¹ HRS § 269-103 provides, in relevant part, that "[o]n an annual basis, beginning in 2003, every electric utility shall make available to the public utilities commission information on the total rated generating capacity produced by eligible customer-generators that are customers of that utility in the utility's service area."

{00132207-2}


The Honorable Chair and Members of the
Hawaii Public Utilities Commission
March 27, 2019
Page 2

type, amount, and progress of customer-sited generation systems that are not Schedule "Q", NEM, or NEM Pilot installations and have not entered into a power purchase agreement (PPA) with KIUC. See Attachment C. Pursuant to KIUC's tariff, such customers are not currently eligible to receive Schedule "Q" payments and are typically required, as part of their interconnection agreement, to install protection devices to prevent export of excess energy to KIUC. Note that the customer-sited generation systems included in Attachment C do not include independent power producers that have entered into negotiated and approved purchase power agreements with KIUC for the specific purpose of generating and exporting power.

Finally, pursuant to the Commission's *Order Regarding Net Energy Metering Proposals*, issued on January 13, 2011, in Docket No. 2006-0084 (which approved the Stipulated Proposed NEM Pilot Program and Alternative Rate Structure for KIUC, by KIUC, the Consumer Advocate, Hawaii Renewable Energy Alliance, and Hawaii Solar Energy Alliance, filed with the Commission on October 15, 2009, in Docket No. 2006-0084), please find enclosed KIUC's 2018 NEM Pilot Program Summary for the year ending December 31, 2018 ("2018 NEM Pilot Program Summary"). See Attachment D. The 2018 NEM Pilot Program Summary provides KIUC's analysis of: (i) the financial impact of the NEM Pilot Program had the participants under the NEM Pilot Program been included under the laws governing NEM (i.e., subject to the NEM rates, and not subject to the alternative rate structure under the NEM Pilot Program), and (ii) the financial impact on each rate classes' non-generating customers.

If you should have any questions, please do not hesitate to contact the undersigned.

Very truly yours,



Kent D. Morihara
Kris N. Nakagawa
Lauren M. Imada
Lianna L. Figueroa

Morihara Lau & Fong LLP
Attorneys for Kauai Island Utility Cooperative

Enclosures

c w/enc.: Consumer Advocate

ATTACHMENT A

Attachment A
2018 NEM Summary
Kauai Island Utility Cooperative
NEM Installations

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)											(J)			
Customer Type	System Type	Panel Capacity (kW)	Inverter Capacity (kW)	Installed Capacity (kW)	Energy Produced (kWh)	Connection Date	Surplus Energy 2005 (kWh)	Surplus Energy 2006 (kWh)	Surplus Energy 2007 (kWh)	Surplus Energy 2008 (kWh)	Surplus Energy 2009 (kWh)	Surplus Energy 2010 (kWh)	Surplus Energy 2011 (kWh)	Surplus Energy 2012 (kWh)	Surplus Energy 2013 (kWh)	Surplus Energy 2014 (kWh)	Surplus Energy 2015 (kWh)	Surplus Energy 2016 (kWh)	Surplus Energy 2017 (kWh)	Surplus Energy 2018 (kWh)	Zip Code	
				=<D*.8E	=F*.2*8760																	
1	Res	PV	2.1	4.0	1.68	2,943	1,261	1,225	1,132	1,248	1,158	1,254	1,184	1,180	1,036	840	729	541	743	723	723	96714
2	Res	PV	4.8	5.5	3.84	6,728	196	79	66	137	1	1,876	2,376	2,382	2,267	1,532	2,345	2,460	2,863	2,382	96741	
3	Com	PV	20.0	20.0	16.00	28,032	0	0	0	80	0	0	0	0	0	0	0	0	0	0	0	96714
4	Res	PV	2.1	2.5	1.68	2,943	190	487	333	742	372	416	764	739	974	647	734	800	1,672	1,120	96754	
5	Res	PV	2.1	2.5	1.68	2,943	1,113	672	515	761	664	712	796	533	501	444	278	214	963	785	96754	
6	Res	PV	3.2	5.5	2.56	4,485	1,560	563	918	850	19	3	4	0	0	2	79	37	1	23	14	96754
7	Res	PV	1.0	2.5	0.80	1,402	28	300	554	516	181	43	34	88	77	55	1	0	0	0	0	96714
8	Res	PV	1.4	4.0	1.12	1,962	318	205	164	457	0	48	25	563	748	318	474	410	386	234	96714	
9	Res	PV	1.4	4.0	1.08	1,892	165	0	303	211	263	110	285	274	263	114	29	0	0	0	0	96722
10	Res	PV	3.2	2.0	2.00	3,504	563	484	582	725	2,154	1,388	2,284	2,243	1,113	0	0	2	0	0	0	96714
11	Res	PV	1.8	4.0	1.44	2,523	0	0	0	4	1	10	5	2	6	7	3	1	0	0	0	96714
12	Res	PV	3.3	4.0	2.64	4,625	0	1,781	0	0	0	0	0	0	0	0	0	0	0	0	0	96703
13	Res	PV	4.0	4.0	3.20	5,606	481	74	0	3	117	0	193	219	403	490	120	0	0	0	0	96746
14	Res	PV	2.4	4.0	1.92	3,364	1,630	821	496	88	309	0	971	441	0	0	0	0	0	0	0	96754
15	Res	PV	2.4	2.5	1.94	3,392	1,408	1,399	2,289	2,263	1,384	198	1,779	1,986	1,630	566	1	738	0	0	0	96722
16	Res	PV	3.0	3.5	2.43	4,261	2,297	1,600	1,457	1,786	1,742	1,506	1,777	3,336	3,635	2,973	3,017	3,422	3,422	2,634	96754	
17	Res	PV	0.8	1.1	0.60	1,051	591	628	648	414	499	620	589	607	488	233	265	211	46	0	0	96746
18	Res	PV	1.6	1.8	1.28	2,243	520	683	483	693	1,121	1,125	1,026	1,422	1,812	2,306	2,669	2,815	2,847	2,508	96796	
19	Res	PV	1.6	2.5	1.28	2,243	665	451	399	483	420	91	629	415	484	807	700	485	350	225	96754	
20	Com	PV	25.0	20.0	20.00	35,040	200	200	300	500	600	400	100	100	100	0	0	0	0	0	0	96766
21	Res	PV	2.2	2.5	1.76	3,084	1,373	1,254	1,194	1,409	675	1,072	1,119	949	855	784	831	584	471	337	96703	
22	Res	PV	1.2	4.0	0.96	1,682	417	282	52	0	3	0	0	0	0	0	0	0	0	0	0	96746
23	Res	PV	2.5	2.5	2.00	3,504	785	264	214	146	257	0	0	0	0	0	0	0	0	0	0	96746
24	Res	PV	5.0	5.5	4.00	7,008	2,402	2,310	2,568	1,790	2,494	2,914	2,725	3,974	4,759	6,297	5,090	4,265	4,558	4,393	96765	
25	Res	PV	2.0	2.5	1.60	2,803	649	555	1,046	1,031	892	1,051	945	885	1,313	1,621	1,502	1,575	1,707	1,184	96746	
26	Res	PV	3.5	6.0	2.80	4,906	148	1,048	822	390	838	734	766	1,039	440	0	0	2	0	0	0	96746
27	Res	PV	5.8	6.0	4.64	8,129	2,213	2,794	2,111	2,241	2,241	2,007	2,435	3,628	4,666	3,612	3,189	2,216	5,731	2,796	96766	
28	Res	PV	2.0	2.0	1.60	2,803	644	1,081	1,019	771	899	691	899	481	235	52	3	0	1	1	96746	
29	Res	PV	3.0	8.0	2.40	4,205	605	1,051	1,804	1,900	2,007	2,007	1,567	1,041	839	161	1	0	0	0	0	96746
30	Res	PV	12.0	12.0	9.60	16,819	1,091	1,091	3,655	2,125	6,356	8,342	5,865	5,109	4,817	4,451	3,583	3,802	4,713	535	96722	
31	Res	PV	3.0	6.0	2.40	4,205	2,349	3,529	3,038	3,038	2,962	2,537	2,384	2,286	2,862	2,679	5,615	4,683	4,799	2,639	96722	
32	Res	PV	3.0	3.0	2.40	4,205	216	0	326	255	570	480	480	2,222	5,975	5,238	5,726	6,443	7,147	5,844	96754	
33	Res	PV	1.0	5.0	0.80	1,402	31	745	365	82	82	2	0	500	0	0	0	0	0	0	0	96746
34	Res	PV	1.0	2.0	0.80	1,402	372	1,416	1,134	982	891	663	663	806	848	570	288	261	429	386	96741	
35	Res	PV	2.0	2.5	1.60	2,803	27	78	144	128	119	59	59	171	173	22	70	57	70	75	96754	
36	Res	PV	3.0	3.0	2.40	4,205	374	2,433	2,107	1,349	3,382	2,190	2,190	2,274	2,282	2,114	2,123	1,908	3,539	2,695	96746	
37	Res	PV	1.0	3.0	0.80	1,402	98	670	450	261	426	426	2,120	2,129	1,907	1,822	1,177	724	695	264	96746	
38	Res	PV	2.7	3.6	2.16	3,784	197	1,795	1,972	1,872	1,517	2,119	1,467	1,467	1,945	2,431	2,285	1,696	1,911	1,633	96754	
39	Res	PV	1.6	3.8	1.28	2,243	37	1,749	1,798	1,660	1,867	1,663	1,563	1,679	1,573	1,740	1,741	1,688	1,322	1,410	96766	
40	Res	PV	1.5	3.0	1.20	2,102	19	241	288	283	319	213	300	375	375	236	184	0	0	0	0	96754
41	Res	PV	2.0	3.0	1.60	2,803	0	2,573	2,297	2,151	2,330	2,379	1,542	1,907	1,902	1,848	288	261	429	386	96741	
42	Res	PV	3.5	3.5	2.80	4,906	0	1,786	1,860	1,606	2,002	1,792	1,792	1,735	1,182	1,004	359	142	309	457	96705	
43	Res	PV	3.1	3.0	2.48	4,345	0	487	420	622	1,107	689	1,088	1,088	1,754	1,423	1,379	1,107	748	538	96746	
44	Res	PV	3.2	4.0	2.56	4,485	0	4,664	4,522	4,301	4,179	4,619	4,619	4,592	4,206	4,206	4,680	4,865	5,200	4,579	96766	
45	Com	PV	9.2	10.4	7.36	12,895	0	4,855	8,968	10,784	10,977	18,780	11,400	11,400	10,905	10,349	7,249	7,905	8,255	7,414	96716	
46	Res	PV	2.8	2.8	2.24	3,924	0	2,596	2,694	1,963	2,837	2,932	3,086	3,086	2,863	2,689	2,911	2,578	2,542	2,177	96746	

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)										(J)					
Customer Type	System Type	Panel Capacity (kW)	Inverter Capacity (kW)	Installed Capacity (kW)	Energy Produced (kWh)	Connection Date	Surplus Energy 2005 (kWh)	Surplus Energy 2006 (kWh)	Surplus Energy 2007 (kWh)	Surplus Energy 2008 (kWh)	Surplus Energy 2009 (kWh)	Surplus Energy 2010 (kWh)	Surplus Energy 2011 (kWh)	Surplus Energy 2012 (kWh)	Surplus Energy 2013 (kWh)	Surplus Energy 2014 (kWh)	Surplus Energy 2015 (kWh)	Surplus Energy 2016 (kWh)	Surplus Energy 2017 (kWh)	Surplus Energy 2018 (kWh)	Zip Code		
								=F-2*8	=F-2*8760														
47	Res	PV	3.5	3.2	2.80	4,906	02/09/07	1,484	1,680	1,780	1,031	1,058	1,115	1,512	1,342	1,281	1,448	232	0	96746			
48	Res	PV	11.7	10.5	9.34	16,357	04/07/07	296	1,735	1,294	1,471	1,398	1,482	1,556	1,249	0	0	0	0	0	96741		
49	Res	PV	4.2	6.0	3.36	5,887	04/09/07	2,120	3,577	2,453	2,384	2,656	2,703	2,082	2,188	1,325	927	368	554	96703			
50	Res	PV	3.0	3.0	2.40	4,205	05/10/07	1,386	2,857	3,602	3,091	1,880	1,965	2,170	1,405	1,234	1,604	1,219	778	96752			
51	Res	PV	1.8	2.0	1.44	2,523	05/21/07	616	952	618	864	844	880	898	829	802	766	984	610	96754			
52	Res	PV	3.0	3.0	2.40	4,205	06/07/07	166	317	902	0	1,342	1,371	1,343	1,136	1,093	1,035	1,402	985	96722			
53	Res	PV	2.3	2.3	1.84	3,224	07/10/07	574	1,271	1,020	0	1,774	1,525	1,986	1,519	1,195	1,106	1,347	1,649	96752			
54	Res	PV	2.3	2.5	1.84	3,224	07/17/07	166	918	1,975	582	418	138	579	690	732	815	1,010	719	96754			
55	Res	PV	1.6	1.6	1.28	2,243	07/17/07	338	612	468	527	382	362	295	202	96	40	0	0	96714			
56	Res	PV	3.0	3.0	2.40	4,205	08/02/07	1,234	3,239	3,039	3,150	2,428	1,869	1,173	1,281	1,682	2,333	2,111	1,692	96746			
57	Com	PV	18.5	18.5	14.80	25,930	08/14/07	2,260	16,768	13,616	15,220	12,764	15,923	15,125	14,579	15,253	17,453	15,798	16,604	96748			
58	Res	PV	3.8	3.8	3.04	5,326	10/15/07	89	2,358	2,060	1,000	923	1,190	1,642	1,792	2,375	3,155	1,710	1,374	96741			
59	Res	PV	3.0	6.0	2.40	4,205	10/17/07	112	441	366	202	257	3,021	2,368	1,816	2,149	1,620	799	729	96722			
60	Res	PV	1.2	1.5	0.96	1,682	10/20/07	112	349	69	846	947	615	449	335	549	0	0	0	96741			
61	Com	PV	6.0	6.0	4.80	8,410	10/30/07	0	1,441	3,975	3,060	3,307	3,743	4,385	4,816	3,977	3,738	4,167	3,604	96766			
62	Res	PV	3.0	3.0	2.40	4,205	11/27/07	0	863	407	1,193	902	880	850	1,598	1,252	1,918	1,252	73	96746			
63	Res	PV	3.1	3.0	2.48	4,345	12/15/07	0	1,321	62	9	8	356	112	300	93	132	211	55	96754			
64	Res	PV	2.7	3.8	2.16	3,784	12/15/07	0	1,833	1,570	1,622	1,301	1,395	1,433	1,521	1,553	1,421	1,072	1,785	96741			
65	Res	PV	3.1	3.0	2.48	4,345	12/17/07	0	2,947	2,870	2,917	2,852	2,714	2,564	2,133	2,091	2,139	1,767	1,732	96714			
66	Res	PV	0.8	1.6	0.64	1,121	12/17/07	0	996	904	999	921	873	757	686	583	674	921	115	96746			
67	Res	PV	5.9	6.0	4.72	8,269	12/20/07	0	3,674	4,271	5,074	3,818	3,905	3,754	2,697	3,955	4,127	1,825	2,195	96766			
68	Res	PV	3.1	3.0	2.48	4,345	12/21/07	0	1,811	245	290	159	322	812	1,116	1,306	251	0	0	96756			
69	Res	PV	7.2	6.0	5.76	10,092	12/21/07	0	4,659	5,175	5,703	5,050	5,845	5,546	5,614	4,991	5,375	4,549	7,286	96756			
70	Res	PV	5.1	5.0	4.08	7,148	12/26/07	0	5,330	6,255	5,286	4,556	5,364	5,061	4,654	4,907	4,825	5,090	4,148	96716			
71	Res	PV	5.1	5.0	4.08	7,148	12/26/07	0	5,217	5,494	6,282	5,473	5,098	4,641	4,001	4,066	3,752	3,900	2,896	96766			
72	Com	PV	32.6	28.0	26.08	45,692	12/27/07	0	31,240	34,440	32,000	31,400	39,840	40,696	37,840	36,040	36,040	28,120	30,320	23,480	96752		
73	Com	PV	29.4	30.0	23.52	41,207	12/27/07	0	5,240	3,120	6,000	2,160	360	0	0	0	0	0	0	0	96766		
74	Com	PV	32.6	28.0	26.08	45,692	12/27/07	0	40,000	44,600	42,640	38,280	32,800	34,087	30,520	29,160	22,360	22,280	17,480	96752			
75	Res	PV	4.2	6.0	3.36	5,887	12/28/07	0	4,514	4,559	4,670	4,200	4,370	4,274	4,287	4,262	4,262	4,604	4,604	3,575	96765		
76	Res	PV	3.8	4.0	3.04	5,326	07/08/08	0	4	27	260	1,710	1,646	1,367	1,540	1,984	1,491	1,403	1,599	96746			
77	Com	PV	14.7	14.0	11.76	20,604	01/14/08	0	0	100	0	0	0	0	0	0	0	0	0	0	96766		
78	Res	PV	4.8	4.0	3.84	6,728	02/03/08	0	2,853	2,291	3,199	2,502	2,830	2,688	2,459	2,381	1,866	2,685	3,016	96746			
79	Res	PV	3.5	3.0	2.80	4,906	02/05/08	0	1,508	2,800	2,743	2,703	2,537	2,449	2,022	1,669	2,244	1,669	2,244	96746			
80	Com	PV	5.0	5.0	4.00	7,008	02/08/08	0	960	1,448	1,073	3,825	3,825	3,636	3,328	3,484	3,248	3,871	4,126	96722			
81	Com	PV	9.8	10.0	7.84	13,736	02/08/08	0	443	894	746	746	2,747	8,185	7,143	7,503	6,160	7,132	3,726	96722			
82	Com	PV	55.8	50.0	44.64	78,209	02/10/08	0	6,400	7,320	40	1,680	3,975	0	0	26	62	15	365	96722			
83	Com	PV	36.0	30.0	28.80	50,458	02/12/08	0	240	840	720	120	0	0	0	0	0	0	0	96746			
85	Res	PV	1.8	4.0	1.44	2,523	03/03/08	0	1,831	2,109	2,101	1,904	2,102	1,638	1,989	2,100	2,100	2,100	2,100	1,484	96741		
86	Res	PV	3.1	3.0	2.48	4,345	03/03/08	0	2,247	2,599	2,521	2,554	2,702	2,569	2,508	2,325	2,345	2,664	2,664	96703			
87	Res	PV	3.0	3.0	2.40	4,205	03/19/08	0	1,975	2,441	2,553	2,390	2,469	2,499	2,502	2,502	2,263	2,430	2,018	96766			
88	Res	PV	2.0	4.0	1.60	2,803	04/03/08	0	1,571	1,989	1,748	1,842	1,608	2,331	1,763	1,928	1,500	1,228	1,450	96766			
89	Res	PV	1.8	3.0	1.44	2,523	04/03/08	0	1,244	1,306	1,464	1,469	1,238	1,101	1,601	1,331	1,791	1,716	1,395	96722			
90	Res	PV	3.1	2.5	2.48	4,345	04/10/08	0	1,848	2,001	2,092	1,914	1,730	1,619	1,135	1,475	1,152	1,635	272	96722			
91	Res	PV	4.3	4.0	3.44	6,027	04/15/08	0	6,244	4,099	4,321	3,754	4,120	3,929	3,754	3,942	3,765	3,863	4,042	96766			
92	Res	PV	4.0	7.2	3.20	5,606	04/18/08	0	1,508	4,225	2,520	0	7	1	1	0	0	0	0	96746			
93	Res	PV	3.0	3.0	2.40	4,205	04/22/08	0	1,228	968	410	825	788	707	666	666	80	469	512	96766			
94	Res	PV	1.8	3.0	1.44	2,523	05/12/08	0	1,083	1,639	1,746	1,686	1,740	1,726	1,632	1,754	1,705	1,925	1,514	96746			
95	Res	PV	2.4	3.0	1.92	3,364	05/14/08	0	1,548	2,502	2,859	2,535	2,588	2,338	2,130	3,044	3,371	2,690	96746				
96	Res	PV	1.4	3.0	1.12	1,962	05/14/08	0	712	1,687	1,792	1,639	1,660	1,460	1,460	1,460	1,261	1,324	950	96746			
97	Res	PV	1.8	7.0	1.44	2,523	05/14/08	0	4	21	107	1,313	1,491	2,162	2,477	2,466	2,372	2,122	1,510	96746			
98	Res	PV	3.1	3.0	2.48	4,345	05/21/08	0	380	0	380	0	1,228	3,563	3,475	2,759	2,775	2,108	2,182	1,293	96754		
99	Res	PV	4.0	5.0	3.20	5,606	05/19/08	0	2,520	2,425	2,065	1,524	1,655	1,087	1,064	911	372	483	218	96714			

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)										(J)	
								Surplus Energy 2005 (kWh)	Surplus Energy 2006 (kWh)	Surplus Energy 2007 (kWh)	Surplus Energy 2008 (kWh)	Surplus Energy 2009 (kWh)	Surplus Energy 2010 (kWh)	Surplus Energy 2011 (kWh)	Surplus Energy 2012 (kWh)	Surplus Energy 2013 (kWh)	Surplus Energy 2014 (kWh)		Surplus Energy 2015 (kWh)
100	Com	PV	3.0	3.0	2.40	4,205	05/28/08	1,282	1,708	1,380	1,560	2,182	1,056	0	0	73	19	42	96754
101	Res	PV	6.7	7.0	5.36	9,391	05/29/08	2,440	6,114	5,825	6,175	1,438	0	3,303	4,636	4,891	5,028	6,055	96752
102	Res	PV	1.3	2.0	1.04	1,822	06/02/08	737	1,893	1,438	1,350	1,383	1,216	1,206	1,273	1,183	1,287	1,240	96741
103	Res	PV/W	6.5	6.9	5.20	9,110	06/03/08	2,398	3,032	3,377	2,779	2,888	2,995	2,888	3,032	3,338	2,046	96703	
104	Res	PV	2.7	4.0	2.16	3,784	06/06/08	694	946	1,817	1,575	1,534	1,591	1,336	1,728	1,510	1,512	747	96722
105	Res	PV	2.8	3.0	2.24	3,924	06/19/08	1,672	2,975	3,035	2,867	2,715	2,982	2,869	3,031	2,924	3,147	2,578	96746
106	Res	PV	2.2	3.0	1.76	3,088	06/19/08	362	1,898	2,576	1,242	1,154	2,239	1,995	1,985	2,060	1,780	1,499	96765
107	Res	PV	3.0	4.0	2.40	4,205	07/02/08	1,134	2,516	2,405	2,082	2,315	2,346	2,163	2,163	2,208	2,610	1,947	96766
108	Res	PV	3.0	3.0	2.40	4,205	07/07/08	11	1,097	1,265	1,539	7,345	7,496	6,755	5,626	4,471	0	0	96752
109	Res	PV	2.0	3.0	1.60	2,803	07/11/08	727	2,271	2,953	2,618	2,857	2,612	2,646	2,419	2,548	2,699	2,304	96705
110	Res	PV	3.1	4.0	2.48	4,345	07/11/08	1,265	2,829	3,138	3,099	3,324	2,630	2,692	2,592	2,545	2,220	96766	
111	Res	PV	3.3	4.0	2.64	4,625	07/11/08	1,112	3,323	3,443	3,157	3,230	3,206	2,989	3,265	2,687	3,144	2,443	96746
112	Res	PV	1.9	4.0	1.52	2,663	07/17/08	634	1,404	1,325	1,190	1,358	2,635	1,636	783	745	805	594	96746
113	Res	PV	3.0	4.0	2.40	4,205	07/17/08	1,359	3,080	3,458	3,459	3,351	3,479	3,301	3,349	3,215	3,580	2,127	96746
114	Res	PV	3.5	4.0	2.80	4,906	07/20/08	1,066	2,929	3,549	2,957	2,321	2,522	1,971	1,984	1,745	1,887	1,388	96766
115	Res	PV	6.0	6.0	4.80	8,410	07/25/08	2,128	5,032	4,778	5,216	6,299	4,636	3,139	4,641	2,895	4,148	2,364	96754
116	Res	PV	4.0	4.0	3.20	5,606	07/30/08	905	1,813	2,773	3,016	3,284	3,120	3,120	3,420	3,951	3,566	2,883	96766
117	Res	PV	3.0	3.0	2.40	4,205	08/01/08	171	1,600	0	2,698	2,571	2,003	1,887	2,038	2,147	1,937	1,410	96746
118	Res	PV	1.3	1.5	1.04	1,822	08/07/08	49	202	136	43	61	95	59	31	1,233	2,209	1,057	96766
119	Res	PV	4.0	5.0	3.20	5,606	08/07/08	1,414	4,213	4,450	3,969	4,108	3,965	3,739	4,123	3,862	3,788	3,339	96766
120	Res	PV	4.0	4.0	3.20	5,606	08/07/08	1,320	3,862	4,065	4,141	3,906	3,881	2,675	3,609	3,393	3,915	3,801	96766
121	Res	PV	6.0	6.0	4.80	8,410	08/11/08	346	1,104	1,958	1,766	1,624	1,338	1,160	1,163	1,014	1,514	853	96754
122	Res	PV	3.0	4.0	2.40	4,205	08/11/08	1,033	2,482	2,545	2,341	2,405	2,320	2,176	2,277	2,098	2,558	2,147	96766
123	Res	PV	1.8	1.8	1.44	2,523	08/12/08	185	428	449	405	953	1,400	1,375	1,354	1,314	1,403	1,120	96746
124	Res	PV	3.3	3.0	2.64	4,625	08/12/08	1,071	3,154	2,938	2,966	2,941	3,285	3,003	3,500	3,031	2,014	2,920	96746
125	Res	PV	4.0	4.0	3.20	5,606	08/13/08	982	2,904	3,141	19,003	4,174	3,752	3,626	4,118	5,722	4,865	1,645	96766
126	Res	PV	4.0	4.0	3.20	5,606	08/18/08	1,512	4,332	4,615	3,605	3,137	2,836	1,897	3,889	4,163	3,825	3,482	96766
127	Res	PV	3.5	4.0	2.80	4,906	08/28/08	1,038	3,342	3,656	3,470	3,525	3,320	3,192	3,340	3,254	3,392	2,931	96766
128	Res	PV	5.9	7.0	4.72	8,269	08/29/08	1,476	5,663	6,646	6,062	5,329	6,226	6,219	6,052	6,798	6,634	5,769	96756
129	Res	PV	1.0	1.8	0.80	1,402	09/18/08	214	839	800	779	729	682	461	480	330	161	27	96714
130	Res	PV	1.1	3.0	0.88	1,542	09/19/08	104	299	311	269	208	207	262	251	174	309	97	96754
131	Res	PV	5.0	5.0	4.00	7,008	09/25/08	267	1,437	988	1,036	923	921	1,124	1,203	1,382	1,761	1,396	96746
132	Res	PV	8.1	7.0	6.48	11,353	09/30/08	525	3,719	3,960	4,306	4,167	3,994	4,130	4,089	3,817	4,387	3,149	96746
133	Res	PV	5.0	5.0	4.00	7,008	10/07/08	607	2,582	2,504	3,256	3,533	3,342	2,655	1,121	2,259	2,538	710	96714
134	Res	PV	6.3	7.0	5.04	8,830	10/08/08	666	5,855	5,874	5,735	6,287	5,174	3,112	3,141	4,874	4,803	4,442	96765
135	Res	PV	3.2	4.0	2.56	4,485	10/09/08	408	3,221	3,508	3,183	3,304	3,472	3,348	3,319	3,433	3,517	2,934	96756
136	Res	Wind	1.8	2.4	1.44	2,523	10/23/08	162	912	263	428	765	779	398	617	788	630	447	96703
137	Com	Wind	1.8	2.4	1.44	2,523	10/23/08	102	563	546	541	594	362	0	226	10	0	0	96703
138	Res	PV	4.8	4.0	3.84	6,728	10/30/08	48	490	1,703	2,505	3,173	2,841	3,051	3,120	2,883	2,507	1,886	96746
139	Res	PV	1.6	1.8	1.28	2,243	10/31/08	0	124	351	335	191	134	74	39	20	55	96	96746
140	Res	PV	3.7	4.0	2.96	5,186	11/06/08	197	2,824	2,998	2,143	2,522	2,396	2,377	2,335	2,252	2,368	1,427	96756
141	Res	PV	3.0	3.0	2.40	4,205	11/12/08	56	447	261	1,731	1,709	1,515	1,327	1,316	1,014	1,612	1,483	96746
142	Res	PV	3.0	3.0	2.40	4,205	11/15/08	2	58	86	105	98	81	24	0	364	712	180	96746
143	Res	PV	3.1	3.0	2.48	4,345	11/15/08	0	3	2	4	3	6	4	1	0	0	0	96714
144	Res	PV	6.0	6.0	4.80	8,410	11/15/08	271	3,606	2,038	2,178	2,079	2,052	652	660	1,930	1,362	1,176	96703
145	Com	PV	46.6	42.0	37.28	65,315	12/08/08	100	1,020	5,480	2,200	840	160	320	80	28,680	28,200	20,340	96766
146	Res	PV	3.0	7.0	2.40	4,205	12/11/08	6	1,949	925	1,086	1,124	1,130	860	673	576	441	482	96722
147	Com	PV	3.0	3.0	2.40	4,205	12/11/08	0	870	862	635	666	479	539	947	763	1,173	201	96722
148	Com	PV	17.6	18.0	14.08	24,568	12/16/08	0	9,014	11,246	10,168	11,451	9,976	9,702	9,631	9,292	10,203	6,922	96766
149	Com	PV	36.0	36.0	28.80	50,458	12/16/08	0	33,157	37,480	31,480	31,480	27,680	26,680	34,000	36,360	39,160	32,360	96766
150	Res	PV	5.2	5.0	4.16	7,288	12/24/08	0	2,726	3,521	3,378	3,736	4,206	3,824	3,599	3,892	4,021	3,334	96766
151	Res	PV	3.6	4.0	2.88	5,046	01/07/09	2	2,864	2,638	2,598	2,691	2,178	2,069	1,668	1,916	1,783	1,237	96722
152	Com	PV	33.2	35.0	26.56	46,533	01/07/09	7,120	6,680	7,320	3,880	3,880	3,680	5,440	3,280	1,040	1,760	800	96746

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)												(J)				
								Surplus Energy 2005 (kWh)	Surplus Energy 2006 (kWh)	Surplus Energy 2007 (kWh)	Surplus Energy 2008 (kWh)	Surplus Energy 2009 (kWh)	Surplus Energy 2010 (kWh)	Surplus Energy 2011 (kWh)	Surplus Energy 2012 (kWh)	Surplus Energy 2013 (kWh)	Surplus Energy 2014 (kWh)	Surplus Energy 2015 (kWh)	Surplus Energy 2016 (kWh)		Surplus Energy 2017 (kWh)	Surplus Energy 2018 (kWh)		
153	Res	PV	5.0	5.0	4.00	7,008	01/08/09	18,950	25,638	61,022	267,247	454,698	469,451	468,978	480,616	470,800	428,711	441,209	448,488	467,653	367,925	96766		
154	Res	PV	5.8	6.0	4.64	8,129	01/23/09																96714	
155	Com	PV	35.2	35.0	28.12	49,266	02/05/09																96766	
156	Res	PV	0.2	3.0	0.16	280	03/11/09																96766	
157	Res	PV	22.8	20.0	18.24	31,956	04/07/09																96754	
158	Res	PV	4.0	4.0	3.20	5,606	04/13/09																96754	
159	Res	PV	3.0	3.0	2.40	4,205	04/14/09																96752	
160	Res	PV	18.3	18.0	14.64	25,649	04/16/09																96754	
161	Res	PV	6.0	6.0	4.80	8,410	06/03/09																96754	
162	Res	PV	5.0	5.0	4.00	7,008	06/09/09																96741	
163	Res	PV	3.0	3.0	2.40	4,205	08/18/09																96796	
164	Com	PV	32.0	30.0	25.60	44,851	12/15/09																96766	
165	Com	PV	19.8	21.0	15.84	27,752	12/30/09																96766	
166	Com	PV	-25.0	-20.0	-20.00	-35,040	01/01/13																96766	
167	Com	PV	-29.4	-30.0	-23.52	-41,207	02/14/13																96766	
168	Com	PV	-35.2	-35.0	-28.12	-49,266	06/02/15																96766	
169	Res	PV	-11.7	-10.5	-9.34	-16,357	07/13/15																96741	
170	Res	PV	-22.8	-20.0	-18.24	-31,956	08/01/16																96754	
171	Res	PV	-3.0	-3.0	-2.40	-4,205	11/10/16																96752	
172	Res	PV	-2.0	-3.0	-1.60	-2,803	12/13/18																96766	
								Totals	719	1,260,543	18,950	25,638	61,022	267,247	454,698	469,451	468,978	480,616	470,800	428,711	441,209	448,488	467,653	367,925

Notes:

- (A) NEM Customer #
 - (B) Customer Type: Res = Residential, Com = Commercial
 - (C) System Type: PV = Photovoltaic, W=Wind
 - (D) Panel capacity: Capacity of PV panels in kWdc
 - (E) Inverter Capacity: Capacity of inverter in kWac
 - (F) Installed Capacity: Lesser of panel capacity x 80% efficiency factor or inverter capacity
 - (G) Energy Produced: Estimated using the installed capacity x 20% capacity factor x 8760 (or 8784 for Leap Year)
 - (H) Connection date: Date KIUC installed the NEM meter
 - (I) Surplus Energy: Energy flowing onto the KIUC grid in kWh
 - (J) Zip Code
- 1/2% allocation to systems 10kW or less and 1/2% allocated for systems greater than 10kW and 50kW or less
- Prior to 2011 data filing, column reported lesser of panel capacity or inverter capacity, without consideration of 80% panel efficiency
- Energy Produced: Estimated using the installed capacity x 20% capacity factor x 8760 (or 8784 for Leap Year)
- Connection date: Date KIUC installed the NEM meter
- Surplus Energy: Energy flowing onto the KIUC grid in kWh
- Zip Code
- 1/2% allocation to systems 10kW or less and 1/2% allocated for systems greater than 10kW and 50kW or less

Application Information

Packets Mailed	Prior	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	Total thru 2018
Units installed	89	22	48	95	179	83	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	516
Cumulative installed kW ¹	23	4	14	34	75	15	0	0	0	-2	0	-2	-2	0	-1	158
	74	87	118	300	664	808	808	808	808	765	765	727	720	720	719	719

Installed kW

KIUC Peak (MW)	Prior	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	Total thru 2018
Max allowable NEM kW (1% of Peak)	76.2	76.2	76.8	77.5	77.8	75.4	76.0	72.1	73.1	73.0	72.9	74.9	76.5	75.2	77.4	MW
Installed NEM kW as a percent of KIUC Peak	381	381	384	775	778	754	760	720.5	730.6	729.6	729.1	749.2	765.4	752.4	773.5	KW
	74	87	118	300	664	808	808	808	808	765	765	727	720	720	719	KW
	0.11%	0.15%	0.39%	0.85%	1.07%	1.06%	1.06%	1.12%	1.11%	1.05%	1.05%	0.97%	0.94%	0.96%	0.93%	

¹ Prior to 2011 data filing, reported as "kWdc installed systems," which is the total Panel Capacity (column D above) of all systems.

"Cumulative Installed kW" is the total Installed Capacity (Column F above) of all systems, which is a better measure of total system capacity.

² Prior to 2011 data filing, reported as "Installed NEM AC Panel Capacity kW."

The change was made to reflect cumulative installed capacity on an annual basis, which provides a better measure of program fulfillment year by year.

ATTACHMENT B

Attachment B
Schedule Q Modified
Kauai Island Utility Cooperative

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
1	Res	PV	5.0	6.0	4.00	7,008	06/19/08	96756
2	Res	W	1.8	1.8	1.44	2,523	07/08/08	96741
3	Res	PV	4.0	4.0	3.20	5,606	08/07/08	96741
4	Res	PV	5.25	5.0	4.20	7,358	08/13/08	96756
5	Res	PV	4.0	5.1	3.20	5,606	08/21/08	96722
6	Res	PV	2.7	3.0	2.16	3,784	09/02/08	96754
7	Res	PV	8.0	7.0	6.40	11,213	09/30/08	96716
8	Res	PV	1.8	3.0	1.44	2,523	10/08/08	96746
9	Res	PV	2.25	3.0	1.80	3,154	10/23/08	96741
10	Res	W	1.8	1.8	1.44	2,523	10/27/08	96754
11	Res	PV	2.3	3.0	1.84	3,224	10/30/08	96754
12	Res	PV	4.0	5.1	3.20	5,606	10/31/08	96746
13	Com	PV	110.0	95.0	88.00	154,176	11/05/08	96766
14	Res	PV	2.1	4.0	1.68	2,943	11/06/08	96741
15	Res	PV	1.8	2.0	1.44	2,523	12/11/08	96766
16	Res	PV	1.7	4.0	1.36	2,383	12/24/08	96752
17	Com	PV	105.0	98.0	84.00	147,168	12/29/08	96766
18	Res	PV	2.4	4.0	1.92	3,364	01/08/09	96722
19	Res	PV	10.6	10.0	8.48	14,857	01/12/09	96722
20	Res	PV	5.0	5.0	4.00	7,008	01/15/09	96746
21	Com	PV	5.0	5.0	4.00	7,008	01/15/09	96746
22	Res	PV	2.2	3.0	1.76	3,084	01/15/09	96754
23	Res	PV	5.0	5.1	4.00	7,008	01/16/09	96752
24	Res	PV	2.15	5.1	1.72	3,013	01/16/09	96754
25	Res	PV	4.2	7.0	3.36	5,887	01/21/09	96703
26	Res	PV	2.1	2.8	1.68	2,943	01/30/09	96722
27	Res	PV	1.35	3.0	1.08	1,892	02/05/09	96766
28	Res	PV	1.4	3.0	1.12	1,962	02/10/09	96756
29	Res	W	4.0	5.7	3.17	5,550	02/11/09	96746
30	Res	PV	2.7	3.0	2.16	3,784	02/23/09	96754
31	Res	PV	3.0	3.0	2.40	4,205	03/02/09	96746
32	Res	PV	1.8	7.0	1.44	2,523	03/02/09	96746
33	Com	PV	20.5	21.4	16.38	28,705	03/17/09	96766
34	Res	PV	3.6	3.0	2.88	5,046	03/23/09	96766
35	Res	PV	3.9	4.0	3.12	5,466	03/24/09	96756
36	Res	PV	2.5	3.6	2.00	3,504	03/24/09	96756
37	Res	PV	1.5	1.5	1.20	2,102	04/07/09	96705
38	Res	PV	4.2	5.0	3.36	5,887	04/14/09	96703
39	Res	PV	2.4	3.0	1.92	3,364	04/17/09	96722
40	Res	PV	7.0	7.0	5.60	9,811	04/28/09	96756
41	Res	PV	4.7	5.0	3.76	6,588	05/01/09	96746
42	Res	PV	5.4	5.5	4.29	7,513	05/27/09	96746
43	Res	PV	3.2	3.2	2.56	4,485	06/03/09	96746
44	Res	PV	1.7	1.8	1.36	2,383	06/09/09	96796
45	Res	W	1.8	1.8	1.44	2,523	06/10/09	96746
46	Res	PV	0.76	0.76	0.61	1,065	06/23/09	96741

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
47	Res	PV	3.6	5.1	2.88	5,046	06/25/09	96756
48	Com	PV	134.4	94.0	94.00	164,688	06/30/09	96766
49	Res	PV	2.8	2.6	2.24	3,924	07/02/09	96746
50	Res	PV	1.6	3.0	1.28	2,243	07/06/09	96754
51	Res	PV	10.5	10.0	8.40	14,717	07/16/09	96754
52	Res	PV	1.5	1.5	1.20	2,102	08/20/09	96754
53	Res	PV	8.2	9.2	6.59	11,549	08/20/09	96746
54	Res	PV	5.0	5.0	4.00	7,008	08/20/09	96741
55	Res	PV	3.7	5.0	2.96	5,186	08/28/09	96765
56	Res	PV	2.2	10.0	1.76	3,084	09/04/09	96796
57	Res	PV	2.8	3.0	2.24	3,924	09/11/09	96746
58	Res	PV	6.8	6.0	5.44	9,531	09/11/09	96722
59	Res	PV	1.7	1.7	1.36	2,383	09/11/09	96722
60	Res	PV	5.2	4.5	4.13	7,232	09/29/09	96716
61	Res	PV	4.6	4.6	3.68	6,447	09/29/09	96746
62	Res	PV	5.3	5.0	4.24	7,428	10/13/09	96746
63	Res	PV	9.7	10.0	7.76	13,596	10/16/09	96741
64	Res	PV	6.5	7.5	5.20	9,110	10/30/09	96754
65	Com	PV	8.1	7.0	6.48	11,353	11/27/09	96746
66	Res	PV	2.7	2.7	2.16	3,784	12/01/09	96705
67	Res	PV	3.2	3.0	2.56	4,485	12/01/09	96754
68	Res	PV	1.3	1.3	1.04	1,822	12/09/09	96741
69	Res	PV	7.3	9.0	5.81	10,176	12/09/09	96746
70	Res	PV	4.4	5.0	3.52	6,167	12/10/09	96756
71	Res	PV	1.8	3.0	1.44	2,523	12/10/09	96754
72	Res	PV	6.6	7.7	5.26	9,223	12/16/09	96796
73	Res	PV	2.0	4.0	1.60	2,803	12/16/09	96796
74	Res	PV	4.3	5.0	3.44	6,027	12/16/09	96714
75	Res	PV	2.1	3.0	1.68	2,943	12/23/09	96752
76	Res	PV	2.0	2.0	1.60	2,803	12/23/09	96746
77	Res	PV	5.9	6.0	4.72	8,269	12/23/09	96746
78	Res	PV	1.7	1.7	1.36	2,383	12/28/09	96766
79	Res	PV	3.8	3.8	3.02	5,298	12/28/09	96756
80	Com	PV	4.0	4.0	3.20	5,606	12/28/09	96741
81	Res	PV	1.9	1.8	1.50	2,635	12/28/09	96716
82	Res	PV	7.2	7.2	5.78	10,127	12/28/09	96796
83	Res	PV	3.0	3.0	2.40	4,205	12/28/09	96766
84	Res	PV	5.0	6.6	4.00	7,008	12/28/09	96754
85	Res	PV	3.8	3.8	3.02	5,298	12/29/09	96746
86	Com	PV	6.0	6.0	4.80	8,410	12/29/09	96754
87	Res	PV	1.1	3.0	0.88	1,542	12/29/09	96754
88	Com	PV	5.9	5.9	4.72	8,269	12/30/09	96756
89	Res	PV	1.7	3.0	1.34	2,355	12/30/09	96741
90	Res	PV	3.8	3.8	3.04	5,326	12/30/09	96746
91	Res	PV	2.1	2.1	1.68	2,943	12/30/09	96746
92	Res	PV	3.1	3.0	2.50	4,373	12/30/09	96754
93	Res	PV	3.5	3.0	2.80	4,906	12/30/09	96754
94	Res	PV	4.2	4.2	3.36	5,887	01/04/10	96746
95	Com	PV	17.5	18.0	14.00	24,528	01/14/10	96756
96	Res	PV	4.9	4.6	3.88	6,798	01/14/10	96796
97	Res	PV	2.2	2.2	1.76	3,084	01/14/10	96746
98	Res	PV	17.5	18.0	14.04	24,592	01/18/10	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
99	Res	PV	2.6	2.6	2.08	3,644	01/21/10	96746
100	Res	PV	4.8	5.0	3.84	6,728	02/01/10	96741
101	Res	PV	3.5	4.0	2.80	4,906	02/04/10	96722
102	Res	PV	3.2	3.0	2.56	4,485	02/16/10	96756
103	Res	PV	2.0	2.0	1.60	2,803	02/16/10	96716
104	Res	PV	3.5	3.0	2.80	4,906	02/16/10	96754
105	Res	PV	7.3	8.6	5.86	10,260	02/26/10	96746
106	Res	PV	10.5	9.5	8.42	14,745	03/01/10	96765
107	Res	PV	6.6	10.6	5.30	9,279	03/03/10	96765
108	Res	PV	7.5	5.7	5.70	9,986	03/08/10	96722
109	Res	PV	3.2	3.2	2.56	4,485	03/10/10	96766
110	Res	PV	3.1	3.0	2.48	4,345	03/10/10	96741
111	Res	PV	7.9	7.1	6.30	11,038	03/18/10	96756
112	Res	PV	6.8	6.0	5.44	9,531	03/30/10	96746
113	Res	PV	2.1	4.0	1.68	2,943	03/30/10	96746
114	Res	PV	2.1	2.1	1.68	2,943	03/30/10	96722
115	Res	PV	1.1	1.1	0.88	1,542	04/01/10	96746
116	Res	PV	4.6	4.6	3.68	6,447	04/08/10	96752
117	Res	PV	3.4	4.0	2.72	4,765	04/08/10	96746
118	Res	PV	5.4	5.4	4.32	7,569	04/08/10	96746
119	Res	PV	7.7	6.2	6.12	10,722	04/09/10	96766
120	Res	PV	3.3	4.0	2.64	4,625	04/12/10	96746
121	Res	PV	12.3	11.0	9.82	17,212	04/15/10	96765
122	Res	PV	2.1	3.0	1.68	2,943	04/15/10	96746
123	Res	PV	2.1	2.1	1.68	2,943	04/22/10	96756
124	Res	PV	3.2	3.2	2.56	4,485	04/22/10	96765
125	Res	PV	2.2	3.0	1.76	3,084	04/28/10	96703
126	Res	PV	2.3	2.3	1.84	3,224	04/29/10	96766
127	Res	PV	2.1	2.1	1.68	2,943	04/29/10	96766
128	Res	PV	3.9	5.1	3.12	5,466	04/30/10	96705
129	Res	PV	1.8	1.9	1.44	2,523	04/30/10	96766
130	Res	PV	2.5	2.5	2.00	3,504	05/04/10	96746
131	Com	PV	42.5	42.0	34.03	59,624	05/14/10	96766
132	Res	PV	5.1	5.2	4.08	7,148	05/25/10	96741
133	Res	PV	4.7	5.0	3.76	6,588	06/01/10	96756
134	Res	PV	4.1	4.1	3.28	5,747	06/01/10	96796
135	Res	PV	6.3	5.3	5.04	8,830	06/04/10	96766
136	Res	PV	2.8	2.8	2.24	3,924	06/04/10	96741
137	Res	PV	8.2	7.5	6.53	11,437	06/04/10	96741
138	Res	W	1.8	1.8	1.44	2,523	06/08/10	96754
139	Res	PV	3.2	3.0	2.56	4,485	06/10/10	96722
140	Res	PV	2.1	2.1	1.68	2,943	06/21/10	96746
141	Res	PV	1.9	1.9	1.52	2,663	06/24/10	96705
142	Res	PV	3.5	3.6	2.80	4,906	07/02/10	96705
143	Res	PV	1.9	3.0	1.52	2,663	07/09/10	96741
144	Res	PV	2.2	1.9	1.76	3,084	07/13/10	96752
145	Res	PV	1.9	2.3	1.52	2,663	07/14/10	96741
146	Res	PV	1.9	2.3	1.52	2,663	07/23/10	96705
147	Res	PV	4.3	4.3	3.44	6,027	07/26/10	96766
148	Com	PV	2.3	3.0	1.84	3,224	07/27/10	96754
149	Res	PV	4.2	4.2	3.36	5,887	07/28/10	96741
150	Res	PV	5.3	5.3	4.24	7,428	07/30/10	96754

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
151	Res	PV	2.1	3.0	1.68	2,943	08/03/10	96715
152	Res	PV	4.8	4.2	3.84	6,728	08/04/10	96746
153	Res	PV	1.9	1.9	1.52	2,663	08/05/10	96752
154	Res	PV	3.4	6.0	2.72	4,765	08/06/10	96714
155	Res	PV	3.9	3.0	3.00	5,256	08/09/10	96796
156	Res	PV	2.2	3.0	1.76	3,084	08/13/10	96746
157	Res	PV	3.8	3.0	3.00	5,256	08/13/10	96746
158	Res	PV	3.8	4.0	3.04	5,326	08/13/10	96754
159	Res	PV	1.4	1.1	1.10	1,927	08/17/10	96756
160	Res	PV	2.0	1.7	1.60	2,803	08/18/10	96714
161	Res	PV	2.4	1.9	1.90	3,329	08/19/10	96766
162	Res	PV	3.3	3.3	2.64	4,625	08/30/10	96766
163	Res	PV	2.1	3.0	1.68	2,943	08/30/10	96722
164	Res	PV	2.6	2.5	2.08	3,644	09/09/10	96766
165	Res	PV	0.7	0.7	0.56	981	09/15/10	96746
166	Res	PV	3.8	3.8	3.04	5,326	09/15/10	96746
167	Res	PV	3.4	3.4	2.72	4,765	09/17/10	96796
168	Res	PV	1.9	1.9	1.52	2,663	09/21/10	96766
169	Res	PV	4.0	4.0	3.20	5,606	09/21/10	96746
170	Res	PV	2.8	3.0	2.24	3,924	09/22/10	96796
171	Res	PV	2.0	1.7	1.60	2,803	09/23/10	96747
172	Res	PV	1.9	1.9	1.52	2,663	09/24/10	96741
173	Res	PV	0.5	3.0	0.40	701	09/24/10	96722
174	Res	PV	5.6	5.9	4.50	7,891	09/29/10	96796
175	Res	PV	4.6	4.0	3.68	6,447	09/30/10	96754
176	Res	PV	10.8	9.8	8.66	15,179	10/04/10	96746
177	Res	PV	4.6	4.0	3.68	6,447	10/07/10	96741
178	Res	PV	2.1	2.1	1.68	2,943	10/14/10	96766
179	Res	PV	1.9	1.9	1.52	2,663	10/19/10	96766
180	Res	PV	2.5	2.5	2.00	3,504	10/19/10	96766
181	Res	PV	2.2	2.0	1.76	3,084	10/19/10	96746
182	Com	PV	5.4	5.0	4.32	7,569	10/21/10	96766
183	Res	PV	2.1	2.1	1.68	2,943	10/21/10	96716
184	Res	PV	4.2	4.2	3.36	5,887	10/22/10	96741
185	Res	PV	2.1	2.1	1.68	2,943	10/25/10	96716
186	Res	PV	2.3	2.3	1.84	3,224	10/25/10	96746
187	Res	PV	2.3	2.3	1.84	3,224	10/25/10	96746
188	Res	PV	4.6	4.6	3.68	6,447	10/25/10	96746
189	Res	PV	2.6	2.6	2.08	3,644	11/05/10	96756
190	Res	PV	1.9	1.9	1.52	2,663	11/05/10	96716
191	Res	PV	5.4	7.0	4.32	7,569	11/05/10	96754
192	Res	PV	3.2	3.2	2.56	4,485	11/09/10	96746
193	Com	PV	101.0	100.0	80.80	141,562	11/19/10	96746
194	Res	PV	1.8	1.8	1.44	2,523	11/22/10	96766
195	Res	PV	5.3	5.3	4.24	7,428	11/23/10	96766
196	Res	PV	1.9	1.9	1.52	2,663	11/23/10	96756
197	Res	PV	4.2	4.2	3.36	5,887	11/23/10	96741
198	Res	PV	1.7	1.7	1.36	2,383	11/23/10	96741
199	Res	PV	2.1	2.1	1.68	2,943	11/23/10	96741
200	Res	PV	3.8	3.8	3.04	5,326	11/23/10	96705
201	Res	PV	3.8	3.8	3.04	5,326	11/23/10	96716
202	Res	PV	4.2	4.2	3.36	5,887	11/23/10	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) = $D \times 0.8, E$	Energy Produced (kWh) (G) = $F \times 2 \times 8760$	Connection Date (H)	Zip Code (I)
203	Res	PV	2.4	2.4	1.92	3,364	11/24/10	96766
204	Res	PV	1.4	3.0	1.12	1,962	11/30/10	96754
205	Res	PV	2.1	2.1	1.68	2,943	12/01/10	96746
206	Res	PV	3.4	3.4	2.72	4,765	12/02/10	96766
207	Res	PV	3.0	3.0	2.40	4,205	12/02/10	96741
208	Res	PV	2.3	2.3	1.84	3,224	12/02/10	96796
209	Res	PV	3.8	3.8	3.04	5,326	12/02/10	96752
210	Res	PV	5.4	4.9	4.30	7,534	12/02/10	96754
211	Res	PV	2.1	2.1	1.68	2,943	12/02/10	96722
212	Res	PV	1.9	1.9	1.52	2,663	12/06/10	96746
213	Res	PV	1.9	1.9	1.52	2,663	12/06/10	96746
214	Res	PV	2.3	1.9	1.84	3,224	12/06/10	96746
215	Res	PV	4.2	4.2	3.36	5,887	12/09/10	96741
216	Res	PV	4.2	4.2	3.36	5,887	12/09/10	96752
217	Com	PV	32.9	30.0	26.32	46,113	12/14/10	96766
218	Res	PV	6.4	3.0	3.00	5,256	12/14/10	96756
219	Res	PV	4.9	5.0	3.92	6,868	12/14/10	96765
220	Res	PV	7.9	8.6	6.33	11,087	12/14/10	96741
221	Res	PV	1.6	3.0	1.28	2,243	12/14/10	96752
222	Res	PV	2.1	2.1	1.68	2,943	12/14/10	96746
223	Res	PV	2.5	2.5	2.00	3,504	12/16/10	96741
224	Res	PV	2.7	2.7	2.16	3,784	12/20/10	96705
225	Com	PV	12.6	13.6	10.08	17,660	12/20/10	96746
226	Res	PV	4.6	4.0	3.68	6,447	12/21/10	96746
227	Res	PV	2.1	3.0	1.68	2,943	12/23/10	96766
228	Res	PV	5.3	7.0	4.24	7,428	12/23/10	96746
229	Res	PV	2.7	2.7	2.16	3,784	12/27/10	96765
230	Res	PV	5.8	4.9	4.64	8,129	12/29/10	96756
231	Res	PV	3.4	3.4	2.72	4,765	12/29/10	96741
232	Res	PV	3.8	3.8	3.04	5,326	12/29/10	96746
233	Res	PV	5.9	5.9	4.72	8,269	12/30/10	96756
234	Res	PV	4.6	4.6	3.68	6,447	12/30/10	96741
235	Res	PV	2.1	2.3	1.68	2,943	12/30/10	96705
236	Res	PV	3.2	3.2	2.56	4,485	12/30/10	96796
237	Res	PV	8.6	8.4	6.86	12,012	12/30/10	96752
238	Res	PV	3.8	3.8	3.04	5,326	12/30/10	96746
239	Res	PV	6.5	5.3	5.18	9,068	12/30/10	96746
240	Res	PV	4.0	4.0	3.20	5,606	12/30/10	96746
241	Res	PV	3.3	3.5	2.67	4,681	01/04/11	96722
242	Com	PV	7.7	7.0	6.16	10,792	01/10/11	96766
243	Res	PV	5.9	6.0	4.72	8,269	01/11/11	96741
244	Res	PV	2.2	2.2	1.76	3,084	01/11/11	96705
245	Res	PV	3.8	3.8	3.04	5,326	01/11/11	96746
246	Res	PV	4.6	4.6	3.68	6,447	01/12/11	96741
247	Res	PV	4.9	4.0	3.95	6,917	01/12/11	96766
248	Res	PV	1.7	1.7	1.36	2,383	01/13/11	96756
249	Res	PV	3.8	3.8	3.04	5,326	01/13/11	96741
250	Res	PV	3.8	3.8	3.04	5,326	01/13/11	96746
251	Res	PV	3.8	3.8	3.04	5,326	01/13/11	96746
252	Res	PV	2.8	2.4	2.24	3,924	01/25/11	96714
253	Res	PV	8.0	6.0	6.00	10,512	01/27/11	96746
254	Res	PV	3.5	6.0	2.77	4,850	01/27/11	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
255	Res	PV	2.2	1.9	1.76	3,084	01/27/11	96746
256	Com	PV	98.7	79.8	78.96	138,338	01/31/11	96754
257	Res	PV	5.9	5.0	4.72	8,269	02/01/11	96752
258	Res	PV	3.5	3.0	2.80	4,906	02/01/11	96746
259	Res	PV	17.8	15.5	14.21	24,888	02/01/11	96754
260	Res	PV	3.2	2.6	2.56	4,485	02/01/11	96754
261	Res	PV	2.1	1.9	1.68	2,943	02/09/11	96766
262	Res	PV	2.4	1.9	1.90	3,329	02/09/11	96766
263	Res	PV	3.0	3.0	2.40	4,205	02/09/11	96714
264	Res	PV	2.2	1.9	1.76	3,084	02/17/11	96741
265	Res	PV	4.9	5.0	3.92	6,868	02/23/11	96741
266	Res	PV	4.1	3.8	3.28	5,747	02/25/11	96746
267	Res	PV	5.9	9.8	4.74	8,297	03/03/11	96765
268	Res	PV	2.1	2.1	1.68	2,943	03/03/11	96716
269	Res	PV	4.9	6.0	3.92	6,868	03/07/11	96754
270	Res	PV	2.3	2.5	1.84	3,224	03/09/11	96746
271	Res	PV	4.2	6.0	3.36	5,887	03/21/11	96746
272	Res	PV	6.8	6.6	5.44	9,531	03/22/11	96766
273	Res	PV	5.7	5.7	4.56	7,989	03/24/11	96756
274	Res	PV	5.8	5.9	4.64	8,129	03/24/11	96741
275	Res	PV	5.5	5.9	4.40	7,709	03/24/11	96752
276	Res	PV	7.7	7.8	6.16	10,792	03/25/11	96752
277	Res	PV	2.1	1.9	1.68	2,943	04/01/11	96746
278	Res	PV	8.0	8.0	6.40	11,213	04/06/11	96754
279	Res	PV	2.1	2.1	1.68	2,943	04/07/11	96746
280	Res	PV	6.0	6.0	4.80	8,410	04/13/11	96756
281	Res	PV	3.4	3.4	2.72	4,765	04/13/11	96741
282	Res	PV	3.4	3.4	2.72	4,765	04/13/11	96746
283	Res	PV	14.8	12.9	11.87	20,800	04/13/11	96714
284	Com	PV	5.6	5.0	4.48	7,849	04/14/11	96714
285	Res	PV	10.5	9.7	8.36	14,647	04/28/11	96752
286	Res	PV	5.5	5.5	4.40	7,709	04/28/11	96752
287	Res	PV	2.1	2.1	1.68	2,943	04/28/11	96752
288	Res	PV	3.1	2.7	2.48	4,345	05/03/11	96796
289	Res	PV	1.1	1.1	0.88	1,542	05/04/11	96746
290	Com	PV	9.4	7.6	7.52	13,175	05/05/11	96766
291	Res	PV	3.7	3.0	2.96	5,186	05/10/11	96754
292	Com	PV	85.0	75.0	68.00	119,136	05/11/11	96766
293	Res	PV	3.0	3.0	2.40	4,205	05/13/11	96756
294	Res	PV	2.6	2.6	2.08	3,644	05/13/11	96756
295	Res	PV	6.9	5.9	5.50	9,629	05/13/11	96756
296	Res	PV	7.7	7.6	6.16	10,792	05/13/11	96796
297	Res	PV	3.5	2.9	2.80	4,906	05/18/11	96756
298	Res	PV	2.1	1.9	1.68	2,943	05/19/11	96746
299	Com	PV	2.4	1.9	1.90	3,329	05/19/11	96722
300	Res	PV	2.4	1.9	1.90	3,329	05/19/11	96722
301	Res	PV	4.2	4.2	3.36	5,887	05/25/11	96722
302	Res	PV	1.8	1.8	1.44	2,523	05/31/11	96766
303	Res	PV	4.3	4.3	3.44	6,027	05/31/11	96722
304	Res	PV	4.3	4.3	3.44	6,027	05/31/11	96746
305	Res	PV	2.7	2.7	2.16	3,784	06/03/11	96746
306	Res	PV	4.6	3.8	3.68	6,447	06/06/11	96756

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
307	Res	PV	5.0	5.0	4.00	7,008	06/08/11	96741
308	Res	PV	3.8	3.6	3.00	5,256	06/09/11	96756
309	Res	PV	2.2	3.0	1.76	3,084	06/09/11	96796
310	Res	PV	2.9	2.9	2.32	4,065	06/09/11	96766
311	Res	PV	6.8	6.5	5.42	9,503	06/17/11	96741
312	Res	PV	6.8	6.8	5.44	9,531	06/17/11	96766
313	Res	PV	2.2	2.2	1.76	3,084	06/21/11	96746
314	Res	PV	4.3	4.3	3.44	6,027	06/21/11	96746
315	Res	PV	5.0	4.0	4.00	7,008	06/22/11	96746
316	Res	PV	8.0	7.0	6.40	11,213	06/22/11	96754
317	Res	PV	7.4	6.1	5.92	10,372	06/23/11	96752
318	Res	PV	4.2	4.0	3.36	5,887	06/24/11	96756
319	Res	PV	2.6	2.6	2.08	3,644	06/24/11	96756
320	Res	PV	6.6	6.6	5.28	9,251	06/24/11	96741
321	Res	PV	2.3	2.2	1.87	3,280	06/24/11	96746
322	Com	PV	6.6	8.0	5.28	9,251	06/24/11	96754
323	Res	PV	8.5	8.8	6.80	11,914	06/28/11	96746
324	Res	PV	7.5	7.6	6.00	10,512	06/30/11	96746
325	Res	PV	3.0	2.9	2.40	4,205	07/06/11	96741
326	Res	PV	4.9	4.8	3.92	6,868	07/06/11	96741
327	Com	PV	3.4	3.4	2.72	4,765	07/06/11	96766
328	Res	PV	2.4	2.6	1.88	3,294	07/06/11	96754
329	Res	PV	3.4	3.4	2.72	4,765	07/07/11	96766
330	Res	PV	2.8	2.4	2.24	3,924	07/11/11	96756
331	Res	PV	2.3	3.0	1.84	3,224	07/11/11	96716
332	Res	PV	3.7	3.1	2.96	5,186	07/12/11	96765
333	Res	PV	3.7	3.1	2.96	5,186	07/12/11	96766
334	Res	PV	2.5	2.5	2.00	3,504	07/14/11	96705
335	Res	PV	3.4	3.3	2.72	4,765	07/14/11	96766
336	Res	PV	2.2	2.1	1.76	3,084	07/15/11	96796
337	Res	PV	5.0	5.0	4.00	7,008	07/22/11	96765
338	Res	PV	3.4	3.4	2.72	4,765	07/22/11	96741
339	Res	PV	2.1	2.1	1.68	2,943	07/22/11	96722
340	Res	PV	2.1	2.1	1.68	2,943	07/25/11	96746
341	Res	PV	2.2	2.1	1.76	3,084	07/25/11	96765
342	Res	PV	3.8	3.8	3.04	5,326	07/25/11	96746
343	Res	PV	4.3	4.2	3.44	6,027	07/26/11	96741
344	Res	PV	2.1	2.1	1.68	2,943	07/29/11	96766
345	Res	PV	1.8	1.8	1.44	2,523	08/09/11	96766
346	Res	PV	1.1	1.1	0.88	1,542	08/16/11	96746
347	Res	PV	1.9	2.1	1.52	2,663	08/16/11	96746
348	Res	PV	10.4	9.9	8.30	14,549	08/17/11	96766
349	Res	PV	2.8	2.3	2.24	3,924	08/29/11	96746
350	Res	PV	1.4	1.5	1.12	1,962	08/30/11	96766
351	Res	PV	7.0	6.7	5.60	9,811	08/30/11	96756
352	Res	PV	7.0	7.0	5.60	9,811	08/31/11	96746
353	Res	PV	4.2	4.3	3.36	5,887	09/06/11	96741
354	Res	PV	6.6	7.1	5.30	9,293	09/06/11	96752
355	Res	PV	2.1	2.1	1.68	2,943	09/06/11	96746
356	Res	PV	2.4	2.4	1.92	3,364	09/06/11	96746
357	Res	PV	9.7	8.0	7.73	13,539	09/08/11	96754
358	Res	PV	0.7	3.0	0.56	981	09/08/11	96714

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
359	Res	PV	1.5	1.3	1.20	2,102	09/09/11	96766
360	Res	PV	5.3	6.0	4.24	7,428	09/09/11	96716
361	Com	PV	38.5	39.0	30.79	53,948	09/09/11	96754
362	Res	PV	3.3	3.2	2.64	4,625	09/12/11	96766
363	Res	PV	2.5	2.5	2.00	3,504	09/13/11	96746
364	Res	PV	5.7	4.9	4.53	7,933	09/29/11	96746
365	Res	PV	3.1	3.0	2.48	4,345	09/30/11	96756
366	Res	PV	5.5	5.0	4.43	7,758	09/30/11	96756
367	Res	PV	2.8	3.1	2.24	3,924	09/30/11	96766
368	Res	PV	3.5	3.4	2.80	4,906	09/30/11	96754
369	Res	PV	4.4	4.2	3.52	6,167	10/03/11	96766
370	Res	PV	6.0	5.6	4.80	8,410	10/03/11	96766
371	Res	PV	3.2	3.8	2.56	4,485	10/03/11	96766
372	Res	PV	5.6	5.4	4.48	7,849	10/03/11	96746
373	Res	PV	4.5	3.8	3.60	6,307	10/03/11	96746
374	Res	PV	3.9	3.0	3.00	5,256	10/03/11	96746
375	Res	PV	3.1	3.0	2.48	4,345	10/04/11	96756
376	Res	PV	3.1	3.0	2.48	4,345	10/04/11	96796
377	Res	PV	1.6	1.5	1.28	2,243	10/04/11	96752
378	Com	PV	52.7	54.0	42.16	73,864	10/07/11	96766
379	Res	PV	2.9	2.9	2.32	4,065	10/11/11	96796
380	Res	PV	3.1	2.9	2.48	4,345	10/11/11	96752
381	Res	PV	4.0	4.0	3.20	5,606	10/11/11	96766
382	Res	PV	3.8	3.0	3.00	5,256	10/11/11	96766
383	Res	PV	3.2	4.0	2.56	4,485	10/11/11	96766
384	Res	PV	3.8	3.0	3.00	5,256	10/11/11	96754
385	Res	PV	2.5	2.2	2.00	3,504	10/11/11	96722
386	Res	PV	2.0	1.9	1.60	2,803	10/11/11	96722
387	Res	PV	2.8	2.5	2.24	3,924	10/24/11	96746
388	Res	PV	6.0	6.0	4.80	8,410	11/02/11	96741
389	Res	PV	6.0	5.7	4.80	8,410	11/02/11	96752
390	Res	PV	0.9	0.8	0.72	1,261	11/02/11	96746
391	Res	PV	2.6	2.2	2.08	3,644	11/02/11	96746
392	Res	PV	7.5	8.3	6.00	10,512	11/02/11	96746
393	Res	PV	2.5	2.4	2.00	3,504	11/02/11	96722
394	Res	PV	3.8	3.0	3.00	5,256	11/03/11	96756
395	Res	PV	6.0	6.0	4.80	8,410	11/03/11	96741
396	Res	PV	2.3	1.9	1.84	3,224	11/03/11	96766
397	Res	PV	2.8	2.3	2.24	3,924	11/03/11	96746
398	Res	PV	2.4	2.6	1.92	3,364	11/03/11	96722
399	Res	PV	1.3	1.1	1.04	1,822	11/08/11	96705
400	Res	PV	3.1	2.9	2.48	4,345	11/08/11	96766
401	Res	PV	8.1	6.8	6.48	11,353	11/08/11	96746
402	Res	PV	5.7	5.7	4.56	7,989	11/09/11	96754
403	Com	PV	52.9	60.0	42.32	74,145	11/10/11	96705
404	Res	PV	4.6	3.8	3.68	6,447	11/14/11	96746
405	Res	PV	3.3	3.0	2.64	4,625	11/15/11	96796
406	Res	PV	7.6	7.2	6.11	10,708	11/15/11	96722
407	Res	PV	2.1	3.0	1.68	2,943	11/17/11	96796
408	Res	PV	6.8	6.6	5.41	9,475	11/17/11	96746
409	Res	PV	2.8	2.6	2.24	3,924	11/18/11	96766
410	Res	PV	5.2	4.7	4.16	7,288	11/18/11	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
411	Res	PV	38.4	38.0	30.72	53,821	11/18/11	96703
412	Res	PV	6.5	6.0	5.20	9,110	11/21/11	96766
413	Res	PV	11.7	11.0	9.36	16,399	11/21/11	96746
414	Res	PV	5.9	5.7	4.72	8,269	11/29/11	96741
415	Res	PV	4.8	6.0	3.84	6,728	11/30/11	96716
416	Res	PV	2.3	1.9	1.84	3,224	11/30/11	96766
417	Res	PV	5.3	5.0	4.24	7,428	11/30/11	96746
418	Res	PV	2.5	1.9	1.90	3,329	11/30/11	96754
419	Res	PV	7.3	7.4	5.84	10,232	12/01/11	96741
420	Res	PV	6.3	6.4	5.04	8,830	12/01/11	96741
421	Res	PV	2.4	2.4	1.92	3,364	12/01/11	96746
422	Res	PV	2.2	2.1	1.76	3,084	12/02/11	96766
423	Res	PV	4.5	4.5	3.60	6,307	12/02/11	96765
424	Res	PV	6.3	6.3	5.04	8,830	12/03/11	96765
425	Res	PV	4.3	4.3	3.44	6,027	12/06/11	96756
426	Res	PV	4.6	6.0	3.70	6,475	12/06/11	96741
427	Res	PV	7.7	7.0	6.14	10,764	12/07/11	96765
428	Res	PV	9.4	10.0	7.52	13,175	12/08/11	96741
429	Com	PV	81.8	66.1	65.45	114,665	12/08/11	96766
430	Res	PV	2.9	2.9	2.32	4,065	12/08/11	96722
431	Res	PV	6.0	6.0	4.80	8,410	12/09/11	96754
432	Res	PV	3.8	5.0	3.04	5,326	12/09/11	96722
433	Res	PV	3.5	3.0	2.80	4,906	12/12/11	96741
434	Res	PV	2.2	4.2	1.76	3,084	12/12/11	96746
435	Com	PV	24.7	25.0	19.76	34,620	12/12/11	96746
436	Res	PV	4.4	4.2	3.52	6,167	12/13/11	96766
437	Res	PV	4.0	4.0	3.20	5,606	12/13/11	96766
438	Res	PV	8.7	7.3	6.93	12,138	12/13/11	96741
439	Res	PV	7.1	7.1	5.68	9,951	12/13/11	96705
440	Res	PV	4.2	4.0	3.36	5,887	12/13/11	96716
441	Res	PV	6.8	6.7	5.41	9,482	12/13/11	96752
442	Res	PV	4.0	4.0	3.20	5,606	12/13/11	96766
443	Res	PV	4.0	6.0	3.20	5,606	12/13/11	96746
444	Res	PV	5.0	9.7	4.00	7,008	12/13/11	96746
445	Res	PV	6.0	6.0	4.80	8,410	12/13/11	96754
446	Res	PV	5.9	5.7	4.72	8,269	12/15/11	96766
447	Res	PV	7.8	7.4	6.26	10,961	12/15/11	96754
448	Res	PV	3.4	3.0	2.72	4,765	12/16/11	96746
449	Res	PV	9.8	9.8	7.84	13,736	12/16/11	96754
450	Res	PV	11.1	11.0	8.88	15,558	12/19/11	96765
451	Res	PV	2.2	3.0	1.76	3,084	12/19/11	96752
452	Res	PV	8.4	6.8	6.70	11,745	12/20/11	96741
453	Res	PV	4.1	3.4	3.28	5,747	12/20/11	96746
454	Res	PV	7.2	6.0	5.76	10,092	12/21/11	96752
455	Com	PV	8.2	8.0	6.56	11,493	12/21/11	96766
456	Res	PV	3.0	3.0	2.40	4,205	12/21/11	96766
457	Res	PV	3.4	3.0	2.72	4,765	12/21/11	96754
458	Res	PV	2.2	2.2	1.76	3,084	12/27/11	96756
459	Res	PV	1.9	1.9	1.52	2,663	12/28/11	96746
460	Res	PV	2.3	2.2	1.84	3,224	12/30/11	96741
461	Res	PV	5.8	6.0	4.64	8,129	01/04/12	96766
462	Res	PV	4.8	4.0	3.84	6,728	01/04/12	96716

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
463	Res	PV	3.8	3.0	3.00	5,256	01/04/12	96752
464	Res	PV	6.0	6.0	4.80	8,410	01/04/12	96766
465	Res	PV	3.8	3.0	3.00	5,256	01/05/12	96741
466	Res	PV	2.0	2.0	1.60	2,803	01/05/12	96765
467	Res	PV	2.3	2.3	1.84	3,224	01/05/12	96766
468	Res	PV	2.9	3.0	2.30	4,037	01/06/12	96741
469	Res	PV	2.4	2.2	1.92	3,364	01/06/12	96747
470	Res	PV	3.8	3.4	3.04	5,326	01/06/12	96746
471	Res	PV	6.2	5.9	4.96	8,690	01/09/12	96756
472	Com	PV	2.6	2.5	2.08	3,644	01/10/12	96756
473	Res	PV	6.3	5.9	5.04	8,830	01/10/12	96756
474	Res	PV	7.1	7.0	5.68	9,951	01/12/12	96766
475	Res	PV	5.9	5.6	4.72	8,269	01/12/12	96766
476	Res	PV	7.7	6.0	6.00	10,512	01/12/12	96766
477	Res	PV	3.8	3.0	3.00	5,256	01/12/12	96746
478	Res	PV	5.4	5.1	4.32	7,569	01/12/12	96722
479	Res	PV	4.0	4.0	3.20	5,606	01/16/12	96766
480	Res	PV	4.4	4.4	3.52	6,167	01/17/12	96741
481	Res	PV	5.5	5.2	4.40	7,709	01/17/12	96741
482	Res	PV	14.1	11.4	11.28	19,763	01/17/12	96714
483	Res	PV	5.7	5.8	4.54	7,961	01/19/12	96766
484	Res	PV	2.8	7.8	2.24	3,924	01/19/12	96741
485	Res	PV	4.4	4.2	3.52	6,167	01/20/12	96741
486	Res	PV	7.1	7.2	5.66	9,923	01/20/12	96796
487	Res	PV	3.7	3.7	2.96	5,186	01/26/12	96765
488	Res	PV	5.1	4.3	4.08	7,148	01/26/12	96746
489	Com	PV	9.9	9.9	7.92	13,876	01/26/12	96754
490	Res	PV	5.9	5.9	4.72	8,269	01/30/12	96756
491	Res	PV	3.9	3.4	3.12	5,466	01/30/12	96705
492	Res	PV	3.8	3.2	3.06	5,361	02/01/12	96766
493	Res	PV	3.4	3.4	2.72	4,765	02/01/12	96741
494	Res	PV	13.4	13.0	10.72	18,781	02/01/12	96766
495	Res	PV	5.2	6.3	4.16	7,288	02/01/12	96766
496	Res	PV	3.9	3.4	3.12	5,466	02/01/12	96722
497	Res	PV	3.5	3.0	2.80	4,906	02/01/12	96722
498	Com	PV	31.7	28.0	25.36	44,431	02/03/12	96746
499	Res	PV	4.8	4.8	3.84	6,728	02/07/12	96752
500	Res	PV	4.1	3.9	3.28	5,747	02/07/12	96766
501	Res	PV	1.5	1.5	1.20	2,102	02/07/12	96715
502	Res	PV	5.7	5.7	4.56	7,989	02/09/12	96766
503	Res	PV	2.8	2.8	2.24	3,924	02/09/12	96746
504	Res	PV	2.6	2.6	2.08	3,644	02/12/12	96756
505	Res	PV	3.0	3.0	2.40	4,205	02/14/12	96754
506	Res	PV	8.0	7.1	6.36	11,143	02/15/12	96756
507	Res	PV	4.2	4.2	3.36	5,887	02/21/12	96766
508	Res	PV	3.2	3.2	2.56	4,485	02/22/12	96722
509	Res	PV	3.8	3.2	3.04	5,326	02/22/12	96722
510	Res	PV	2.3	4.0	1.84	3,224	02/27/12	96741
511	Res	PV	5.2	4.7	4.14	7,246	02/27/12	96741
512	Res	PV	6.6	6.6	5.28	9,251	02/27/12	96796
513	Res	PV	9.2	9.2	7.36	12,895	02/27/12	96714
514	Res	PV	2.1	3.0	1.68	2,943	03/02/12	96756

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
515	Res	PV	4.2	4.0	3.36	5,887	03/02/12	96705
516	Res	PV	5.5	5.2	4.41	7,723	03/02/12	96752
517	Res	PV	1.3	1.3	1.04	1,822	03/02/12	96746
518	Res	PV	6.6	6.3	5.28	9,251	03/02/12	96722
519	Res	PV	8.0	8.0	6.40	11,213	03/02/12	96722
520	Res	PV	5.9	5.7	4.72	8,269	03/02/12	96722
521	Res	PV	7.9	7.6	6.32	11,073	03/02/12	96722
522	Res	PV	4.1	9.6	3.28	5,747	03/05/12	96766
523	Com	PV	37.0	30.0	29.57	51,803	03/06/12	96766
524	Res	PV	5.2	5.0	4.16	7,288	03/07/12	96756
525	Res	PV	2.8	3.0	2.24	3,924	03/07/12	96756
526	Com	PV	25.2	21.0	20.16	35,320	03/07/12	96796
527	Res	PV	8.6	8.2	6.88	12,054	03/08/12	96756
528	Res	PV	2.6	2.5	2.08	3,644	03/08/12	96746
529	Res	PV	2.0	4.0	1.63	2,859	03/08/12	96746
530	Res	PV	4.8	4.3	3.84	6,728	03/08/12	96746
531	Res	PV	2.4	2.2	1.92	3,364	03/12/12	96766
532	Res	PV	1.8	3.0	1.44	2,523	03/12/12	96741
533	Res	PV	5.6	7.0	4.48	7,849	03/12/12	96741
534	Res	PV	4.2	4.0	3.36	5,887	03/15/12	96746
535	Res	PV	3.5	3.2	2.80	4,906	03/15/12	96746
536	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
537	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
538	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
539	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
540	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
541	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
542	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
543	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
544	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
545	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
546	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
547	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
548	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
549	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
550	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
551	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
552	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
553	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
554	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
555	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
556	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
557	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
558	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
559	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
560	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
561	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
562	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
563	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
564	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
565	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
566	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
567	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
568	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
569	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
570	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
571	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
572	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
573	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
574	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
575	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
576	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
577	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
578	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
579	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
580	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
581	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
582	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
583	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
584	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
585	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
586	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
587	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
588	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
589	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
590	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
591	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
592	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
593	Res	PV	1.6	1.5	1.29	2,257	03/19/12	96766
594	Res	PV	6.6	6.3	5.28	9,251	03/20/12	96796
595	Res	PV	6.2	5.9	4.96	8,690	03/20/12	96722
596	Res	PV	3.0	3.0	2.40	4,205	03/21/12	96766
597	Res	PV	4.7	4.3	3.76	6,588	03/21/12	96746
598	Res	PV	5.9	5.7	4.72	8,269	03/21/12	96714
599	Res	PV	5.9	5.7	4.72	8,269	03/23/12	96766
600	Res	PV	5.2	4.7	4.16	7,288	03/26/12	96747
601	Res	PV	2.6	2.4	2.09	3,658	03/27/12	96746
602	Res	PV	2.3	2.2	1.80	3,154	03/28/12	96766
603	Res	PV	12.1	11.6	9.68	16,959	03/29/12	96766
604	Res	PV	3.3	3.2	2.64	4,625	03/29/12	96741
605	Com	PV	27.6	30.0	22.08	38,684	03/29/12	96746
606	Com	PV	38.8	35.5	31.02	54,354	04/02/12	96766
607	Res	PV	4.8	4.3	3.84	6,728	04/03/12	96766
608	Res	PV	2.4	2.2	1.92	3,364	04/03/12	96766
609	Res	PV	3.4	3.0	2.69	4,709	04/04/12	96766
610	Res	PV	4.7	4.3	3.76	6,588	04/04/12	96765
611	Com	PV	62.5	60.0	50.01	87,614	04/04/12	96796
612	Com	PV	20.2	21.0	16.13	28,256	04/04/12	96754
613	Res	PV	2.9	3.0	2.29	4,009	04/05/12	96741
614	Res	PV	4.6	4.3	3.68	6,447	04/05/12	96746
615	Res	PV	3.1	3.0	2.50	4,373	04/10/12	96716
616	Res	PV	2.9	2.6	2.30	4,037	04/10/12	96746
617	Res	PV	4.5	4.0	3.60	6,307	04/11/12	96741
618	Res	PV	4.1	3.0	3.00	5,256	04/11/12	96741

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
619	Res	PV	5.1	4.7	4.04	7,078	04/11/12	96746
620	Res	PV	4.6	3.9	3.67	6,433	04/11/12	96754
621	Res	PV	4.9	4.5	3.95	6,924	04/13/12	96752
622	Res	PV	4.8	4.3	3.84	6,728	04/16/12	96756
623	Res	PV	2.4	2.2	1.92	3,364	04/16/12	96756
624	Res	PV	2.3	2.2	1.84	3,224	04/18/12	96746
625	Res	PV	1.9	1.7	1.50	2,635	04/18/12	96746
626	Res	PV	4.2	4.0	3.36	5,887	04/19/12	96756
627	Res	PV	7.1	6.0	5.71	10,007	04/19/12	96722
628	Res	PV	3.8	3.4	3.01	5,270	04/19/12	96714
629	Res	PV	3.5	3.2	2.82	4,948	04/20/12	96756
630	Res	PV	2.9	3.0	2.29	4,009	04/24/12	96705
631	Res	PV	8.6	8.0	6.91	12,110	04/24/12	96754
632	Com	PV	10.6	9.5	8.45	14,801	04/30/12	96746
633	Com	PV	5.8	5.2	4.61	8,073	05/01/12	96716
634	Com	PV	12.6	12.0	10.08	17,660	05/02/12	96716
635	Res	PV	4.2	3.9	3.38	5,929	05/02/12	96722
636	Res	PV	5.5	6.0	4.40	7,709	05/03/12	96756
637	Res	PV	10.1	9.0	8.06	14,128	05/03/12	96746
638	Res	PV	11.3	10.5	9.00	15,768	05/03/12	96754
639	Res	PV	3.8	6.0	3.01	5,270	05/04/12	96756
640	Res	PV	12.1	11.6	9.68	16,959	05/07/12	96766
641	Res	PV	5.1	4.5	4.09	7,162	05/08/12	96741
642	Res	PV	4.2	3.9	3.38	5,929	05/08/12	96746
643	Res	PV	1.2	1.0	0.92	1,612	05/08/12	96746
644	Res	PV	3.5	3.2	2.82	4,948	05/08/12	96746
645	Res	PV	9.4	10.0	7.49	13,119	05/11/12	96741
646	Res	PV	7.7	6.9	6.14	10,764	05/16/12	96766
647	Res	PV	5.9	5.7	4.75	8,326	05/16/12	96714
648	Res	PV	4.7	4.3	3.76	6,588	05/17/12	96746
649	Res	PV	4.4	4.2	3.52	6,167	05/17/12	96754
650	Res	PV	14.1	13.4	11.26	19,735	05/18/12	96756
651	Res	PV	4.7	4.3	3.76	6,588	05/18/12	96746
652	Res	PV	6.2	6.0	4.99	8,746	05/22/12	96766
653	Res	PV	5.1	4.7	4.05	7,092	05/22/12	96716
654	Res	PV	5.6	5.0	4.51	7,905	05/22/12	96716
655	Res	PV	8.6	7.7	6.91	12,110	05/22/12	96766
656	Com	PV	9.4	10.0	7.49	13,119	05/22/12	96766
657	Res	PV	2.4	2.2	1.92	3,364	05/22/12	96746
658	Res	PV	5.0	4.0	3.96	6,938	05/22/12	96754
659	Com	PV	105.8	95.0	84.60	148,219	05/25/12	96766
660	Res	PV	5.9	5.6	4.73	8,283	05/30/12	96703
661	Res	PV	5.9	5.7	4.75	8,326	05/30/12	96754
662	Res	PV	3.1	3.0	2.50	4,373	06/01/12	96741
663	Res	PV	6.8	6.2	5.46	9,559	06/01/12	96754
664	Res	PV	5.3	4.7	4.22	7,400	06/04/12	96741
665	Res	PV	1.4	1.3	1.13	1,976	06/06/12	96716
666	Res	PV	5.2	4.7	4.14	7,246	06/06/12	96766
667	Res	PV	2.4	2.2	1.88	3,294	06/06/12	96703
668	Res	PV	4.2	3.9	3.38	5,929	06/07/12	96741
669	Res	PV	4.4	4.0	3.52	6,167	06/07/12	96746
670	Res	PV	5.4	5.0	4.33	7,583	06/07/12	96754

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
671	Res	PV	10.1	10.0	8.11	14,212	06/08/12	96752
672	Res	PV	4.7	5.0	3.76	6,588	06/14/12	96746
673	Res	PV	5.2	5.0	4.16	7,288	06/15/12	96766
674	Res	PV	4.9	3.0	3.00	5,256	06/15/12	96754
675	Com	PV	72.5	75.0	57.96	101,546	06/19/12	96766
676	Res	PV	2.4	2.2	1.88	3,294	06/19/12	96746
677	Res	PV	7.9	7.4	6.30	11,045	06/19/12	96703
678	Res	PV	4.2	3.9	3.38	5,929	06/25/12	96746
679	Res	PV	3.4	3.0	2.74	4,793	06/25/12	96746
680	Res	PV	5.4	5.0	4.32	7,569	06/25/12	96754
681	Com	PV	4.3	3.9	3.46	6,055	06/26/12	96752
682	Com	PV	2.2	2.0	1.79	3,140	06/26/12	96766
683	Com	PV	2.2	2.0	1.79	3,140	06/26/12	96766
684	Res	PV	4.8	4.0	3.84	6,728	06/26/12	96766
685	Res	PV	7.2	6.5	5.76	10,092	06/27/12	96752
686	Res	PV	2.4	2.2	1.92	3,364	06/27/12	96752
687	Res	PV	5.7	6.0	4.58	8,017	07/02/12	96766
688	Res	PV	5.9	5.7	4.75	8,326	07/02/12	96746
689	Res	PV	3.8	3.4	3.07	5,382	07/02/12	96746
690	Res	PV	3.4	2.9	2.70	4,737	07/06/12	96746
691	Res	PV	1.9	4.5	1.50	2,635	07/09/12	96716
692	Res	PV	4.7	4.3	3.76	6,588	07/09/12	96716
693	Res	PV	2.8	2.6	2.26	3,953	07/09/12	96766
694	Res	PV	2.4	2.2	1.88	3,294	07/09/12	96766
695	Com	PV	4.2	3.9	3.38	5,929	07/11/12	96756
696	Res	PV	0.9	0.9	0.75	1,318	07/11/12	96716
697	Res	PV	3.8	3.4	3.01	5,270	07/11/12	96716
698	Res	PV	4.7	4.3	3.76	6,588	07/11/12	96716
699	Res	PV	2.4	2.2	1.88	3,294	07/11/12	96766
700	Res	PV	3.5	3.2	2.82	4,948	07/11/12	96746
701	Res	PV	8.2	7.5	6.58	11,535	07/12/12	96756
702	Res	PV	2.9	2.6	2.30	4,037	07/13/12	96705
703	Res	PV	3.4	3.0	2.69	4,709	07/13/12	96705
704	Res	PV	7.2	6.5	5.76	10,092	07/13/12	96746
705	Res	PV	4.2	4.0	3.33	5,831	07/16/12	96765
706	Res	PV	5.8	5.2	4.61	8,073	07/16/12	96746
707	Res	PV	4.7	4.3	3.76	6,588	07/17/12	96746
708	Res	PV	5.6	6.0	4.51	7,905	07/19/12	96765
709	Res	PV	4.2	3.9	3.38	5,929	07/19/12	96746
710	Res	PV	3.5	3.0	2.82	4,948	07/19/12	96754
711	Res	PV	4.5	4.0	3.60	6,307	07/23/12	96756
712	Res	PV	4.8	4.3	3.84	6,728	07/23/12	96765
713	Res	PV	6.0	5.4	4.80	8,410	07/23/12	96796
714	Res	PV	3.6	4.0	2.86	5,004	07/23/12	96746
715	Res	PV	3.8	3.4	3.01	5,270	07/24/12	96746
716	Res	PV	8.2	6.9	6.53	11,437	07/24/12	96754
717	Com	PV	6.0	5.4	4.80	8,410	07/30/12	96766
718	Res	PV	3.8	3.7	3.06	5,368	07/30/12	96752
719	Res	PV	5.8	5.2	4.61	8,073	07/30/12	96766
720	Res	PV	4.3	3.9	3.46	6,055	07/30/12	96746
721	Res	PV	5.8	5.2	4.61	8,073	08/01/12	96746
722	Res	PV	9.4	8.6	7.52	13,175	08/06/12	96756

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
723	Res	PV	3.8	3.4	3.01	5,270	08/06/12	96746
724	Res	PV	5.9	5.4	4.70	8,241	08/06/12	96754
725	Res	PV	2.9	3.0	2.29	4,009	08/10/12	96756
726	Res	PV	4.7	4.8	3.79	6,644	08/10/12	96765
727	Res	PV	5.2	5.0	4.16	7,288	08/10/12	96766
728	Res	PV	6.4	6.0	5.10	8,928	08/14/12	96756
729	Res	PV	2.5	2.2	2.00	3,504	08/14/12	96746
730	Res	PV	1.4	3.0	1.15	2,018	08/14/12	96703
731	Res	PV	7.6	6.5	6.06	10,624	08/16/12	96766
732	Res	PV	2.7	3.0	2.16	3,784	08/16/12	96741
733	Res	PV	10.0	9.1	7.98	13,988	08/20/12	96756
734	Res	PV	4.3	3.9	3.46	6,055	08/20/12	96746
735	Res	PV	5.8	5.2	4.61	8,073	08/21/12	96766
736	Res	PV	5.9	6.0	4.68	8,199	08/21/12	96766
737	Res	PV	4.7	4.3	3.76	6,588	08/21/12	96766
738	Res	PV	8.4	7.5	6.72	11,773	08/21/12	96746
739	Res	PV	5.9	5.7	4.75	8,326	08/21/12	96722
740	Res	PV	6.2	5.9	4.93	8,634	08/22/12	96756
741	Res	PV	7.4	7.5	5.88	10,302	08/22/12	96765
742	Res	PV	2.8	2.5	2.26	3,953	08/22/12	96716
743	Res	PV	8.3	7.2	6.67	11,689	08/22/12	96716
744	Res	PV	5.2	4.7	4.14	7,246	08/22/12	96746
745	Res	PV	2.4	2.2	1.92	3,364	08/22/12	96754
746	Res	PV	6.0	6.0	4.80	8,410	08/23/12	96741
747	Res	PV	3.2	3.0	2.52	4,415	08/23/12	96705
748	Res	PV	20.3	18.3	16.26	28,481	08/28/12	96703
749	Res	PV	3.1	3.0	2.46	4,317	08/29/12	96752
750	Res	PV	5.3	4.7	4.22	7,400	08/30/12	96756
751	Res	PV	8.4	8.0	6.74	11,815	08/30/12	96756
752	Res	PV	5.4	4.5	4.29	7,513	08/30/12	96766
753	Res	PV	3.5	3.0	2.80	4,906	08/31/12	96766
754	Com	PV	85.8	71.0	68.64	120,257	09/04/12	96756
755	Res	PV	6.1	5.6	4.89	8,564	09/04/12	96756
756	Res	PV	5.4	5.0	4.32	7,569	09/04/12	96765
757	Res	PV	6.2	5.0	4.99	8,746	09/04/12	96766
758	Res	PV	3.8	3.0	3.00	5,256	09/04/12	96766
759	Res	PV	4.5	4.4	3.56	6,237	09/04/12	96766
760	Res	PV	4.7	4.3	3.76	6,588	09/04/12	96746
761	Res	PV	2.4	2.2	1.88	3,294	09/04/12	96746
762	Res	PV	2.6	2.4	2.07	3,630	09/04/12	96746
763	Res	PV	4.7	4.3	3.76	6,588	09/06/12	96746
764	Res	PV	2.9	2.6	2.30	4,037	09/06/12	96746
765	Res	PV	7.1	6.5	5.64	9,881	09/06/12	96746
766	Com	PV	25.2	21.0	20.16	35,320	09/07/12	96722
767	Res	PV	2.4	2.2	1.92	3,364	09/10/12	96756
768	Res	PV	5.2	4.7	4.14	7,246	09/10/12	96756
769	Res	PV	4.2	3.8	3.38	5,929	09/10/12	96741
770	Res	PV	5.2	4.7	4.14	7,246	09/12/12	96746
771	Res	PV	5.6	5.2	4.51	7,905	09/14/12	96756
772	Res	PV	9.8	8.8	7.87	13,792	09/14/12	96756
773	Res	PV	5.1	4.7	4.04	7,078	09/14/12	96741
774	Res	PV	6.6	6.0	5.28	9,251	09/17/12	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
775	Res	PV	6.1	5.6	4.89	8,564	09/17/12	96746
776	Res	PV	3.8	3.2	3.06	5,368	09/17/12	96703
777	Com	PV	7.0	6.2	5.57	9,755	09/17/12	96754
778	Res	PV	2.9	2.6	2.30	4,037	09/17/12	96754
779	Res	PV	6.2	5.9	4.93	8,634	09/24/12	96756
780	Res	PV	9.8	8.8	7.87	13,792	09/24/12	96741
781	Res	PV	2.9	2.7	2.34	4,107	09/25/12	96796
782	Res	PV	7.1	6.5	5.64	9,881	09/25/12	96766
783	Res	PV	8.0	7.3	6.39	11,199	09/25/12	96746
784	Res	PV	4.9	5.0	3.92	6,868	09/26/12	96766
785	Res	PV	9.5	9.0	7.56	13,245	09/26/12	96766
786	Res	PV	10.1	9.0	8.06	14,128	09/26/12	96746
787	Res	PV	3.6	3.2	2.88	5,046	09/27/12	96746
788	Res	PV	7.8	7.1	6.21	10,876	09/27/12	96746
789	Res	PV	1.8	1.5	1.47	2,579	09/27/12	96746
790	Res	PV	6.0	5.4	4.80	8,410	10/01/12	96766
791	Res	PV	6.6	6.0	5.26	9,223	10/01/12	96746
792	Res	PV	6.3	6.2	5.02	8,795	10/02/12	96752
793	Res	PV	4.1	3.4	3.26	5,719	10/02/12	96746
794	Res	PV	4.1	4.0	3.24	5,676	10/04/12	96716
795	Res	PV	1.9	2.0	1.54	2,691	10/04/12	96746
796	Res	PV	4.3	4.0	3.46	6,055	10/04/12	96746
797	Res	PV	7.4	7.5	5.88	10,302	10/04/12	96722
798	Res	PV	9.4	8.2	7.51	13,161	10/10/12	96766
799	Res	PV	4.7	4.3	3.76	6,588	10/10/12	96746
800	Res	PV	7.0	6.2	5.57	9,755	10/10/12	96754
801	Res	PV	8.2	7.5	6.58	11,535	10/10/12	96722
802	Res	PV	14.6	13.1	11.69	20,477	10/12/12	96766
803	Res	PV	3.8	3.4	3.07	5,382	10/12/12	96746
804	Res	PV	4.5	3.9	3.60	6,307	10/16/12	96766
805	Res	PV	4.3	3.9	3.46	6,055	10/18/12	96746
806	Res	PV	4.9	4.5	3.95	6,924	10/18/12	96703
807	Res	PV	7.9	8.0	6.34	11,101	10/23/12	96756
808	Res	PV	6.2	6.0	4.99	8,746	10/23/12	96741
809	Res	PV	6.6	6.3	5.28	9,251	10/24/12	96766
810	Res	PV	2.9	4.8	2.35	4,121	10/24/12	96756
811	Res	PV	8.4	7.5	6.72	11,773	10/24/12	96765
812	Res	PV	5.8	5.2	4.61	8,073	10/24/12	96796
813	Com	PV	16.8	14.0	13.46	23,589	10/25/12	96746
814	Res	PV	6.6	6.3	5.28	9,251	10/25/12	96754
815	Res	PV	4.8	4.3	3.84	6,728	10/26/12	96766
816	Res	PV	6.7	6.0	5.38	9,419	10/26/12	96766
817	Res	PV	2.9	3.0	2.29	4,009	10/26/12	96766
818	Com	PV	19.6	20.0	15.68	27,471	10/26/12	96766
819	Res	PV	3.2	3.0	2.52	4,415	10/29/12	96705
820	Res	PV	10.3	9.0	8.23	14,422	10/29/12	96746
821	Res	PV	8.5	7.7	6.77	11,858	10/29/12	96746
822	Res	PV	4.7	4.3	3.76	6,588	10/30/12	96746
823	Res	PV	4.4	4.0	3.53	6,181	11/02/12	96766
824	Res	PV	6.8	8.0	5.40	9,461	11/02/12	96765
825	Res	PV	5.6	5.9	4.46	7,821	11/02/12	96754
826	Res	PV	7.4	6.2	5.92	10,372	11/05/12	96756

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) = $D \times 0.8, E$	Energy Produced (kWh) (G) = $F \times 0.2 \times 8760$	Connection Date (H)	Zip Code (I)
827	Res	PV	2.3	3.0	1.80	3,154	11/05/12	96766
828	Res	PV	7.0	6.4	5.58	9,783	11/05/12	96746
829	Res	PV	7.5	6.8	6.00	10,512	11/05/12	96746
830	Res	PV	6.1	5.2	4.90	8,578	11/05/12	96703
831	Res	PV	2.9	2.6	2.30	4,037	11/05/12	96754
832	Res	PV	2.1	2.8	1.64	2,873	11/08/12	96766
833	Com	PV	6.0	5.4	4.80	8,410	11/08/12	96766
834	Res	PV	5.1	5.0	4.08	7,148	11/08/12	96765
835	Res	PV	4.4	4.0	3.53	6,181	11/08/12	96741
836	Res	PV	4.7	4.3	3.76	6,588	11/08/12	96746
837	Com	PV	11.5	11.4	9.22	16,146	11/13/12	96741
838	Res	PV	5.9	6.0	4.70	8,241	11/13/12	96741
839	Res	PV	3.2	4.0	2.52	4,415	11/13/12	96796
840	Res	PV	7.4	7.5	5.88	10,302	11/13/12	96746
841	Res	PV	4.3	3.9	3.46	6,055	11/13/12	96746
842	Res	PV	5.9	5.4	4.70	8,241	11/13/12	96746
843	Res	PV	7.7	5.9	5.89	10,319	11/13/12	96703
844	Res	PV	4.9	4.0	3.92	6,868	11/14/12	96765
845	Res	PV	9.1	8.2	7.30	12,783	11/14/12	96752
846	Res	PV	4.5	5.0	3.60	6,307	11/16/12	96766
847	Res	PV	8.3	8.7	6.62	11,605	11/16/12	96752
848	Res	PV	4.6	3.9	3.67	6,433	11/16/12	96746
849	Res	PV	3.0	3.0	2.40	4,205	11/16/12	96746
850	Res	PV	5.6	5.9	4.46	7,821	11/20/12	96766
851	Res	PV	3.0	3.0	2.40	4,205	11/20/12	96746
852	Res	PV	5.1	4.3	4.08	7,148	11/20/12	96746
853	Res	PV	4.7	4.3	3.76	6,588	11/23/12	96766
854	Res	PV	4.9	5.0	3.92	6,868	11/23/12	96766
855	Res	PV	6.2	5.4	4.94	8,662	11/23/12	96766
856	Res	PV	1.4	1.3	1.13	1,976	11/23/12	96746
857	Res	PV	2.8	2.6	2.26	3,953	11/26/12	96754
858	Res	PV	4.7	4.3	3.76	6,588	11/27/12	96765
859	Res	PV	5.9	5.4	4.70	8,241	11/27/12	96752
860	Res	PV	3.0	2.6	2.40	4,205	11/27/12	96746
861	Res	PV	4.7	4.3	3.76	6,588	11/27/12	96703
862	Res	PV	4.7	4.3	3.76	6,588	11/27/12	96754
863	Com	PV	55.0	42.0	42.00	73,584	11/28/12	96746
864	Com	PV	101.5	84.0	81.22	142,290	11/28/12	96746
865	Res	PV	6.3	6.7	5.04	8,830	11/29/12	96756
866	Res	PV	3.4	3.0	2.74	4,807	11/29/12	96741
867	Res	PV	11.4	8.7	8.74	15,312	11/29/12	96714
868	Res	PV	3.2	3.0	2.52	4,415	11/30/12	96766
869	Res	PV	5.0	5.0	4.00	7,008	11/30/12	96756
870	Res	PV	5.0	4.0	4.00	7,008	11/30/12	96741
871	Res	PV	3.2	2.9	2.52	4,415	11/30/12	96766
872	Res	PV	4.7	4.3	3.76	6,588	11/30/12	96766
873	Res	PV	4.8	4.3	3.84	6,728	11/30/12	96766
874	Res	PV	5.9	5.0	4.70	8,241	11/30/12	96746
875	Res	PV	5.0	5.0	4.00	7,008	12/04/12	96766
876	Res	PV	7.4	7.5	5.88	10,302	12/04/12	96741
877	Res	PV	9.9	8.0	7.90	13,834	12/04/12	96741
878	Res	PV	2.9	3.0	2.35	4,121	12/04/12	96741

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
879	Res	PV	4.9	4.0	3.92	6,868	12/07/12	96756
880	Res	PV	5.4	5.0	4.31	7,555	12/07/12	96741
881	Res	PV	4.7	4.3	3.76	6,588	12/07/12	96766
882	Res	PV	0.9	0.9	0.75	1,318	12/07/12	96746
883	Res	PV	4.7	4.3	3.76	6,588	12/07/12	96746
884	Res	PV	2.4	2.2	1.88	3,294	12/07/12	96746
885	Res	PV	11.4	10.4	9.13	15,992	12/07/12	96746
886	Res	PV	3.8	3.2	3.06	5,368	12/07/12	96754
887	Res	PV	5.0	4.3	4.00	7,008	12/12/12	96766
888	Com	PV	26.2	23.2	20.93	36,666	12/12/12	96766
889	Res	PV	4.3	4.0	3.46	6,055	12/12/12	96752
890	Res	PV	5.5	4.7	4.40	7,709	12/12/12	96746
891	Com	PV	2.4	2.2	1.88	3,294	12/12/12	96746
892	Res	PV	5.4	5.0	4.32	7,569	12/13/12	96716
893	Res	PV	6.0	6.0	4.80	8,410	12/14/12	96796
894	Res	PV	3.8	3.4	3.01	5,270	12/17/12	96766
895	Res	PV	4.1	3.0	3.00	5,256	12/17/12	96766
896	Res	PV	5.0	4.0	4.00	7,008	12/17/12	96746
897	Res	PV	4.9	4.0	3.92	6,868	12/17/12	96746
898	Res	PV	9.2	7.7	7.34	12,867	12/17/12	96746
899	Res	PV	4.3	3.9	3.46	6,055	12/17/12	96746
900	Res	PV	9.4	8.0	7.49	13,119	12/17/12	96754
901	Res	PV	5.9	5.7	4.75	8,326	12/17/12	96722
902	Res	PV	3.8	4.0	3.01	5,270	12/17/12	96722
903	Res	PV	4.8	4.3	3.84	6,728	12/18/12	96765
904	Res	PV	3.0	2.6	2.40	4,205	12/18/12	96765
905	Res	PV	8.4	7.5	6.72	11,773	12/18/12	96765
906	Res	PV	5.5	5.0	4.42	7,737	12/18/12	96716
907	Res	PV	4.5	4.0	3.60	6,307	12/18/12	96715
908	Res	PV	4.9	4.0	3.92	6,868	12/18/12	96746
909	Res	PV	5.0	6.0	4.00	7,008	12/18/12	96746
910	Res	PV	6.1	5.2	4.90	8,578	12/18/12	96754
911	Res	PV	3.0	3.5	2.40	4,205	12/19/12	96746
912	Res	PV	5.0	6.0	4.00	7,008	12/19/12	96746
913	Res	PV	5.4	5.0	4.31	7,555	12/19/12	96746
914	Res	PV	4.7	4.3	3.76	6,588	12/20/12	96705
915	Res	PV	4.1	3.0	3.00	5,256	12/20/12	96746
916	Res	PV	2.8	2.6	2.26	3,953	12/20/12	96746
917	Res	PV	6.0	5.2	4.80	8,410	12/21/12	96741
918	Res	PV	13.5	12.8	10.82	18,964	12/21/12	96752
919	Res	PV	4.8	4.3	3.84	6,728	12/21/12	96766
920	Res	PV	2.4	2.1	1.88	3,294	12/21/12	96746
921	Res	PV	10.5	9.2	8.38	14,689	12/21/12	96703
922	Com	PV	13.9	12.5	11.14	19,510	12/26/12	96741
923	Res	PV	3.8	3.4	3.01	5,270	12/26/12	96766
924	Res	PV	3.5	3.0	2.80	4,906	12/26/12	96766
925	Res	PV	4.9	4.5	3.95	6,924	12/26/12	96766
926	Res	PV	2.5	2.2	1.96	3,434	12/26/12	96746
927	Res	PV	2.8	2.6	2.26	3,953	12/26/12	96746
928	Res	PV	2.5	2.2	1.97	3,448	12/26/12	96746
929	Res	PV	4.7	4.3	3.76	6,588	12/26/12	96746
930	Res	PV	9.7	8.0	7.73	13,539	12/26/12	96703

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
931	Res	PV	6.6	5.6	5.30	9,293	12/26/12	96703
932	Res	PV	9.2	7.7	7.34	12,867	12/26/12	96722
933	Res	PV	5.6	4.7	4.49	7,863	12/26/12	96714
934	Res	PV	18.8	16.1	15.00	26,280	12/26/12	96714
935	Res	PV	6.1	5.2	4.90	8,578	12/26/12	96714
936	Com	PV	114.5	94.0	91.58	160,455	12/28/12	96746
937	Res	PV	4.1	3.0	3.00	5,256	12/28/12	96746
938	Com	PV	106.6	91.6	85.27	149,397	01/01/13	96766
939	Res	PV	3.1	2.6	2.45	4,289	01/02/13	96766
940	Res	PV	4.9	4.1	3.88	6,798	01/02/13	96746
941	Res	PV	4.7	4.3	3.76	6,588	01/03/13	96746
942	Res	PV	7.7	6.9	6.14	10,764	01/04/13	96766
943	Res	PV	8.4	7.5	6.72	11,773	01/04/13	96766
944	Res	PV	5.6	5.2	4.51	7,905	01/04/13	96766
945	Res	PV	3.8	3.4	3.07	5,382	01/04/13	96716
946	Res	PV	4.3	3.9	3.46	6,055	01/04/13	96765
947	Res	PV	5.0	5.0	4.00	7,008	01/04/13	96714
948	Res	PV	4.3	3.9	3.46	6,055	01/04/13	96703
949	Res	PV	2.9	3.0	2.30	4,037	01/07/13	96703
950	Res	PV	8.8	7.5	7.00	12,264	01/07/13	96722
951	Res	PV	2.8	2.6	2.26	3,953	01/07/13	96714
952	Res	PV	9.0	7.7	7.20	12,614	01/07/13	96741
953	Res	PV	8.8	7.5	7.00	12,264	01/07/13	96765
954	Res	PV	4.5	3.9	3.60	6,307	01/07/13	96766
955	Res	PV	5.0	5.0	4.00	7,008	01/07/13	96746
956	Res	PV	4.6	4.0	3.68	6,447	01/08/13	96741
957	Res	PV	2.9	3.0	2.30	4,037	01/08/13	96752
958	Res	PV	6.0	5.2	4.80	8,410	01/08/13	96746
959	Res	PV	5.0	4.3	4.00	7,008	01/08/13	96756
960	Com	PV	49.4	40.4	39.48	69,169	01/10/13	96746
961	Com	PV	25.2	21.0	20.16	35,320	01/10/13	96746
962	Res	PV	4.5	3.9	3.60	6,307	01/14/13	96766
963	Res	PV	6.0	6.0	4.80	8,410	01/14/13	96741
964	Res	PV	6.0	5.4	4.80	8,410	01/14/13	96746
965	Res	PV	12.6	11.3	10.08	17,660	01/14/13	96766
966	Res	PV	2.6	2.2	2.04	3,574	01/18/13	96766
967	Res	PV	2.8	3.0	2.20	3,854	01/18/13	96756
968	Res	PV	4.9	6.0	3.92	6,868	01/18/13	96756
969	Res	PV	4.9	4.0	3.92	6,868	01/18/13	96765
970	Res	PV	4.5	3.0	3.00	5,256	01/18/13	96752
971	Res	PV	2.4	2.2	1.92	3,364	01/18/13	96796
972	Res	PV	6.6	6.0	5.26	9,223	01/18/13	96766
973	Res	PV	3.6	3.0	2.86	5,004	01/18/13	96714
974	Res	PV	6.5	6.5	5.17	9,054	01/18/13	96722
975	Res	PV	11.5	9.9	9.20	16,118	01/21/13	96766
976	Res	PV	8.3	6.5	6.50	11,388	01/21/13	96716
977	Res	PV	5.4	5.0	4.31	7,555	01/21/13	96766
978	Res	PV	4.5	3.9	3.60	6,307	01/21/13	96716
979	Res	PV	8.2	6.9	6.53	11,437	01/21/13	96722
980	Res	PV	5.9	5.4	4.70	8,241	01/21/13	96746
981	Res	PV	5.9	5.2	4.70	8,241	01/21/13	96746
982	Res	PV	2.5	5.0	2.02	3,532	01/21/13	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
983	Res	PV	12.3	10.8	9.80	17,170	01/21/13	96746
984	Res	PV	2.9	2.6	2.30	4,037	01/21/13	96746
985	Res	PV	4.1	3.4	3.26	5,719	01/22/13	96766
986	Res	PV	6.0	5.2	4.80	8,410	01/22/13	96766
987	Res	PV	5.0	4.3	4.00	7,008	01/22/13	96766
988	Res	PV	7.9	6.8	6.32	11,073	01/22/13	96741
989	Res	PV	8.0	7.0	6.40	11,213	01/22/13	96741
990	Res	PV	4.3	3.7	3.47	6,083	01/22/13	96746
991	Res	PV	4.7	4.3	3.76	6,588	01/22/13	96715
992	Res	PV	6.0	5.2	4.80	8,410	01/22/13	96766
993	Res	PV	5.3	4.5	4.20	7,358	01/23/13	96746
994	Res	PV	4.6	3.9	3.67	6,433	01/23/13	96765
995	Res	PV	4.5	3.9	3.60	6,307	01/23/13	96746
996	Res	PV	4.6	3.9	3.67	6,433	01/23/13	96754
997	Res	PV	4.1	3.4	3.26	5,719	01/23/13	96741
998	Res	PV	5.0	4.3	4.00	7,008	01/23/13	96716
999	Res	PV	4.5	3.9	3.60	6,307	01/23/13	96722
1000	Res	PV	2.5	2.2	2.00	3,504	01/24/13	96765
1001	Res	PV	3.0	2.6	2.40	4,205	01/24/13	96765
1002	Res	PV	5.0	4.3	4.00	7,008	01/24/13	96746
1003	Res	PV	9.4	9.9	7.49	13,119	01/24/13	96765
1004	Res	PV	6.4	5.7	5.08	8,900	01/24/13	96765
1005	Res	PV	11.3	9.7	9.00	15,768	01/24/13	96746
1006	Com	PV	24.3	20.0	19.41	34,003	01/25/13	96714
1007	Res	PV	9.4	8.6	7.52	13,175	01/25/13	96741
1008	Res	PV	6.7	7.0	5.33	9,335	01/25/13	96714
1009	Res	PV	2.4	2.2	1.88	3,294	01/25/13	96746
1010	Res	PV	5.0	4.3	4.00	7,008	01/25/13	96746
1011	Res	PV	7.0	6.0	5.60	9,811	01/25/13	96766
1012	Res	PV	8.8	7.5	7.00	12,264	01/25/13	96766
1013	Res	PV	6.3	5.4	5.00	8,760	01/25/13	96766
1014	Res	PV	8.6	9.1	6.91	12,110	01/28/13	96754
1015	Res	PV	6.5	5.6	5.20	9,110	01/28/13	96746
1016	Res	PV	3.0	2.6	2.40	4,205	01/28/13	96746
1017	Res	PV	4.5	3.9	3.60	6,307	01/28/13	96766
1018	Res	PV	4.6	3.9	3.67	6,433	01/28/13	96722
1019	Res	PV	11.5	8.7	8.74	15,312	01/29/13	96716
1020	Res	PV	5.8	5.0	4.60	8,059	01/29/13	96746
1021	Res	PV	5.0	4.3	4.00	7,008	01/29/13	96746
1022	Res	PV	8.2	7.5	6.58	11,535	01/30/13	96746
1023	Res	PV	7.5	6.5	6.00	10,512	01/30/13	96754
1024	Res	PV	6.0	5.2	4.80	8,410	01/30/13	96766
1025	Res	PV	2.6	2.2	2.04	3,574	01/31/13	96703
1026	Res	PV	2.0	2.0	1.60	2,803	01/31/13	96756
1027	Res	PV	8.2	6.9	6.53	11,437	02/04/13	96754
1028	Res	PV	2.6	2.2	2.04	3,574	02/04/13	96722
1029	Res	PV	5.0	5.0	4.00	7,008	02/04/13	96741
1030	Res	PV	3.8	4.0	3.00	5,256	02/04/13	96766
1031	Res	PV	5.0	4.3	4.00	7,008	02/04/13	96766
1032	Res	PV	4.7	4.3	3.76	6,588	02/04/13	96715
1033	Res	PV	2.6	2.2	2.04	3,574	02/07/13	96714
1034	Res	PV	6.0	6.0	4.80	8,410	02/07/13	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
1035	Res	PV	5.1	4.3	4.08	7,148	02/07/13	96746
1036	Res	PV	12.0	11.4	9.63	16,875	02/07/13	96766
1037	Res	PV	4.5	3.0	3.00	5,256	02/07/13	96766
1038	Res	PV	3.3	3.0	2.63	4,611	02/07/13	96766
1039	Res	PV	9.1	9.0	7.30	12,783	02/07/13	96766
1040	Res	PV	4.7	4.3	3.76	6,588	02/07/13	96741
1041	Res	PV	4.7	4.3	3.76	6,588	02/07/13	96765
1042	Res	PV	5.5	4.0	4.00	7,008	02/08/13	96766
1043	Res	PV	2.6	2.2	2.04	3,574	02/12/13	96703
1044	Res	PV	17.9	15.1	14.28	25,019	02/12/13	96754
1045	Com	PV	55.3	51.0	44.26	77,537	02/14/13	96766
1046	Res	PV	18.8	14.4	14.44	25,299	02/14/13	96766
1047	Res	PV	21.1	18.9	16.90	29,602	02/15/13	96746
1048	Res	PV	12.5	11.2	9.98	17,492	02/15/13	96746
1049	Res	PV	4.3	4.7	3.44	6,027	02/19/13	96766
1050	Res	PV	2.5	3.0	2.00	3,504	02/19/13	96766
1051	Res	PV	7.5	6.5	6.00	10,512	02/19/13	96705
1052	Res	PV	2.4	2.2	1.88	3,294	02/19/13	96746
1053	Res	PV	2.6	2.2	2.04	3,574	02/20/13	96746
1054	Res	PV	4.8	4.1	3.80	6,658	02/20/13	96741
1055	Res	PV	6.8	6.6	5.47	9,587	02/21/13	96765
1056	Res	PV	2.4	1.9	1.90	3,329	02/22/13	96741
1057	Res	PV	5.0	4.3	4.00	7,008	02/22/13	96766
1058	Res	PV	4.1	3.4	3.26	5,719	02/22/13	96766
1059	Res	PV	3.6	8.6	2.88	5,046	02/22/13	96754
1060	Res	PV	6.4	5.4	5.10	8,942	02/22/13	96722
1061	Res	PV	6.5	6.5	5.17	9,054	02/22/13	96746
1062	Res	PV	10.5	8.8	8.37	14,661	02/22/13	96754
1063	Res	PV	3.1	2.6	2.45	4,289	02/22/13	96754
1064	Res	PV	4.8	4.1	3.80	6,658	02/25/13	96746
1065	Res	PV	4.5	3.9	3.60	6,307	02/25/13	96746
1066	Res	PV	4.6	3.9	3.67	6,433	02/26/13	96766
1067	Res	PV	5.0	4.3	4.00	7,008	02/27/13	96766
1068	Res	PV	4.7	4.2	3.76	6,588	02/27/13	96766
1069	Res	PV	3.6	3.0	2.86	5,004	02/27/13	96756
1070	Res	PV	5.0	4.3	4.00	7,008	02/27/13	96741
1071	Res	PV	5.0	5.0	3.96	6,938	02/27/13	96741
1072	Res	PV	2.2	2.3	1.73	3,027	02/27/13	96716
1073	Res	PV	9.0	8.2	7.23	12,670	02/27/13	96703
1074	Res	PV	7.1	6.5	5.64	9,881	02/27/13	96754
1075	Com	PV	2.0	2.0	1.60	2,803	02/28/13	96766
1076	Res	PV	6.1	5.2	4.90	8,578	03/01/13	96752
1077	Res	PV	3.1	2.6	2.45	4,289	03/01/13	96752
1078	Res	PV	4.7	4.3	3.76	6,588	03/01/13	96766
1079	Res	PV	6.9	5.8	5.51	9,657	03/01/13	96705
1080	Res	PV	3.5	4.0	2.80	4,906	03/01/13	96756
1081	Res	PV	3.0	3.5	2.40	4,205	03/01/13	96715
1082	Res	PV	3.8	4.0	3.00	5,256	03/01/13	96746
1083	Com	PV	2.4	2.2	1.88	3,294	03/05/13	96746
1084	Res	PV	10.0	10.0	8.00	14,016	03/05/13	96756
1085	Res	PV	2.4	2.2	1.92	3,364	03/05/13	96746
1086	Res	PV	4.7	4.3	3.76	6,588	03/05/13	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
1087	Com	PV	37.6	40.0	30.08	52,700	03/06/13	96796
1088	Res	PV	6.6	5.6	5.30	9,293	03/07/13	96766
1089	Res	PV	2.5	2.2	2.00	3,504	03/07/13	96766
1090	Res	PV	3.6	3.0	2.86	5,004	03/07/13	96752
1091	Res	PV	5.8	5.0	4.60	8,059	03/07/13	96746
1092	Res	PV	2.7	3.0	2.16	3,784	03/07/13	96741
1093	Res	PV	3.0	3.0	2.40	4,205	03/07/13	96741
1094	Res	PV	4.7	4.3	3.76	6,588	03/08/13	96766
1095	Res	PV	3.5	3.0	2.80	4,906	03/08/13	96796
1096	Res	PV	7.5	6.0	6.00	10,512	03/08/13	96756
1097	Res	PV	4.8	4.3	3.84	6,728	03/08/13	96746
1098	Res	PV	5.5	5.0	4.40	7,709	03/08/13	96722
1099	Res	PV	5.0	4.3	4.00	7,008	03/13/13	96716
1100	Res	PV	4.1	3.4	3.26	5,719	03/13/13	96766
1101	Res	PV	3.0	3.0	2.40	4,205	03/14/13	96741
1102	Res	PV	3.0	3.0	2.40	4,205	03/14/13	96741
1103	Res	PV	2.9	2.6	2.35	4,121	03/15/13	96754
1104	Res	PV	3.7	3.2	2.94	5,158	03/15/13	96714
1105	Res	PV	4.7	4.3	3.76	6,588	03/15/13	96766
1106	Res	PV	5.0	6.0	3.96	6,938	03/15/13	96746
1107	Res	PV	4.4	4.6	3.53	6,181	03/20/13	96716
1108	Res	PV	3.6	3.2	2.88	5,046	03/20/13	96765
1109	Res	PV	4.1	3.4	3.26	5,719	03/20/13	96746
1110	Res	PV	-5.8	-5.2	-4.61	-8,073	03/22/13	96746
1111	Res	PV	-4.1	-3.4	-3.26	-5,719	03/22/13	96746
1112	Res	PV	-5.1	-4.3	-4.08	-7,148	03/22/13	96746
1113	Res	PV	5.5	4.7	4.40	7,709	03/22/13	96766
1114	Res	PV	4.7	4.3	3.76	6,588	03/25/13	96796
1115	Res	PV	2.5	2.0	2.00	3,504	03/25/13	96765
1116	Res	PV	-2.1	-2.1	-1.68	-2,943	03/26/13	96766
1117	Res	PV	-5.9	-5.0	-4.72	-8,269	03/26/13	96752
1118	Res	PV	3.6	3.0	2.86	5,004	03/26/13	96766
1119	Res	PV	7.1	7.0	5.71	10,007	03/26/13	96741
1120	Res	PV	2.8	2.6	2.26	3,953	03/26/13	96746
1121	Res	PV	5.0	4.3	4.00	7,008	03/28/13	96766
1122	Res	PV	3.0	3.0	2.40	4,205	03/28/13	96766
1123	Res	PV	4.5	5.0	3.60	6,307	03/28/13	96716
1124	Res	PV	8.2	6.9	6.53	11,437	04/01/13	96765
1125	Res	PV	12.1	12.0	9.68	16,966	04/01/13	96752
1126	Res	PV	3.5	4.0	2.80	4,906	04/01/13	96715
1127	Res	PV	21.3	16.2	16.15	28,295	04/03/13	96741
1128	Res	PV	7.7	8.2	6.12	10,722	04/03/13	96741
1129	Res	PV	4.5	3.0	3.00	5,256	04/03/13	96741
1130	Res	PV	8.2	6.9	6.53	11,437	04/05/13	96722
1131	Res	PV	6.1	5.2	4.90	8,578	04/05/13	96754
1132	Res	PV	4.7	4.3	3.76	6,588	04/05/13	96756
1133	Res	PV	-3.0	-3.0	-2.40	-4,205	04/08/13	96766
1134	Res	PV	2.3	3.0	1.80	3,154	04/08/13	96746
1135	Res	PV	4.9	4.3	3.92	6,868	04/09/13	96765
1136	Res	PV	5.1	4.2	4.08	7,148	04/09/13	96766
1137	Res	PV	5.8	5.4	4.61	8,073	04/09/13	96766
1138	Res	PV	6.1	5.0	4.90	8,578	04/09/13	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
1139	Res	PV	7.7	7.6	6.12	10,722	04/15/13	96766
1140	Res	PV	4.1	3.4	3.26	5,719	04/15/13	96766
1141	Res	PV	5.0	4.3	4.00	7,008	04/15/13	96766
1142	Res	PV	5.0	5.0	4.00	7,008	04/15/13	96705
1143	Res	PV	4.3	3.7	3.47	6,083	04/16/13	96722
1144	Res	PV	14.3	12.0	11.42	20,015	04/16/13	96766
1145	Res	PV	6.6	5.8	5.30	9,279	04/16/13	96746
1146	Res	PV	6.3	6.0	5.04	8,830	04/18/13	96765
1147	Res	PV	3.8	4.0	3.00	5,256	04/18/13	96705
1148	Res	PV	6.1	5.0	4.90	8,578	04/18/13	96766
1149	Com	PV	75.2	68.8	60.16	105,400	04/19/13	96766
1150	Com	PV	50.1	45.8	40.05	70,164	04/19/13	96766
1151	Com	PV	50.1	45.8	40.05	70,164	04/19/13	96766
1152	Com	PV	50.1	45.9	40.05	70,164	04/19/13	96766
1153	Res	PV	10.0	8.0	8.00	14,016	04/19/13	96746
1154	Res	PV	-6.8	-6.2	-5.46	-9,559	04/22/13	96754
1155	Res	PV	2.6	2.2	2.04	3,574	04/22/13	96756
1156	Res	PV	3.6	3.0	2.86	5,004	04/23/13	96716
1157	Res	PV	-2.6	-2.5	-2.08	-3,644	04/24/13	96766
1158	Res	PV	-4.1	-3.4	-3.26	-5,719	04/24/13	96746
1159	Res	PV	2.5	2.2	2.00	3,504	04/24/13	96765
1160	Res	PV	6.1	5.0	4.90	8,578	04/25/13	96746
1161	Res	PV	2.8	3.0	2.25	3,938	04/25/13	96746
1162	Res	PV	4.6	3.8	3.67	6,433	04/26/13	96741
1163	Res	PV	3.4	3.0	2.69	4,709	04/29/13	96741
1164	Res	PV	2.4	2.2	1.92	3,364	04/29/13	96741
1165	Res	PV	-2.3	-1.9	-1.84	-3,224	05/01/13	96766
1166	Res	PV	3.8	4.0	3.07	5,382	05/01/13	96766
1167	Res	PV	1.9	2.0	1.54	2,691	05/01/13	96766
1168	Res	PV	3.8	4.2	3.07	5,382	05/02/13	96766
1169	Res	PV	7.7	7.0	6.12	10,722	05/03/13	96766
1170	Res	PV	2.6	2.2	2.04	3,574	05/03/13	96746
1171	Res	PV	6.4	6.0	5.10	8,942	05/07/13	96766
1172	Res	PV	2.6	2.2	2.04	3,574	05/07/13	96752
1173	Res	PV	1.9	1.7	1.50	2,635	05/07/13	96766
1174	Res	PV	5.0	7.0	4.00	7,008	05/07/13	96766
1175	Com	PV	39.5	36.0	31.58	55,335	05/09/13	96766
1176	Com	PV	39.5	36.0	31.58	55,335	05/09/13	96766
1177	Com	PV	39.5	36.0	31.58	55,335	05/09/13	96766
1178	Res	PV	5.5	4.7	4.40	7,709	05/09/13	96756
1179	Res	PV	6.6	6.0	5.30	9,293	05/09/13	96722
1180	Res	PV	10.2	8.4	8.16	14,296	05/09/13	96722
1181	Res	PV	5.0	6.0	4.00	7,008	05/09/13	96714
1182	Res	PV	1.0	2.5	0.77	1,346	05/10/13	96746
1183	Res	PV	3.6	3.6	2.86	5,004	05/10/13	96754
1184	Res	PV	-3.8	-3.4	-3.07	-5,382	05/14/13	96746
1185	Res	PV	7.7	8.4	6.12	10,722	05/14/13	96756
1186	Res	PV	7.5	10.0	6.00	10,512	05/15/13	96746
1187	Res	PV	4.7	4.3	3.76	6,588	05/15/13	96766
1188	Res	PV	2.6	2.2	2.04	3,574	05/16/13	96714
1189	Res	PV	-2.8	-3.1	-2.24	-3,924	05/17/13	96766
1190	Com	PV	24.8	21.0	19.80	34,690	05/17/13	96796

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
1191	Res	PV	2.8	3.0	2.26	3,953	05/17/13	96766
1192	Res	PV	7.1	6.0	5.71	10,007	05/20/13	96746
1193	Res	PV	5.1	4.2	4.08	7,148	05/20/13	96715
1194	Res	PV	8.3	7.0	6.62	11,605	05/20/13	96722
1195	Res	PV	-3.5	-3.2	-2.82	-4,948	05/21/13	96746
1196	Res	PV	-6.8	-6.8	-5.44	-9,531	05/21/13	96766
1197	Res	PV	-5.7	-5.7	-4.56	-7,989	05/23/13	96766
1198	Res	PV	-4.2	-4.2	-3.36	-5,887	05/31/13	96722
1199	Res	PV	-4.9	-4.0	-3.92	-6,868	05/31/13	96756
1200	Res	PV	-4.5	-5.0	-3.60	-6,307	05/31/13	96766
1201	Res	PV	12.8	10.8	10.20	17,870	06/03/13	96765
1202	Com	PV	5.1	4.6	4.06	7,120	06/04/13	96716
1203	Res	PV	5.2	4.5	4.12	7,218	06/04/13	96705
1204	Res	PV	2.2	1.9	1.77	3,098	06/05/13	96766
1205	Res	PV	4.7	4.3	3.76	6,588	06/05/13	96741
1206	Res	PV	4.6	3.9	3.67	6,433	06/05/13	96756
1207	Res	PV	3.8	3.0	3.00	5,256	06/05/13	96756
1208	Res	PV	5.0	4.3	4.00	7,008	06/05/13	96765
1209	Res	PV	2.6	2.4	2.11	3,700	06/05/13	96756
1210	Res	PV	5.9	5.0	4.70	8,241	06/05/13	96741
1211	Res	PV	4.6	3.8	3.67	6,433	06/05/13	96741
1212	Res	PV	-6.6	-7.7	-5.26	-9,223	06/06/13	96796
1213	Res	PV	-2.1	-3.0	-1.68	-2,943	06/06/13	96766
1214	Res	PV	3.8	3.0	3.00	5,256	06/06/13	96714
1215	Res	PV	6.6	6.3	5.30	9,293	06/06/13	96714
1216	Res	PV	8.7	7.4	6.96	12,194	06/06/13	96754
1217	Res	PV	11.5	9.9	9.20	16,118	06/06/13	96754
1218	Res	PV	4.4	4.2	3.53	6,181	06/07/13	96752
1219	Res	PV	3.1	2.8	2.50	4,373	06/17/13	96756
1220	Res	PV	3.1	2.8	2.50	4,373	06/17/13	96756
1221	Res	PV	3.1	2.8	2.50	4,373	06/17/13	96756
1222	Res	PV	3.1	2.8	2.50	4,373	06/17/13	96756
1223	Res	PV	3.1	2.8	2.50	4,373	06/17/13	96756
1224	Res	PV	3.1	2.8	2.50	4,373	06/17/13	96756
1225	Res	PV	3.1	2.8	2.50	4,373	06/17/13	96756
1226	Res	PV	3.1	2.8	2.50	4,373	06/17/13	96756
1227	Res	PV	3.1	2.8	2.50	4,373	06/17/13	96756
1228	Res	PV	3.1	2.8	2.50	4,373	06/17/13	96756
1229	Res	PV	3.1	2.8	2.50	4,373	06/17/13	96756
1230	Res	PV	3.1	2.8	2.50	4,373	06/17/13	96756
1231	Res	PV	3.1	2.8	2.50	4,373	06/17/13	96756
1232	Res	PV	3.1	2.8	2.50	4,373	06/17/13	96756
1233	Res	PV	3.1	2.8	2.50	4,373	06/17/13	96756
1234	Res	PV	3.1	2.8	2.50	4,373	06/17/13	96756
1235	Res	PV	3.1	2.8	2.50	4,373	06/17/13	96756
1236	Res	PV	3.1	2.8	2.50	4,373	06/17/13	96756
1237	Res	PV	3.1	2.8	2.50	4,373	06/17/13	96756
1238	Res	PV	3.1	2.8	2.50	4,373	06/17/13	96756
1239	Res	PV	3.4	3.0	2.74	4,807	06/18/13	96746
1240	Res	PV	2.8	2.6	2.26	3,953	06/18/13	96746
1241	Res	PV	3.1	2.8	2.50	4,373	06/18/13	96756
1242	Res	PV	3.1	2.8	2.50	4,373	06/18/13	96756

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
1243	Res	PV	3.1	2.8	2.50	4,373	06/18/13	96756
1244	Res	PV	3.1	2.8	2.50	4,373	06/18/13	96756
1245	Res	PV	3.1	2.8	2.50	4,373	06/18/13	96756
1246	Res	PV	3.1	2.8	2.50	4,373	06/18/13	96756
1247	Res	PV	3.1	2.8	2.50	4,373	06/18/13	96756
1248	Res	PV	3.1	2.8	2.50	4,373	06/18/13	96756
1249	Res	PV	3.1	2.8	2.50	4,373	06/18/13	96756
1250	Res	PV	3.1	2.8	2.50	4,373	06/18/13	96756
1251	Res	PV	3.1	2.8	2.50	4,373	06/18/13	96756
1252	Res	PV	3.1	2.8	2.50	4,373	06/18/13	96756
1253	Res	PV	3.1	2.8	2.50	4,373	06/18/13	96756
1254	Res	PV	3.1	2.8	2.50	4,373	06/18/13	96756
1255	Res	PV	3.1	2.8	2.50	4,373	06/18/13	96756
1256	Res	PV	3.1	2.8	2.50	4,373	06/18/13	96756
1257	Res	PV	3.1	2.8	2.50	4,373	06/18/13	96756
1258	Res	PV	3.1	2.8	2.50	4,373	06/18/13	96756
1259	Res	PV	3.1	2.8	2.50	4,373	06/18/13	96756
1260	Res	PV	3.1	2.8	2.50	4,373	06/18/13	96756
1261	Res	PV	3.1	2.8	2.50	4,373	06/18/13	96756
1262	Res	PV	3.1	2.8	2.50	4,373	06/18/13	96756
1263	Res	PV	3.1	2.8	2.50	4,373	06/18/13	96756
1264	Res	PV	3.1	2.8	2.50	4,373	06/18/13	96756
1265	Res	PV	3.1	2.8	2.50	4,373	06/18/13	96756
1266	Res	PV	3.1	2.8	2.50	4,373	06/18/13	96756
1267	Res	PV	3.1	2.8	2.50	4,373	06/18/13	96756
1268	Res	PV	3.1	2.8	2.50	4,373	06/18/13	96756
1269	Res	PV	3.1	2.8	2.50	4,373	06/18/13	96756
1270	Res	PV	7.2	6.0	5.76	10,092	06/19/13	96796
1271	Res	PV	-9.2	-7.7	-7.34	-12,867	06/24/13	96722
1272	Res	PV	-1.9	-1.9	-1.52	-2,663	06/24/13	96705
1273	Res	PV	3.1	2.8	2.50	4,373	06/24/13	96756
1274	Res	PV	7.1	6.5	5.64	9,881	06/24/13	96765
1275	Res	PV	3.1	2.5	2.45	4,289	06/24/13	96746
1276	Res	PV	6.0	6.0	4.80	8,410	06/24/13	96703
1277	Res	PV	3.3	3.0	2.63	4,611	06/24/13	96746
1278	Res	PV	5.9	5.4	4.70	8,241	06/24/13	96746
1279	Res	PV	7.0	6.7	5.60	9,811	06/26/13	96722
1280	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1281	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1282	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1283	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1284	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1285	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1286	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1287	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1288	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1289	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1290	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1291	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1292	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1293	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1294	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
1295	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1296	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1297	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1298	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1299	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1300	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1301	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1302	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1303	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1304	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1305	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1306	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1307	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1308	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1309	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1310	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1311	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1312	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1313	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1314	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1315	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1316	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1317	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1318	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1319	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1320	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1321	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1322	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1323	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1324	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1325	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1326	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1327	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1328	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1329	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1330	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1331	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1332	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1333	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1334	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1335	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1336	Res	PV	2.4	2.2	1.88	3,294	06/27/13	96756
1337	Com	PV	5.0	6.0	4.00	7,008	06/28/13	96766
1338	Res	PV	3.5	4.0	2.80	4,906	06/28/13	96766
1339	Res	PV	4.6	3.8	3.67	6,433	06/28/13	96766
1340	Res	PV	3.0	2.6	2.40	4,205	06/28/13	96746
1341	Res	PV	3.9	4.5	3.12	5,466	07/01/13	96746
1342	Res	PV	6.0	5.2	4.80	8,410	07/01/13	96746
1343	Com	PV	48.0	42.0	38.40	67,277	07/02/13	96747
1344	Res	PV	7.4	6.5	5.88	10,302	07/03/13	96746
1345	Res	PV	8.8	7.5	7.00	12,264	07/03/13	96766
1346	Res	PV	3.3	2.8	2.66	4,653	07/03/13	96756

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
1347	Res	PV	5.1	4.2	4.08	7,148	07/03/13	96765
1348	Res	PV	4.1	3.6	3.26	5,719	07/03/13	96746
1349	Res	PV	6.4	6.0	5.10	8,942	07/03/13	96705
1350	Res	PV	6.4	6.0	5.10	8,942	07/03/13	96741
1351	Res	PV	6.1	5.0	4.90	8,578	07/03/13	96756
1352	Res	PV	2.6	2.2	2.04	3,574	07/03/13	96754
1353	Res	PV	1.9	1.7	1.50	2,635	07/08/13	96714
1354	Com	PV	20.9	18.7	16.70	29,265	07/10/13	96746
1355	Res	PV	3.9	4.5	3.08	5,396	07/11/13	96741
1356	Res	PV	6.1	5.2	4.90	8,578	07/11/13	96766
1357	Res	PV	5.0	6.0	4.00	7,008	07/12/13	96766
1358	Res	PV	5.0	4.0	4.00	7,008	07/12/13	96746
1359	Res	PV	2.4	3.0	1.92	3,364	07/12/13	96715
1360	Res	PV	-9.7	-8.0	-7.73	-13,539	07/15/13	96703
1361	Res	PV	-4.9	-5.0	-3.92	-6,868	07/15/13	96766
1362	Res	PV	-3.8	-3.0	-3.00	-5,256	07/15/13	96741
1363	Com	PV	10.8	9.7	8.64	15,137	07/15/13	96746
1364	Res	PV	5.4	4.5	4.29	7,513	07/15/13	96746
1365	Com	PV	10.6	9.7	8.46	14,829	07/16/13	96766
1366	Res	PV	2.6	3.0	2.04	3,574	07/16/13	96705
1367	Res	PV	5.1	5.2	4.08	7,148	07/16/13	96741
1368	Res	PV	6.2	5.2	4.99	8,746	07/16/13	96722
1369	Res	PV	4.9	4.0	3.92	6,868	07/16/13	96746
1370	Res	PV	23.3	20.0	18.60	32,587	07/16/13	96754
1371	Res	PV	11.8	10.1	9.40	16,469	07/16/13	96754
1372	Res	PV	5.8	5.0	4.61	8,073	07/17/13	96796
1373	Res	PV	-4.5	-3.8	-3.60	-6,307	07/18/13	96746
1374	Res	PV	-2.8	-2.3	-2.24	-3,924	07/18/13	96746
1375	Res	PV	-4.2	-3.9	-3.38	-5,929	07/18/13	96746
1376	Res	PV	-5.8	-6.0	-4.64	-8,129	07/18/13	96766
1377	Res	PV	9.8	9.0	7.80	13,666	07/18/13	96716
1378	Res	PV	8.9	7.6	7.14	12,516	07/18/13	96752
1379	Com	PV	36.0	30.0	28.80	50,458	07/23/13	96766
1380	Res	PV	4.6	3.8	3.67	6,433	07/23/13	96766
1381	Res	PV	3.0	2.6	2.40	4,205	07/23/13	96756
1382	Res	PV	3.8	3.6	3.06	5,368	07/23/13	96705
1383	Res	PV	7.4	7.2	5.95	10,428	07/23/13	96716
1384	Com	PV	15.9	14.0	12.74	22,327	07/25/13	96746
1385	Res	PV	5.0	5.0	4.00	7,008	07/25/13	96746
1386	Res	PV	5.3	5.0	4.22	7,400	07/25/13	96756
1387	Res	PV	3.8	3.6	3.06	5,368	07/25/13	96705
1388	Res	PV	11.2	9.6	8.98	15,726	07/26/13	96756
1389	Res	PV	5.8	4.7	4.66	8,171	07/26/13	96746
1390	Res	PV	3.4	3.6	2.74	4,807	07/29/13	96746
1391	Res	PV	4.5	4.1	3.60	6,307	07/29/13	96766
1392	Res	PV	-8.0	-7.0	-6.40	-11,213	07/30/13	96754
1393	Res	PV	12.5	10.0	10.00	17,520	07/30/13	96754
1394	Res	PV	2.6	2.2	2.04	3,574	07/30/13	96714
1395	Res	PV	6.0	5.2	4.80	8,410	07/31/13	96705
1396	Res	PV	7.0	7.0	5.60	9,811	07/31/13	96752
1397	Res	PV	3.7	3.0	2.94	5,158	07/31/13	96766
1398	Res	PV	10.4	8.6	8.32	14,577	07/31/13	96765

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
1399	Res	PV	4.4	3.9	3.53	6,181	08/05/13	96796
1400	Res	PV	10.6	9.1	8.46	14,829	08/05/13	96754
1401	Com	PV	23.0	20.6	18.43	32,293	08/06/13	96766
1402	Res	PV	4.5	5.0	3.60	6,307	08/06/13	96766
1403	Res	PV	4.5	5.0	3.60	6,307	08/08/13	96752
1404	Res	PV	10.0	10.0	8.00	14,016	08/08/13	96752
1405	Res	PV	7.5	6.5	6.00	10,512	08/08/13	96741
1406	Res	PV	6.0	5.0	4.80	8,410	08/08/13	96765
1407	Res	PV	6.9	6.0	5.49	9,615	08/08/13	96766
1408	Com	PV	7.7	6.9	6.14	10,764	08/09/13	96766
1409	Com	PV	16.4	14.6	13.10	22,958	08/09/13	96766
1410	Com	PV	2.0	1.7	1.60	2,803	08/09/13	96746
1411	Res	PV	4.1	3.5	3.28	5,747	08/09/13	96746
1412	Res	PV	5.0	5.0	4.00	7,008	08/12/13	96746
1413	Res	PV	5.9	5.2	4.70	8,241	08/12/13	96705
1414	Res	PV	5.4	6.0	4.29	7,513	08/12/13	96741
1415	Res	PV	4.0	3.4	3.20	5,606	08/12/13	96746
1416	Res	PV	4.4	3.9	3.53	6,181	08/12/13	96765
1417	Res	PV	4.7	4.2	3.73	6,531	08/12/13	96741
1418	Res	PV	4.4	3.7	3.54	6,195	08/13/13	96703
1419	Res	PV	6.4	5.2	5.09	8,914	08/15/13	96754
1420	Res	PV	5.0	4.0	4.00	7,008	08/15/13	96715
1421	Res	PV	9.7	9.0	7.76	13,589	08/15/13	96752
1422	Res	PV	6.6	6.0	5.30	9,293	08/15/13	96746
1423	Res	W	-1.8	-1.8	-1.44	-2,523	08/19/13	96741
1424	Com	PV	-2.4	-2.2	-1.88	-3,294	08/20/13	96746
1425	Res	PV	-4.7	-4.3	-3.76	-6,588	08/20/13	96746
1426	Res	PV	3.0	2.6	2.40	4,205	08/21/13	96766
1427	Res	PV	3.3	3.0	2.63	4,611	08/21/13	96746
1428	Res	PV	11.0	10.0	8.83	15,474	08/22/13	96756
1429	Res	PV	8.9	9.0	7.14	12,509	08/22/13	96752
1430	Res	PV	9.7	7.6	7.60	13,315	08/22/13	96765
1431	Res	PV	10.5	10.0	8.42	14,759	08/22/13	96752
1432	Res	PV	5.8	5.3	4.61	8,080	08/22/13	96756
1433	Res	PV	5.1	4.2	4.08	7,148	08/22/13	96796
1434	Res	PV	5.9	5.0	4.70	8,227	08/27/13	96746
1435	Res	PV	4.7	4.3	3.76	6,588	08/27/13	96746
1436	Res	PV	8.9	9.0	7.14	12,509	08/27/13	96752
1437	Res	PV	4.2	3.4	3.39	5,943	08/27/13	96765
1438	Res	PV	7.4	6.0	5.88	10,302	08/27/13	96756
1439	Res	PV	3.0	3.0	2.40	4,205	08/27/13	96752
1440	Res	PV	7.7	7.2	6.12	10,722	08/28/13	96722
1441	Com	PV	5.2	5.0	4.19	7,344	08/30/13	96766
1442	Com	PV	7.3	6.7	5.83	10,218	08/30/13	96715
1443	Com	PV	5.3	4.7	4.24	7,428	08/30/13	96766
1444	Res	PV	4.5	3.9	3.60	6,307	08/30/13	96746
1445	Res	PV	7.7	13.0	6.19	10,848	08/30/13	96716
1446	Res	PV	3.1	3.0	2.45	4,289	09/03/13	96766
1447	Res	PV	1.4	1.3	1.13	1,976	09/03/13	96746
1448	Res	PV	3.3	3.0	2.60	4,555	09/03/13	96752
1449	Res	PV	2.5	3.0	1.96	3,434	09/04/13	96796
1450	Res	PV	8.9	7.8	7.14	12,516	09/06/13	96741

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
1451	Res	PV	2.0	1.7	1.60	2,803	09/09/13	96746
1452	Res	PV	5.0	5.0	4.00	7,008	09/12/13	96705
1453	Res	PV	6.0	5.2	4.80	8,410	09/12/13	96741
1454	Res	PV	2.4	2.2	1.88	3,294	09/12/13	96756
1455	Res	PV	5.6	5.0	4.49	7,863	09/13/13	96716
1456	Res	PV	2.2	2.2	1.72	3,013	09/16/13	96756
1457	Res	PV	2.4	2.2	1.88	3,294	09/16/13	96756
1458	Com	PV	33.0	31.4	26.40	46,253	09/18/13	96741
1459	Res	PV	11.2	10.0	8.98	15,733	09/18/13	96752
1460	Res	PV	17.3	14.6	13.87	24,304	09/20/13	96703
1461	Res	PV	4.2	3.4	3.39	5,943	09/23/13	96754
1462	Res	PV	6.0	5.2	4.80	8,410	09/23/13	96722
1463	Res	PV	8.9	7.6	7.14	12,516	09/23/13	96765
1464	Res	PV	5.4	5.0	4.32	7,569	09/24/13	96766
1465	Res	PV	3.0	2.6	2.40	4,205	09/24/13	96746
1466	Res	PV	8.3	9.8	6.66	11,675	09/24/13	96716
1467	Res	PV	3.8	3.6	3.00	5,256	09/24/13	96796
1468	Res	PV	2.0	1.7	1.60	2,803	09/24/13	96705
1469	Res	PV	4.1	8.4	3.26	5,719	09/24/13	96746
1470	Res	PV	5.8	5.0	4.61	8,073	09/24/13	96766
1471	Res	PV	6.1	5.6	4.89	8,564	09/26/13	96746
1472	Res	PV	2.7	3.0	2.16	3,784	09/30/13	96741
1473	Res	PV	6.0	5.2	4.80	8,410	09/30/13	96746
1474	Res	PV	13.5	11.4	10.82	18,950	09/30/13	96766
1475	Res	PV	6.5	6.0	5.18	9,082	09/30/13	96746
1476	Res	PV	8.9	7.4	7.14	12,516	10/02/13	96722
1477	Res	PV	4.6	4.0	3.68	6,447	10/04/13	96765
1478	Res	PV	2.1	1.7	1.70	2,971	10/04/13	96741
1479	Res	PV	6.6	6.0	5.26	9,223	10/04/13	96714
1480	Res	PV	3.1	3.0	2.45	4,289	10/09/13	96722
1481	Res	PV	3.5	3.4	2.82	4,934	10/09/13	96722
1482	Res	PV	4.5	3.8	3.63	6,363	10/09/13	96746
1483	Res	PV	3.4	4.0	2.70	4,737	10/09/13	96746
1484	Res	PV	6.0	5.6	4.80	8,410	10/10/13	96756
1485	Res	PV	8.6	7.0	6.91	12,110	10/10/13	96765
1486	Res	PV	9.4	8.0	7.55	13,231	10/10/13	96741
1487	Res	PV	12.5	12.8	10.00	17,513	10/10/13	96752
1488	Res	PV	8.4	8.8	6.74	11,801	10/10/13	96752
1489	Res	PV	5.6	4.8	4.46	7,821	10/10/13	96766
1490	Res	PV	4.7	4.3	3.76	6,588	10/10/13	96766
1491	Res	PV	4.5	4.0	3.60	6,307	10/10/13	96766
1492	Res	PV	13.5	12.0	10.82	18,950	10/10/13	96766
1493	Res	PV	10.2	8.4	8.16	14,296	10/11/13	96766
1494	Res	PV	5.0	4.3	4.00	7,008	10/11/13	96766
1495	Res	PV	3.2	2.6	2.54	4,457	10/11/13	96722
1496	Res	PV	6.3	5.0	5.00	8,760	10/11/13	96746
1497	Res	PV	8.9	9.0	7.14	12,509	10/11/13	96752
1498	Res	PV	7.0	8.0	5.60	9,811	10/11/13	96756
1499	Res	PV	7.7	8.0	6.12	10,722	10/17/13	96756
1500	Res	PV	3.6	4.0	2.88	5,046	10/17/13	96746
1501	Res	PV	6.0	5.2	4.80	8,410	10/21/13	96703
1502	Res	PV	3.8	8.0	3.00	5,256	10/23/13	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
1503	Res	PV	7.9	8.0	6.33	11,087	10/25/13	96756
1504	Res	PV	3.0	2.6	2.40	4,205	10/25/13	96741
1505	Res	PV	6.0	5.2	4.80	8,410	10/25/13	96756
1506	Res	PV	5.1	4.4	4.10	7,176	10/25/13	96746
1507	Res	PV	9.2	8.3	7.34	12,853	10/25/13	96766
1508	Res	PV	3.3	3.8	2.60	4,555	10/25/13	96766
1509	Res	PV	3.3	3.6	2.66	4,653	10/25/13	96705
1510	Res	PV	5.5	4.5	4.37	7,653	10/28/13	96714
1511	Res	PV	10.6	9.5	8.45	14,801	10/29/13	96756
1512	Res	PV	10.2	8.6	8.16	14,296	10/29/13	96746
1513	Res	PV	5.0	6.0	4.03	7,064	10/31/13	96765
1514	Res	PV	6.6	6.0	5.26	9,223	10/31/13	96714
1515	Res	PV	5.2	4.5	4.12	7,218	10/31/13	96722
1516	Res	PV	-11.4	-10.0	-9.10	-15,950	11/01/13	96714
1517	Com	PV	9.4	8.6	7.52	13,175	11/01/13	96756
1518	Res	PV	5.6	5.2	4.51	7,905	11/01/13	96714
1519	Res	PV	4.6	5.0	3.67	6,433	11/01/13	96752
1520	Res	PV	3.0	2.6	2.40	4,205	11/01/13	96746
1521	Res	PV	7.7	6.0	6.00	10,512	11/01/13	96746
1522	Res	PV	4.5	6.0	3.58	6,279	11/04/13	96746
1523	Res	PV	8.2	7.6	6.53	11,437	11/06/13	96752
1524	Res	PV	7.1	6.0	5.71	10,007	11/06/13	96796
1525	Res	PV	4.1	3.6	3.26	5,719	11/06/13	96705
1526	Res	PV	6.6	6.0	5.30	9,293	11/06/13	96796
1527	Res	PV	7.0	7.0	5.60	9,811	11/06/13	96752
1528	Res	PV	3.0	3.8	2.40	4,205	11/06/13	96746
1529	Res	PV	10.2	9.2	8.16	14,296	11/06/13	96746
1530	Res	PV	7.5	6.5	6.00	10,512	11/06/13	96741
1531	Res	PV	3.1	3.8	2.45	4,289	11/07/13	96796
1532	Res	PV	6.0	5.2	4.80	8,410	11/07/13	96746
1533	Res	PV	6.5	5.6	5.16	9,040	11/08/13	96703
1534	Res	PV	4.5	5.0	3.60	6,307	11/08/13	96741
1535	Res	PV	4.6	3.7	3.66	6,412	11/08/13	96746
1536	Res	PV	6.0	5.2	4.80	8,410	11/08/13	96746
1537	Res	PV	5.0	4.3	4.00	7,008	11/08/13	96754
1538	Res	PV	2.9	3.0	2.34	4,107	11/12/13	96716
1539	Res	PV	3.2	3.0	2.52	4,415	11/12/13	96741
1540	Res	PV	4.6	5.0	3.71	6,503	11/12/13	96766
1541	Res	PV	5.2	4.6	4.19	7,344	11/13/13	96746
1542	Res	PV	4.7	4.0	3.76	6,588	11/13/13	96746
1543	Com	PV	56.4	45.6	45.12	79,050	11/15/13	96766
1544	Res	PV	5.4	5.0	4.32	7,569	11/15/13	96746
1545	Res	PV	2.0	1.7	1.60	2,803	11/15/13	96741
1546	Res	PV	3.8	3.8	3.06	5,368	11/15/13	96716
1547	Res	PV	7.0	6.0	5.60	9,811	11/15/13	96741
1548	Res	PV	4.3	5.0	3.47	6,083	11/15/13	96746
1549	Res	PV	4.5	3.9	3.60	6,307	11/15/13	96746
1550	Res	PV	3.0	3.0	2.40	4,205	11/20/13	96714
1551	Res	PV	8.0	8.0	6.40	11,213	11/20/13	96714
1552	Res	PV	3.0	2.6	2.40	4,205	11/20/13	96746
1553	Res	PV	3.0	2.6	2.40	4,205	11/20/13	96741
1554	Res	PV	3.4	3.0	2.70	4,737	11/20/13	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
1555	Res	PV	4.1	4.0	3.24	5,676	11/21/13	96741
1556	Res	PV	5.1	5.0	4.08	7,148	11/25/13	96766
1557	Res	PV	6.1	6.0	4.90	8,578	11/25/13	96796
1558	Res	PV	10.0	8.6	8.00	14,016	12/02/13	96756
1559	Res	PV	5.0	4.3	4.00	7,008	12/02/13	96756
1560	Res	PV	4.3	3.7	3.40	5,957	12/02/13	96752
1561	Res	PV	5.6	6.0	4.49	7,863	12/02/13	96796
1562	Res	PV	10.0	8.8	7.96	13,946	12/02/13	96756
1563	Res	PV	4.3	3.4	3.44	6,027	12/02/13	96746
1564	Res	PV	2.6	3.0	2.04	3,574	12/02/13	96766
1565	Res	PV	8.2	7.2	6.53	11,437	12/02/13	96746
1566	Com	PV	30.4	26.9	24.30	42,574	12/03/13	96766
1567	Res	PV	5.1	5.0	4.08	7,148	12/03/13	96752
1568	Res	PV	3.6	4.0	2.88	5,046	12/03/13	96746
1569	Res	PV	4.5	6.0	3.63	6,363	12/03/13	96746
1570	Res	PV	3.1	3.0	2.45	4,289	12/06/13	96746
1571	Res	PV	13.0	12.8	10.40	18,228	12/06/13	96752
1572	Res	PV	5.6	6.0	4.51	7,905	12/06/13	96756
1573	Res	PV	4.3	3.8	3.40	5,957	12/06/13	96766
1574	Res	PV	4.7	3.9	3.74	6,559	12/06/13	96722
1575	Res	PV	6.0	5.2	4.80	8,410	12/10/13	96756
1576	Res	PV	4.1	6.0	3.25	5,690	12/10/13	96746
1577	Res	PV	6.0	5.2	4.80	8,410	12/10/13	96766
1578	Res	PV	3.0	2.6	2.40	4,205	12/11/13	96752
1579	Res	PV	12.8	12.8	10.20	17,870	12/11/13	96752
1580	Res	PV	5.3	4.5	4.20	7,358	12/11/13	96765
1581	Res	PV	2.5	2.2	2.00	3,504	12/11/13	96746
1582	Res	PV	5.5	6.0	4.40	7,709	12/12/13	96746
1583	Res	PV	4.1	3.4	3.26	5,719	12/13/13	96746
1584	Res	PV	3.0	2.6	2.40	4,205	12/13/13	96703
1585	Res	PV	3.0	2.6	2.40	4,205	12/16/13	96703
1586	Res	PV	5.2	5.0	4.16	7,288	12/16/13	96741
1587	Res	PV	10.5	9.8	8.37	14,661	12/16/13	96765
1588	Res	PV	4.1	6.0	3.25	5,690	12/16/13	96746
1589	Res	PV	3.1	3.0	2.45	4,289	12/16/13	96746
1590	Com	PV	9.8	10.0	7.80	13,666	12/17/13	96766
1591	Res	PV	10.0	8.6	8.00	14,016	12/17/13	96765
1592	Res	PV	3.0	2.6	2.40	4,205	12/17/13	96746
1593	Res	PV	9.9	10.0	7.92	13,876	12/17/13	96741
1594	Res	PV	11.0	10.0	8.80	15,418	12/17/13	96765
1595	Res	PV	5.5	4.7	4.40	7,709	12/17/13	96756
1596	Res	PV	4.5	4.1	3.58	6,265	12/18/13	96754
1597	Res	PV	5.4	4.7	4.31	7,555	12/18/13	96703
1598	Res	PV	4.6	4.2	3.67	6,433	12/18/13	96746
1599	Res	PV	6.6	6.0	5.30	9,293	12/18/13	96746
1600	Res	PV	6.9	6.0	5.51	9,657	12/18/13	96741
1601	Res	PV	4.5	4.0	3.58	6,279	12/18/13	96754
1602	Res	PV	2.6	2.2	2.06	3,616	12/18/13	96746
1603	Res	PV	6.1	6.0	4.90	8,578	12/18/13	96766
1604	Res	PV	4.5	3.9	3.60	6,307	12/18/13	96754
1605	Res	PV	6.1	6.0	4.90	8,578	12/19/13	96746
1606	Com	PV	23.0	19.8	18.40	32,237	12/23/13	96703

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
1607	Res	PV	12.2	12.0	9.79	17,156	12/23/13	96754
1608	Res	PV	18.4	16.0	14.72	25,789	12/23/13	96703
1609	Res	PV	7.7	7.6	6.12	10,722	12/23/13	96722
1610	Res	PV	3.0	2.6	2.40	4,205	12/23/13	96746
1611	Res	PV	5.6	9.8	4.48	7,849	12/23/13	96746
1612	Res	PV	-3.1	-2.8	-2.50	-4,373	12/24/13	96756
1613	Res	PV	-3.1	-2.8	-2.50	-4,373	12/24/13	96756
1614	Res	PV	-3.1	-2.8	-2.50	-4,373	12/24/13	96756
1615	Res	PV	-3.1	-2.8	-2.50	-4,373	12/24/13	96756
1616	Res	PV	-3.1	-2.8	-2.50	-4,373	12/24/13	96756
1617	Res	PV	-3.1	-2.8	-2.50	-4,373	12/24/13	96756
1618	Com	PV	25.0	22.1	19.98	34,998	12/24/13	96756
1619	Com	PV	19.5	16.0	15.60	27,331	12/26/13	96766
1620	Res	PV	3.5	3.0	2.80	4,906	12/26/13	96746
1621	Res	PV	6.0	5.2	4.80	8,410	12/26/13	96754
1622	Res	PV	7.2	8.0	5.76	10,092	12/26/13	96765
1623	Res	PV	3.9	3.4	3.14	5,494	12/26/13	96756
1624	Res	PV	2.9	2.6	2.35	4,121	12/26/13	96756
1625	Res	PV	5.9	5.0	4.68	8,199	12/31/13	96752
1626	Res	PV	5.4	5.0	4.32	7,569	12/31/13	96716
1627	Res	PV	5.0	4.3	4.00	7,008	01/03/14	96752
1628	Res	PV	4.0	3.4	3.20	5,606	01/03/14	96741
1629	Res	PV	4.1	5.0	3.24	5,676	01/03/14	96796
1630	Res	PV	3.3	2.8	2.60	4,555	01/07/14	96715
1631	Res	PV	5.0	4.3	4.00	7,008	01/07/14	96746
1632	Res	PV	8.4	8.0	6.74	11,801	01/07/14	96746
1633	Res	PV	8.5	7.2	6.78	11,886	01/07/14	96746
1634	Res	PV	10.1	9.2	8.06	14,114	01/07/14	96746
1635	Res	PV	7.7	6.0	6.00	10,512	01/07/14	96746
1636	Res	PV	9.6	8.6	7.68	13,455	01/07/14	96746
1637	Res	PV	3.0	2.6	2.40	4,205	01/07/14	96766
1638	Res	PV	6.0	5.2	4.80	8,410	01/07/14	96766
1639	Res	PV	6.7	7.0	5.38	9,419	01/07/14	96766
1640	Res	PV	4.5	5.0	3.60	6,307	01/07/14	96766
1641	Res	PV	6.0	5.2	4.80	8,410	01/07/14	96766
1642	Res	PV	1.4	3.0	1.08	1,892	01/07/14	96766
1643	Res	PV	7.8	8.0	6.27	10,989	01/07/14	96766
1644	Com	PV	6.5	5.6	5.20	9,110	01/08/14	96716
1645	Com	PV	15.0	22.8	12.00	21,024	01/08/14	96752
1646	Res	PV	5.4	4.3	4.30	7,534	01/08/14	96703
1647	Res	PV	3.4	3.0	2.70	4,737	01/08/14	96716
1648	Res	PV	3.4	3.1	2.72	4,765	01/08/14	96756
1649	Res	PV	4.5	3.9	3.60	6,307	01/08/14	96756
1650	Res	PV	6.5	5.6	5.20	9,110	01/08/14	96765
1651	Res	PV	9.0	12.0	7.20	12,614	01/08/14	96765
1652	Res	PV	9.0	7.7	7.20	12,614	01/08/14	96741
1653	Res	PV	6.3	6.0	5.00	8,760	01/08/14	96741
1654	Res	PV	6.1	5.0	4.90	8,578	01/08/14	96741
1655	Res	PV	5.1	5.0	4.08	7,148	01/08/14	96796
1656	Com	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1657	Com	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1658	Com	PV	9.0	7.7	7.20	12,614	01/09/14	96756

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
1659	Com	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1660	Com	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1661	Com	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1662	Com	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1663	Res	PV	6.0	6.0	4.80	8,410	01/09/14	96754
1664	Res	PV	5.5	4.7	4.40	7,709	01/09/14	96766
1665	Res	PV	4.3	3.4	3.44	6,027	01/09/14	96722
1666	Res	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1667	Res	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1668	Res	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1669	Res	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1670	Res	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1671	Res	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1672	Res	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1673	Res	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1674	Res	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1675	Res	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1676	Res	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1677	Res	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1678	Res	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1679	Res	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1680	Res	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1681	Res	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1682	Res	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1683	Res	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1684	Res	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1685	Res	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1686	Res	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1687	Res	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1688	Res	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1689	Res	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1690	Res	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1691	Res	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1692	Res	PV	9.0	7.7	7.20	12,614	01/09/14	96756
1693	Com	PV	5.7	4.5	4.52	7,919	01/10/14	96766
1694	Com	PV	20.4	20.0	16.32	28,593	01/10/14	96766
1695	Com	PV	37.4	30.0	29.95	52,476	01/10/14	96766
1696	Res	PV	12.0	12.0	9.59	16,805	01/10/14	96746
1697	Res	PV	4.2	3.4	3.39	5,943	01/10/14	96714
1698	Com	PV	9.8	8.4	7.80	13,666	01/13/14	96756
1699	Com	PV	11.0	9.5	8.80	15,418	01/13/14	96766
1700	Com	PV	6.0	5.2	4.80	8,410	01/13/14	96766
1701	Res	PV	6.3	5.0	5.00	8,760	01/13/14	96752
1702	Res	PV	7.8	8.0	6.24	10,932	01/13/14	96716
1703	Res	PV	7.1	6.0	5.71	10,007	01/13/14	96705
1704	Res	PV	4.3	3.7	3.47	6,083	01/13/14	96741
1705	Res	PV	4.5	5.0	3.60	6,307	01/13/14	96756
1706	Res	PV	7.1	6.0	5.71	10,007	01/13/14	96766
1707	Res	PV	16.8	16.0	13.46	23,589	01/13/14	96746
1708	Res	PV	9.5	8.2	7.60	13,315	01/13/14	96746
1709	Res	PV	6.6	5.6	5.30	9,293	01/13/14	96746
1710	Res	PV	6.6	5.6	5.30	9,293	01/13/14	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
1711	Res	PV	5.5	8.0	4.40	7,709	01/13/14	96746
1712	Res	PV	4.1	4.0	3.24	5,676	01/14/14	96752
1713	Res	PV	3.5	5.0	2.78	4,878	01/14/14	96714
1714	Res	PV	3.1	3.0	2.45	4,289	01/14/14	96746
1715	Res	PV	10.0	8.6	8.00	14,016	01/14/14	96746
1716	Res	PV	4.3	3.4	3.44	6,027	01/14/14	96722
1717	Res	PV	5.2	4.7	4.16	7,288	01/14/14	96754
1718	Res	PV	3.5	6.0	2.78	4,878	01/14/14	96754
1719	Res	PV	5.7	4.5	4.52	7,919	01/14/14	96754
1720	Res	PV	3.2	3.0	2.59	4,541	01/14/14	96746
1721	Res	PV	6.0	5.6	4.80	8,410	01/14/14	96766
1722	Res	PV	5.0	4.3	4.00	7,008	01/14/14	96746
1723	Res	PV	3.2	3.0	2.59	4,541	01/14/14	96746
1724	Res	PV	3.2	3.0	2.59	4,541	01/15/14	96746
1725	Res	PV	4.9	4.3	3.92	6,868	01/15/14	96766
1726	Res	PV	4.6	5.0	3.67	6,433	01/15/14	96715
1727	Res	PV	6.9	6.0	5.51	9,657	01/15/14	96796
1728	Com	PV	45.9	38.7	36.72	64,333	01/16/14	96766
1729	Com	PV	32.4	27.0	25.92	45,412	01/16/14	96766
1730	Res	PV	3.5	3.0	2.80	4,906	01/16/14	96741
1731	Res	PV	6.0	5.2	4.80	8,410	01/16/14	96746
1732	Res	PV	5.4	8.0	4.32	7,569	01/16/14	96705
1733	Res	PV	9.5	10.0	7.56	13,245	01/16/14	96756
1734	Res	PV	2.2	2.0	1.73	3,027	01/16/14	96746
1735	Res	PV	6.6	6.0	5.30	9,293	01/21/14	96752
1736	Res	PV	17.9	14.8	14.28	25,019	01/22/14	96766
1737	Com	PV	24.8	21.0	19.87	34,816	01/24/14	96766
1738	Com	PV	11.5	10.0	9.22	16,146	01/24/14	96766
1739	Res	PV	8.2	6.8	6.53	11,437	01/24/14	96752
1740	Res	PV	3.6	3.0	2.88	5,046	01/24/14	96766
1741	Res	PV	13.4	11.4	10.75	18,838	01/24/14	96766
1742	Res	PV	5.3	5.0	4.22	7,400	01/24/14	96766
1743	Com	PV	10.6	9.7	8.46	14,829	01/27/14	96766
1744	Res	PV	5.0	4.3	4.00	7,008	01/27/14	96722
1745	Res	PV	7.0	7.0	5.60	9,811	01/27/14	96746
1746	Res	PV	6.6	6.0	5.30	9,293	01/27/14	96746
1747	Res	PV	2.4	2.2	1.92	3,364	01/27/14	96703
1748	Res	PV	7.7	7.6	6.12	10,722	01/28/14	96766
1749	Res	PV	7.7	7.6	6.12	10,722	01/28/14	96752
1750	Res	PV	8.3	7.0	6.60	11,563	01/29/14	96746
1751	Com	PV	33.0	28.4	26.40	46,253	01/30/14	96756
1752	Res	PV	4.6	4.2	3.67	6,433	01/30/14	96746
1753	Res	PV	3.0	2.6	2.40	4,205	01/30/14	96705
1754	Res	PV	5.6	5.0	4.49	7,863	01/30/14	96765
1755	Res	PV	5.4	5.0	4.32	7,569	02/04/14	96752
1756	Com	PV	173.2	100.0	100.00	175,200	02/06/14	96756
1757	Res	PV	8.4	7.6	6.72	11,773	02/06/14	96756
1758	Res	PV	6.4	6.0	5.10	8,928	02/07/14	96756
1759	Res	PV	5.8	5.0	4.61	8,073	02/07/14	96722
1760	Res	PV	8.8	8.4	7.04	12,334	02/07/14	96703
1761	Res	PV	12.5	12.0	9.98	17,492	02/11/14	96722
1762	Res	PV	4.2	5.0	3.36	5,887	02/13/14	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
1763	Res	PV	2.4	2.5	1.92	3,364	02/20/14	96703
1764	Res	PV	8.3	7.5	6.60	11,563	02/20/14	96746
1765	Res	PV	3.1	3.0	2.45	4,289	02/20/14	96746
1766	Res	PV	4.8	4.2	3.87	6,784	02/20/14	96765
1767	Res	PV	9.4	8.8	7.55	13,231	02/25/14	96705
1768	Res	PV	5.0	5.0	4.00	7,008	02/26/14	96746
1769	Res	PV	4.6	5.0	3.67	6,433	02/26/14	96766
1770	Res	PV	7.7	7.6	6.12	10,722	02/26/14	96716
1771	Res	PV	3.4	3.0	2.69	4,709	02/26/14	96746
1772	Res	PV	8.8	8.0	7.04	12,334	02/27/14	96752
1773	Res	PV	4.2	5.0	3.36	5,887	02/27/14	96746
1774	Res	PV	9.8	8.8	7.87	13,792	02/27/14	96766
1775	Res	PV	9.8	8.8	7.87	13,792	02/27/14	96766
1776	Res	PV	8.2	8.4	6.53	11,437	02/27/14	96746
1777	Res	PV	9.0	8.8	7.17	12,558	02/28/14	96714
1778	Res	PV	2.3	1.9	1.84	3,224	02/28/14	96703
1779	Res	PV	2.2	3.0	1.79	3,140	03/03/14	96765
1780	Res	PV	8.4	8.0	6.72	11,773	03/03/14	96766
1781	Res	PV	8.4	7.6	6.72	11,773	03/03/14	96741
1782	Res	PV	8.2	8.8	6.59	11,549	03/04/14	96752
1783	Res	PV	9.0	10.0	7.20	12,614	03/05/14	96741
1784	Res	PV	12.9	11.0	10.30	18,053	03/10/14	96766
1785	Res	PV	3.6	3.8	2.86	5,004	03/10/14	96716
1786	Res	PV	11.7	11.0	9.38	16,441	03/10/14	96752
1787	Res	PV	7.0	6.0	5.62	9,839	03/10/14	96756
1788	Res	PV	5.6	5.0	4.49	7,863	03/11/14	96746
1789	Res	PV	8.7	8.8	6.94	12,166	03/11/14	96766
1790	Res	PV	6.4	6.0	5.15	9,026	03/12/14	96746
1791	Res	PV	2.3	1.9	1.84	3,224	03/12/14	96766
1792	Res	PV	11.7	9.9	9.38	16,441	03/13/14	96766
1793	Res	PV	6.5	8.0	5.18	9,082	03/13/14	96752
1794	Com	PV	4.4	3.4	3.44	6,027	03/14/14	96754
1795	Res	PV	9.5	9.0	7.62	13,343	03/14/14	96746
1796	Res	PV	8.4	7.6	6.72	11,773	03/18/14	96756
1797	Res	PV	9.1	8.8	7.30	12,783	03/18/14	96766
1798	Res	PV	5.9	6.0	4.70	8,241	03/18/14	96722
1799	Res	PV	6.6	5.6	5.30	9,293	03/18/14	96765
1800	Res	PV	9.0	8.8	7.20	12,614	03/18/14	96752
1801	Res	PV	7.1	7.6	5.71	10,007	03/18/14	96705
1802	Res	PV	8.1	8.0	6.48	11,353	03/18/14	96752
1803	Res	PV	8.3	7.0	6.62	11,605	03/18/14	96746
1804	Res	PV	9.5	9.0	7.61	13,329	03/19/14	96752
1805	Res	PV	6.0	6.0	4.80	8,410	03/24/14	96756
1806	Res	PV	24.8	20.0	19.87	34,816	03/25/14	96741
1807	Res	PV	6.0	6.0	4.80	8,410	03/27/14	96746
1808	Res	PV	3.2	4.0	2.52	4,415	03/28/14	96766
1809	Res	PV	6.1	5.0	4.90	8,578	03/28/14	96752
1810	Res	PV	7.2	6.5	5.72	10,021	03/28/14	96746
1811	Res	PV	1.8	3.0	1.44	2,523	03/28/14	96752
1812	Res	PV	7.0	6.0	5.60	9,811	03/31/14	96716
1813	Res	PV	8.8	8.0	7.07	12,390	03/31/14	96746
1814	Res	PV	6.1	4.7	4.73	8,287	04/01/14	96754

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
1815	Res	PV	6.0	5.2	4.80	8,410	04/01/14	96746
1816	Res	PV	6.3	6.0	5.00	8,760	04/04/14	96754
1817	Res	PV	2.8	2.5	2.24	3,924	04/04/14	96746
1818	Res	PV	8.9	7.6	7.14	12,516	04/04/14	96741
1819	Res	PV	4.0	3.8	3.19	5,592	04/04/14	96766
1820	Res	PV	4.0	3.6	3.17	5,550	04/07/14	96756
1821	Res	PV	3.9	3.8	3.14	5,494	04/07/14	96766
1822	Res	PV	4.8	4.5	3.84	6,728	04/07/14	96705
1823	Res	PV	3.5	3.0	2.80	4,906	04/08/14	96746
1824	Res	PV	6.4	6.0	5.10	8,942	04/08/14	96752
1825	Res	PV	8.0	6.8	6.38	11,185	04/08/14	96756
1826	Res	PV	5.6	5.0	4.48	7,849	04/11/14	96746
1827	Res	PV	5.6	5.0	4.48	7,849	04/13/14	96766
1828	Res	PV	6.9	6.0	5.51	9,657	04/14/14	96705
1829	Res	PV	6.4	6.0	5.10	8,942	04/17/14	96752
1830	Res	PV	8.9	7.6	7.14	12,516	04/17/14	96796
1831	Res	PV	4.0	3.8	3.19	5,592	04/21/14	96766
1832	Res	PV	10.1	8.8	8.11	14,212	04/22/14	96756
1833	Res	PV	10.8	8.8	8.66	15,179	04/22/14	96746
1834	Res	PV	4.8	5.0	3.82	6,686	04/22/14	96746
1835	Res	PV	5.3	5.0	4.26	7,457	04/23/14	96766
1836	Res	PV	4.1	3.0	3.00	5,256	04/24/14	96754
1837	Res	PV	6.1	5.5	4.84	8,480	04/24/14	96754
1838	Res	PV	6.3	6.0	5.04	8,830	04/25/14	96705
1839	Res	PV	4.7	4.3	3.76	6,588	04/25/14	96766
1840	Res	PV	8.0	8.0	6.38	11,185	04/25/14	96722
1841	Res	PV	8.1	7.6	6.50	11,381	04/28/14	96752
1842	Res	PV	5.7	5.0	4.56	7,989	04/30/14	96752
1843	Res	PV	10.5	8.8	8.37	14,661	04/30/14	96796
1844	Res	PV	6.9	6.0	5.51	9,657	04/30/14	96705
1845	Res	PV	7.0	7.6	5.60	9,811	04/30/14	96796
1846	Res	PV	4.5	4.5	3.60	6,307	04/30/14	96705
1847	Res	PV	4.3	3.8	3.40	5,957	04/30/14	96756
1848	Res	PV	4.1	5.0	3.24	5,676	04/30/14	96746
1849	Res	PV	5.3	5.0	4.24	7,428	04/30/14	96766
1850	Res	PV	3.0	5.0	2.40	4,205	04/30/14	96741
1851	Res	PV	4.7	3.7	3.66	6,412	05/01/14	96722
1852	Res	PV	7.1	6.0	5.70	9,993	05/02/14	96756
1853	Res	PV	4.5	3.8	3.61	6,321	05/02/14	96705
1854	Res	PV	4.0	3.8	3.18	5,578	05/02/14	96796
1855	Res	PV	3.6	2.8	2.80	4,906	05/02/14	96754
1856	Com	PV	171.4	100.0	100.00	175,200	05/06/14	96756
1857	Com	PV	85.2	50.0	50.00	87,600	05/06/14	96756
1858	Res	PV	5.0	5.0	4.00	7,008	05/06/14	96746
1859	Res	PV	5.8	5.0	4.66	8,171	05/06/14	96765
1860	Res	PV	4.0	3.7	3.20	5,606	05/07/14	96746
1861	Res	PV	4.7	4.3	3.76	6,588	05/12/14	96756
1862	Res	PV	2.0	1.7	1.63	2,859	05/20/14	96796
1863	Res	PV	6.0	6.0	4.80	8,410	05/20/14	96766
1864	Res	PV	2.8	2.5	2.20	3,854	05/21/14	96746
1865	Res	PV	6.8	6.0	5.40	9,461	05/22/14	96754
1866	Res	PV	2.3	1.9	1.84	3,224	05/22/14	96796

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
1867	Res	PV	5.5	5.3	4.37	7,653	05/23/14	96766
1868	Res	PV	4.2	5.0	3.36	5,887	05/23/14	96746
1869	Res	PV	5.0	4.3	4.00	7,008	05/23/14	96716
1870	Res	PV	4.7	4.3	3.76	6,588	05/23/14	96746
1871	Res	PV	7.5	6.0	6.00	10,512	05/27/14	96766
1872	Res	PV	6.6	6.0	5.25	9,194	05/28/14	96754
1873	Res	PV	6.8	6.0	5.40	9,461	05/29/14	96716
1874	Res	PV	6.9	6.0	5.51	9,657	05/29/14	96796
1875	Res	PV	9.8	8.8	7.85	13,750	05/29/14	96756
1876	Com	PV	2.7	2.5	2.16	3,784	06/02/14	96714
1877	Res	PV	5.0	5.0	4.00	7,008	06/03/14	96741
1878	Res	PV	4.3	3.8	3.40	5,957	06/03/14	96741
1879	Res	PV	4.5	5.0	3.60	6,307	06/03/14	96796
1880	Res	PV	6.5	5.2	5.16	9,040	06/04/14	96722
1881	Res	PV	4.5	4.3	3.60	6,307	06/04/14	96766
1882	Res	PV	5.5	4.3	4.30	7,534	06/05/14	96746
1883	Res	PV	3.2	3.0	2.59	4,541	06/05/14	96754
1884	Res	PV	5.1	4.0	4.00	7,008	06/06/14	96752
1885	Res	PV	2.3	3.0	1.83	3,210	06/06/14	96746
1886	Res	PV	11.4	9.8	9.12	15,978	06/06/14	96752
1887	Com	PV	11.3	9.9	9.02	15,796	06/10/14	96754
1888	Res	PV	3.2	3.0	2.52	4,415	06/10/14	96756
1889	Res	PV	12.2	10.0	9.79	17,156	06/10/14	96746
1890	Res	PV	3.9	3.8	3.14	5,494	06/12/14	96746
1891	Res	PV	5.9	5.0	4.71	8,255	06/16/14	96756
1892	Res	PV	5.9	5.0	4.71	8,255	06/16/14	96703
1893	Res	PV	5.2	5.0	4.18	7,330	06/16/14	96716
1894	Res	PV	6.0	6.0	4.80	8,410	06/16/14	96765
1895	Res	PV	2.8	2.6	2.26	3,953	06/16/14	96766
1896	Res	PV	6.7	6.0	5.38	9,419	06/18/14	96756
1897	Res	PV	3.3	3.0	2.64	4,625	06/24/14	96752
1898	Res	PV	5.4	5.0	4.32	7,569	06/25/14	96754
1899	Res	PV	7.1	6.5	5.70	9,979	06/25/14	96746
1900	Res	PV	5.5	5.0	4.40	7,709	06/26/14	96752
1901	Res	PV	6.9	6.0	5.49	9,615	06/26/14	96741
1902	Com	PV	46.4	38.5	37.14	65,076	06/27/14	96766
1903	Res	PV	7.2	5.6	5.59	9,794	07/01/14	96722
1904	Res	PV	3.5	3.0	2.83	4,962	07/03/14	96705
1905	Res	PV	7.2	6.0	5.73	10,035	07/07/14	96752
1906	Res	PV	12.8	11.6	10.27	17,990	07/08/14	96741
1907	Res	PV	7.8	7.6	6.27	10,989	07/08/14	96796
1908	Res	PV	7.8	7.6	6.27	10,989	07/08/14	96796
1909	Res	PV	7.2	6.0	5.75	10,078	07/08/14	96741
1910	Res	PV	4.0	3.4	3.20	5,606	07/08/14	96766
1911	Res	PV	9.1	8.8	7.30	12,790	07/08/14	96752
1912	Res	PV	3.2	3.0	2.59	4,541	07/09/14	96722
1913	Res	PV	5.8	5.0	4.66	8,171	07/10/14	96716
1914	Res	PV	4.3	4.0	3.46	6,055	07/14/14	96766
1915	Res	PV	8.1	7.5	6.48	11,353	07/14/14	96756
1916	Res	PV	3.0	2.6	2.40	4,205	07/14/14	96766
1917	Res	PV	12.3	12.6	9.86	17,268	07/15/14	96756
1918	Res	PV	5.8	6.0	4.64	8,129	07/15/14	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
1919	Com	PV	10.1	9.5	8.06	14,114	07/17/14	96766
1920	Com	PV	36.0	31.0	28.80	50,458	07/17/14	96752
1921	Res	PV	3.2	3.0	2.59	4,541	07/17/14	96765
1922	Res	PV	-2.0	-1.7	-1.60	-2,803	07/18/14	96747
1923	Res	PV	9.0	8.0	7.18	12,572	07/21/14	96756
1924	Res	PV	4.3	4.0	3.46	6,055	07/21/14	96746
1925	Res	PV	3.2	3.0	2.59	4,541	07/21/14	96746
1926	Res	PV	5.6	5.0	4.46	7,807	07/22/14	96741
1927	Res	PV	3.8	3.5	3.02	5,298	07/22/14	96766
1928	Res	PV	8.5	8.0	6.80	11,914	07/22/14	96722
1929	Res	PV	2.7	2.5	2.16	3,784	07/24/14	96705
1930	Res	PV	9.8	9.0	7.85	13,750	07/24/14	96746
1931	Com	PV	6.9	6.0	5.49	9,615	07/28/14	96765
1932	Res	PV	6.9	6.0	5.49	9,615	07/28/14	96766
1933	Res	PV	8.1	7.5	6.48	11,353	07/28/14	96746
1934	Res	PV	6.3	5.5	5.02	8,788	07/28/14	96746
1935	Res	PV	7.6	7.0	6.05	10,596	07/30/14	96746
1936	Res	PV	6.5	6.0	5.18	9,082	07/30/14	96756
1937	Res	PV	3.0	2.6	2.40	4,205	07/30/14	96746
1938	Res	PV	3.2	3.0	2.52	4,415	07/30/14	96752
1939	Res	PV	3.2	3.0	2.52	4,415	07/30/14	96796
1940	Res	PV	2.7	3.0	2.16	3,784	07/30/14	96752
1941	Res	PV	5.9	5.0	4.71	8,255	07/30/14	96752
1942	Res	PV	5.4	5.0	4.35	7,625	07/31/14	96766
1943	Res	PV	8.7	8.0	6.96	12,194	07/31/14	96746
1944	Res	PV	3.2	3.0	2.59	4,541	07/31/14	96746
1945	Res	PV	6.8	6.3	5.40	9,461	07/31/14	96741
1946	Res	PV	6.5	6.0	5.23	9,166	08/01/14	96741
1947	Res	PV	6.8	6.0	5.42	9,503	08/01/14	96741
1948	Res	PV	4.3	3.8	3.40	5,957	08/06/14	96766
1949	Res	PV	4.9	5.0	3.93	6,882	08/06/14	96765
1950	Res	PV	4.7	5.0	3.76	6,588	08/06/14	96756
1951	Res	PV	4.9	4.5	3.89	6,812	08/06/14	96746
1952	Com	PV	14.1	14.0	11.31	19,819	08/07/14	96741
1953	Res	PV	5.6	5.0	4.51	7,905	08/07/14	96756
1954	Res	PV	13.7	11.4	10.98	19,244	08/07/14	96756
1955	Res	PV	4.9	4.3	3.92	6,868	08/11/14	96766
1956	Res	PV	5.9	5.3	4.70	8,241	08/11/14	96746
1957	Res	PV	4.5	3.9	3.60	6,307	08/11/14	96754
1958	Res	PV	3.2	3.0	2.59	4,541	08/11/14	96746
1959	Res	PV	5.9	6.0	4.68	8,199	08/12/14	96796
1960	Res	PV	5.0	5.0	3.96	6,938	08/12/14	96741
1961	Res	PV	5.3	5.0	4.24	7,428	08/12/14	96746
1962	Com	PV	22.1	20.0	17.66	30,947	08/13/14	96766
1963	Res	PV	4.6	3.7	3.66	6,412	08/13/14	96746
1964	Res	PV	3.2	3.0	2.59	4,541	08/19/14	96746
1965	Res	PV	5.0	5.0	3.96	6,938	08/21/14	96752
1966	Res	PV	7.8	7.0	6.27	10,989	08/21/14	96756
1967	Res	PV	16.2	13.2	12.94	22,678	08/21/14	96703
1968	Res	PV	8.6	8.0	6.91	12,110	08/21/14	96756
1969	Res	PV	3.2	3.0	2.59	4,541	08/21/14	96765
1970	Res	PV	5.0	5.0	3.96	6,938	08/25/14	96741

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
1971	Res	PV	10.8	9.5	8.62	15,109	08/25/14	96754
1972	Res	PV	8.1	7.5	6.48	11,353	08/26/14	96741
1973	Res	PV	5.0	5.0	4.00	7,008	08/26/14	96752
1974	Res	PV	5.0	4.5	4.03	7,064	08/26/14	96796
1975	Res	PV	3.7	3.2	2.94	5,158	08/26/14	96746
1976	Res	PV	4.6	3.8	3.66	6,419	08/26/14	96722
1977	Com	PV	13.8	10.8	10.75	18,834	08/27/14	96754
1978	Com	PV	23.0	21.0	18.43	32,293	08/28/14	96796
1979	Res	PV	7.5	8.0	6.00	10,512	08/28/14	96752
1980	Res	PV	8.6	8.0	6.91	12,110	09/02/14	96716
1981	Res	PV	6.8	6.0	5.41	9,475	09/03/14	96746
1982	Res	PV	5.0	4.3	4.00	7,008	09/03/14	96766
1983	Res	PV	7.3	6.0	5.86	10,260	09/03/14	96746
1984	Res	PV	4.6	5.0	3.66	6,419	09/03/14	96756
1985	Res	PV	8.6	7.6	6.84	11,984	09/03/14	96766
1986	Res	PV	3.8	4.0	3.06	5,368	09/03/14	96716
1987	Res	PV	3.8	3.8	3.00	5,256	09/03/14	96752
1988	Res	PV	3.8	4.0	3.06	5,368	09/03/14	96752
1989	Res	PV	3.8	4.0	3.06	5,368	09/04/14	96752
1990	Res	PV	2.7	2.5	2.16	3,784	09/05/14	96752
1991	Res	PV	3.3	3.0	2.64	4,625	09/05/14	96765
1992	Res	PV	5.5	4.7	4.40	7,709	09/08/14	96746
1993	Res	PV	8.4	8.8	6.72	11,773	09/08/14	96752
1994	Res	PV	9.0	8.0	7.17	12,558	09/08/14	96766
1995	Res	PV	6.4	5.0	5.00	8,760	09/08/14	96714
1996	Com	PV	176.1	100.0	100.00	175,200	09/11/14	96756
1997	Com	PV	176.1	100.0	100.00	175,200	09/11/14	96756
1998	Res	PV	3.2	3.0	2.59	4,541	09/11/14	96766
1999	Res	PV	3.9	3.8	3.14	5,494	09/11/14	96796
2000	Res	PV	11.0	9.7	8.83	15,474	09/11/14	96746
2001	Res	PV	6.2	4.7	4.73	8,287	09/11/14	96722
2002	Res	PV	3.8	3.0	3.00	5,256	09/11/14	96746
2003	Res	PV	2.4	3.8	1.92	3,364	09/12/14	96766
2004	Res	PV	4.0	4.0	3.20	5,606	09/18/14	96741
2005	Res	PV	6.0	6.0	4.80	8,410	09/18/14	96756
2006	Res	PV	3.7	3.0	2.97	5,200	09/18/14	96752
2007	Res	PV	3.8	4.0	3.06	5,368	09/18/14	96752
2008	Res	PV	5.3	5.0	4.24	7,428	09/18/14	96752
2009	Res	PV	5.5	5.0	4.40	7,709	09/18/14	96752
2010	Res	PV	3.8	4.0	3.06	5,368	09/18/14	96752
2011	Res	PV	7.5	8.0	6.00	10,512	09/18/14	96752
2012	Res	PV	3.8	4.0	3.06	5,368	09/18/14	96752
2013	Res	PV	4.3	4.0	3.46	6,055	09/19/14	96746
2014	Com	PV	36.0	31.0	28.80	50,458	09/22/14	96766
2015	Res	PV	2.0	1.7	1.60	2,803	09/22/14	96756
2016	Res	PV	5.0	4.3	4.00	7,008	09/22/14	96766
2017	Res	PV	4.3	3.8	3.40	5,957	09/22/14	96741
2018	Res	PV	11.5	10.0	9.18	16,076	09/23/14	96752
2019	Res	PV	8.4	7.6	6.74	11,801	09/23/14	96746
2020	Res	PV	7.7	8.0	6.12	10,722	09/23/14	96746
2021	Res	PV	5.4	5.0	4.34	7,597	09/24/14	96741
2022	Res	PV	5.0	4.3	4.00	7,008	09/24/14	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
2023	Res	PV	3.8	4.0	3.06	5,368	09/24/14	96716
2024	Res	PV	4.3	4.0	3.46	6,055	09/24/14	96752
2025	Res	PV	6.9	6.0	5.50	9,629	09/24/14	96746
2026	Res	PV	6.9	6.0	5.50	9,629	09/24/14	96746
2027	Res	PV	4.9	5.0	3.93	6,882	09/25/14	96746
2028	Res	PV	3.8	3.8	3.06	5,368	09/26/14	96752
2029	Res	PV	4.9	5.0	3.93	6,882	09/26/14	96752
2030	Res	PV	3.8	3.2	3.00	5,256	09/26/14	96752
2031	Res	PV	8.1	6.7	6.48	11,346	09/29/14	96722
2032	Res	PV	3.2	3.0	2.59	4,541	09/30/14	96746
2033	Res	PV	4.0	3.4	3.20	5,606	09/30/14	96766
2034	Res	PV	6.6	6.0	5.28	9,251	09/30/14	96746
2035	Res	PV	10.1	9.0	8.06	14,128	09/30/14	96741
2036	Res	PV	11.3	10.5	9.07	15,894	10/02/14	96766
2037	Res	PV	4.1	4.0	3.26	5,719	10/02/14	96796
2038	Res	PV	7.9	6.8	6.28	11,003	10/02/14	96754
2039	Res	PV	3.8	4.0	3.06	5,368	10/07/14	96752
2040	Res	PV	11.8	9.8	9.41	16,483	10/07/14	96756
2041	Com	PV	10.8	10.0	8.64	15,137	10/14/14	96766
2042	Com	PV	16.0	15.0	12.80	22,426	10/14/14	96766
2043	Res	PV	3.4	3.0	2.69	4,709	10/14/14	96705
2044	Res	PV	8.8	8.0	7.04	12,334	10/14/14	96741
2045	Res	PV	7.7	8.0	6.12	10,722	10/14/14	96796
2046	Res	PV	3.8	3.2	3.00	5,256	10/14/14	96752
2047	Res	PV	2.6	6.0	2.11	3,700	10/14/14	96752
2048	Res	PV	4.5	4.0	3.58	6,279	10/14/14	96766
2049	Res	PV	7.7	7.8	6.12	10,722	10/14/14	96746
2050	Res	PV	1.6	1.5	1.25	2,186	10/14/14	96746
2051	Res	PV	3.5	3.5	2.80	4,906	10/15/14	96746
2052	Res	PV	5.0	4.3	4.00	7,008	10/15/14	96766
2053	Res	PV	8.7	8.8	6.94	12,152	10/16/14	96746
2054	Res	PV	3.4	3.0	2.69	4,709	10/16/14	96714
2055	Res	PV	5.0	4.5	4.03	7,064	10/16/14	96714
2056	Res	PV	3.3	3.0	2.62	4,583	10/17/14	96796
2057	Com	PV	21.6	18.0	17.28	30,275	10/17/14	96766
2058	Res	PV	5.0	4.3	4.00	7,008	10/17/14	96766
2059	Res	PV	7.7	7.0	6.12	10,722	10/17/14	96798
2060	Res	PV	4.6	4.6	3.65	6,391	10/17/14	96746
2061	Res	PV	7.7	7.6	6.12	10,722	10/20/14	96766
2062	Res	PV	6.8	6.8	5.47	9,587	10/20/14	96746
2063	Res	PV	3.2	3.0	2.59	4,541	10/20/14	96746
2064	Res	PV	6.1	6.0	4.90	8,578	10/20/14	96746
2065	Res	PV	3.6	4.0	2.88	5,046	10/21/14	96746
2066	Res	PV	7.1	6.5	5.65	9,895	10/21/14	96766
2067	Res	PV	3.8	4.0	3.06	5,368	10/21/14	96752
2068	Res	PV	3.8	4.0	3.06	5,368	10/21/14	96752
2069	Res	PV	7.7	8.0	6.12	10,722	10/21/14	96752
2070	Res	PV	8.1	7.5	6.48	11,353	10/22/14	96756
2071	Res	PV	5.1	5.0	4.08	7,148	10/22/14	96796
2072	Res	PV	6.5	7.0	5.21	9,124	10/22/14	96752
2073	Res	PV	2.8	3.0	2.25	3,938	10/22/14	96752
2074	Res	PV	3.8	3.2	3.00	5,256	10/22/14	96752

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
2075	Res	PV	2.8	2.8	2.20	3,854	10/22/14	96752
2076	Res	PV	5.2	5.0	4.16	7,288	10/23/14	96752
2077	Res	PV	6.1	5.0	4.86	8,522	10/23/14	96756
2078	Res	PV	4.5	3.9	3.60	6,307	10/23/14	96741
2079	Res	PV	3.8	4.0	3.06	5,368	10/24/14	96752
2080	Res	PV	2.7	2.5	2.16	3,784	10/27/14	96746
2081	Res	PV	2.7	2.5	2.16	3,784	10/27/14	96746
2082	Res	PV	3.4	3.0	2.74	4,807	10/28/14	96746
2083	Res	PV	4.4	4.0	3.49	6,111	10/28/14	96766
2084	Res	PV	13.2	11.0	10.58	18,543	10/29/14	96756
2085	Res	PV	3.8	4.0	3.06	5,368	10/29/14	96752
2086	Res	PV	3.8	4.0	3.06	5,368	10/29/14	96716
2087	Res	PV	7.7	6.0	6.02	10,547	10/30/14	96754
2088	Res	PV	4.0	3.4	3.23	5,662	10/31/14	96752
2089	Res	PV	6.8	6.0	5.47	9,587	11/03/14	96746
2090	Res	PV	4.0	3.4	3.20	5,606	11/05/14	96766
2091	Res	PV	5.1	5.0	4.08	7,148	11/05/14	96752
2092	Res	PV	3.6	3.8	2.88	5,046	11/06/14	96756
2093	Res	PV	5.1	5.0	4.08	7,148	11/06/14	96752
2094	Res	PV	3.8	3.8	3.06	5,368	11/06/14	96766
2095	Res	PV	8.4	7.5	6.72	11,773	11/06/14	96766
2096	Res	PV	2.7	2.5	2.16	3,784	11/06/14	96746
2097	Res	PV	2.0	1.7	1.60	2,803	11/10/14	96752
2098	Res	PV	3.8	4.0	3.06	5,368	11/10/14	96752
2099	Res	PV	3.8	4.0	3.06	5,368	11/10/14	96752
2100	Res	PV	6.4	7.0	5.10	8,942	11/10/14	96752
2101	Res	PV	3.8	4.0	3.06	5,368	11/10/14	96752
2102	Res	PV	3.8	4.0	3.06	5,368	11/10/14	96746
2103	Res	PV	3.2	3.0	2.59	4,541	11/10/14	96746
2104	Res	PV	5.4	5.0	4.29	7,513	11/10/14	96752
2105	Res	PV	3.9	3.0	3.00	5,256	11/12/14	96741
2106	Res	PV	5.0	5.0	4.00	7,008	11/13/14	96756
2107	Res	PV	7.7	8.0	6.12	10,722	11/14/14	96752
2108	Res	PV	6.2	5.6	4.96	8,690	11/14/14	96705
2109	Res	PV	10.8	10.0	8.64	15,137	11/17/14	96756
2110	Res	PV	8.1	7.5	6.48	11,353	11/17/14	96766
2111	Res	PV	3.0	2.6	2.40	4,205	11/18/14	96746
2112	Res	PV	3.1	2.6	2.50	4,373	11/18/14	96766
2113	Res	PV	4.9	4.0	3.90	6,840	11/18/14	96766
2114	Res	PV	3.8	3.2	3.00	5,256	11/18/14	96752
2115	Res	PV	3.8	3.2	3.00	5,256	11/18/14	96752
2116	Res	PV	3.8	3.0	3.01	5,274	11/19/14	96746
2117	Res	PV	8.1	7.0	6.48	11,353	11/19/14	96741
2118	Res	PV	8.5	9.0	6.80	11,914	11/19/14	96746
2119	Res	PV	7.7	6.5	6.12	10,722	11/20/14	96746
2120	Res	PV	3.8	3.5	3.02	5,298	11/20/14	96746
2121	Res	PV	6.1	5.2	4.90	8,578	11/20/14	96746
2122	Res	PV	6.5	6.0	5.18	9,082	11/20/14	96746
2123	Res	PV	3.8	4.0	3.06	5,368	11/20/14	96752
2124	Res	PV	3.8	4.0	3.06	5,368	11/20/14	96752
2125	Res	PV	3.8	4.0	3.06	5,368	11/20/14	96752
2126	Com	PV	7.8	7.0	6.27	10,989	11/21/14	96714

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
2127	Res	PV	3.8	4.0	3.06	5,368	11/21/14	96752
2128	Res	PV	7.3	6.8	5.83	10,218	11/21/14	96756
2129	Res	PV	3.8	4.0	3.06	5,368	11/24/14	96752
2130	Res	PV	3.8	4.0	3.06	5,368	11/24/14	96752
2131	Res	PV	6.0	5.2	4.80	8,410	11/25/14	96752
2132	Res	PV	3.2	3.0	2.59	4,541	11/25/14	96752
2133	Res	PV	3.8	4.0	3.06	5,368	11/26/14	96752
2134	Res	PV	3.8	4.0	3.06	5,368	11/26/14	96752
2135	Res	PV	12.3	10.0	9.81	17,184	11/26/14	96722
2136	Res	PV	3.8	4.0	3.06	5,368	11/28/14	96752
2137	Res	PV	2.9	3.0	2.35	4,121	11/28/14	96716
2138	Res	PV	6.5	6.0	5.18	9,082	11/28/14	96746
2139	Com	PV	11.3	10.3	9.02	15,810	12/03/14	96766
2140	Res	PV	2.8	2.5	2.24	3,924	12/03/14	96754
2141	Res	PV	4.7	4.0	3.78	6,630	12/03/14	96746
2142	Res	PV	4.5	5.0	3.60	6,307	12/03/14	96752
2143	Res	PV	3.8	4.0	3.06	5,368	12/04/14	96752
2144	Res	PV	3.8	4.0	3.06	5,368	12/04/14	96752
2145	Res	PV	3.8	4.0	3.06	5,368	12/04/14	96752
2146	Res	PV	3.8	4.0	3.06	5,368	12/04/14	96752
2147	Res	PV	3.8	3.2	3.00	5,256	12/04/14	96752
2148	Res	PV	3.8	4.0	3.06	5,368	12/04/14	96752
2149	Res	PV	6.5	6.0	5.18	9,082	12/04/14	96741
2150	Res	PV	7.7	8.0	6.12	10,722	12/04/14	96766
2151	Res	PV	5.4	6.0	4.32	7,569	12/05/14	96766
2152	Res	PV	3.8	4.0	3.06	5,368	12/05/14	96752
2153	Res	PV	3.8	4.0	3.06	5,368	12/05/14	96752
2154	Res	PV	3.8	4.0	3.06	5,368	12/08/14	96752
2155	Res	PV	6.5	6.0	5.23	9,166	12/09/14	96766
2156	Res	PV	3.8	4.0	3.06	5,368	12/09/14	96752
2157	Res	PV	3.8	4.0	3.06	5,368	12/09/14	96752
2158	Res	PV	5.0	4.5	3.96	6,938	12/09/14	96766
2159	Res	PV	3.8	4.0	3.06	5,368	12/09/14	96752
2160	Res	PV	8.1	7.3	6.50	11,381	12/10/14	96722
2161	Res	PV	7.7	8.0	6.12	10,722	12/10/14	96752
2162	Res	PV	3.8	4.0	3.06	5,368	12/10/14	96752
2163	Res	PV	5.1	5.0	4.08	7,148	12/10/14	96752
2164	Res	PV	3.8	4.0	3.06	5,368	12/11/14	96752
2165	Res	PV	3.8	4.0	3.06	5,368	12/11/14	96752
2166	Res	PV	9.6	10.0	7.68	13,455	12/11/14	96766
2167	Res	PV	3.8	4.0	3.06	5,368	12/12/14	96752
2168	Res	PV	3.8	4.0	3.06	5,368	12/12/14	96752
2169	Res	PV	3.8	4.0	3.06	5,368	12/15/14	96752
2170	Res	PV	3.8	4.0	3.06	5,368	12/15/14	96752
2171	Res	PV	7.7	8.0	6.12	10,722	12/15/14	96752
2172	Res	PV	3.8	4.0	3.06	5,368	12/15/14	96752
2173	Res	PV	3.8	4.0	3.06	5,368	12/15/14	96752
2174	Res	PV	4.7	4.0	3.78	6,616	12/16/14	96722
2175	Res	PV	1.9	1.5	1.49	2,607	12/16/14	96746
2176	Res	PV	11.2	10.0	8.96	15,698	12/16/14	96754
2177	Res	PV	3.2	3.0	2.59	4,541	12/16/14	96722
2178	Res	PV	22.5	19.9	18.00	31,536	12/16/14	96754

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
2179	Res	PV	15.6	13.6	12.48	21,865	12/17/14	96756
2180	Res	PV	6.1	5.0	4.90	8,578	12/18/14	96752
2181	Res	PV	3.8	4.0	3.06	5,368	12/18/14	96752
2182	Res	PV	3.8	4.0	3.06	5,368	12/18/14	96752
2183	Res	PV	3.8	4.0	3.06	5,368	12/18/14	96752
2184	Res	PV	3.8	4.0	3.06	5,368	12/18/14	96752
2185	Res	PV	2.0	1.7	1.60	2,803	12/18/14	96752
2186	Res	PV	1.5	1.3	1.20	2,102	12/18/14	96752
2187	Res	PV	10.9	9.8	8.74	15,305	12/18/14	96746
2188	Res	PV	5.0	5.0	4.03	7,064	12/18/14	96746
2189	Res	PV	3.6	4.0	2.88	5,046	12/18/14	96766
2190	Res	PV	2.0	1.7	1.60	2,803	12/18/14	96752
2191	Res	PV	7.6	8.0	6.05	10,596	12/18/14	96756
2192	Res	PV	3.8	4.0	3.06	5,368	12/19/14	96752
2193	Res	PV	2.9	3.0	2.35	4,121	12/23/14	96716
2194	Res	PV	3.1	2.5	2.48	4,345	12/23/14	96746
2195	Res	PV	13.2	12.0	10.58	18,543	12/23/14	96766
2196	Res	PV	3.8	4.0	3.06	5,368	12/23/14	96752
2197	Com	PV	29.0	24.9	23.20	40,646	12/26/14	96746
2198	Com	PV	31.5	27.0	25.20	44,150	12/26/14	96746
2199	Com	PV	36.5	30.0	29.16	51,088	12/26/14	96766
2200	Com	PV	26.7	24.0	21.38	37,465	12/26/14	96766
2201	Res	PV	2.0	1.7	1.60	2,803	12/26/14	96752
2202	Res	PV	3.1	2.6	2.50	4,373	12/29/14	96756
2203	Res	PV	2.8	3.0	2.24	3,924	12/29/14	96766
2204	Res	PV	5.6	4.5	4.46	7,821	12/30/14	96703
2205	Res	PV	3.2	3.0	2.59	4,541	12/30/14	96754
2206	Res	PV	8.1	6.2	6.24	10,932	12/30/14	96722
2207	Res	PV	6.5	6.0	5.18	9,082	12/31/14	96716
2208	Res	PV	5.0	4.3	4.00	7,008	12/31/14	96741
2209	Com	PV	68.0	60.0	54.43	95,365	01/07/15	96766
2210	Res	PV	13.4	12.0	10.75	18,838	01/07/15	96765
2211	Res	PV	8.4	8.0	6.74	11,801	01/07/15	96716
2212	Res	PV	6.5	6.0	5.23	9,166	01/07/15	96765
2213	Res	PV	7.3	6.0	5.82	10,204	01/07/15	96756
2214	Res	PV	8.3	6.8	6.62	11,605	01/07/15	96766
2215	Com	PV	58.5	54.0	46.80	81,994	01/08/15	96746
2216	Res	PV	3.8	4.0	3.06	5,368	01/08/15	96752
2217	Res	PV	3.1	3.0	2.45	4,289	01/08/15	96716
2218	Res	PV	10.6	10.0	8.50	14,885	01/08/15	96752
2219	Res	PV	3.8	4.0	3.06	5,368	01/08/15	96752
2220	Res	PV	3.8	4.0	3.06	5,368	01/08/15	96752
2221	Res	PV	3.8	3.5	3.02	5,298	01/08/15	96741
2222	Res	PV	3.6	3.3	2.91	5,102	01/08/15	96766
2223	Res	PV	9.5	8.8	7.56	13,245	01/08/15	96766
2224	Res	PV	7.4	7.0	5.94	10,414	01/08/15	96703
2225	Res	PV	5.2	4.3	4.16	7,288	01/08/15	96746
2226	Res	PV	2.7	2.5	2.16	3,784	01/08/15	96746
2227	Com	PV	-21.6	-18.0	-17.28	-30,275	01/08/15	96766
2228	Res	PV	6.5	6.0	5.23	9,166	01/09/15	96746
2229	Res	PV	6.0	6.0	4.80	8,410	01/09/15	96741
2230	Res	PV	4.8	9.3	3.84	6,728	01/09/15	96741

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
2231	Res	PV	3.8	4.0	3.06	5,368	01/09/15	96752
2232	Res	PV	7.5	8.0	6.00	10,512	01/09/15	96746
2233	Res	PV	25.3	20.0	20.00	35,040	01/12/15	96751
2234	Res	PV	6.0	6.0	4.80	8,410	01/12/15	96766
2235	Com	PV	19.2	22.0	15.36	26,911	01/13/15	96714
2236	Res	PV	7.1	7.0	5.71	10,007	01/14/15	96752
2237	Res	PV	3.8	4.0	3.06	5,368	01/14/15	96752
2238	Res	PV	3.8	4.0	3.06	5,368	01/14/15	96752
2239	Res	PV	5.1	4.5	4.05	7,092	01/14/15	96722
2240	Res	PV	6.7	6.0	5.38	9,419	01/14/15	96703
2241	Res	PV	3.0	2.6	2.40	4,205	01/14/15	96766
2242	Res	PV	8.4	7.5	6.72	11,773	01/14/15	96766
2243	Res	PV	3.8	4.0	3.06	5,368	01/15/15	96752
2244	Res	PV	5.1	5.0	4.08	7,148	01/15/15	96752
2245	Res	PV	3.8	4.0	3.06	5,368	01/15/15	96752
2246	Res	PV	3.8	4.0	3.06	5,368	01/15/15	96752
2247	Res	PV	5.0	4.5	4.03	7,064	01/15/15	96746
2248	Res	PV	4.5	4.0	3.58	6,279	01/15/15	96714
2249	Res	PV	5.4	5.0	4.32	7,569	01/15/15	96746
2250	Res	PV	3.8	4.0	3.06	5,368	01/15/15	96752
2251	Res	PV	3.8	4.0	3.06	5,368	01/15/15	96752
2252	Res	PV	7.7	8.0	6.12	10,722	01/15/15	96752
2253	Res	PV	12.4	12.0	9.94	17,422	01/19/15	96722
2254	Res	PV	3.3	2.8	2.60	4,555	01/20/15	96766
2255	Res	PV	2.5	4.0	2.00	3,504	01/20/15	96741
2256	Res	PV	6.4	6.0	5.10	8,928	01/20/15	96752
2257	Res	PV	8.0	6.8	6.38	11,171	01/20/15	96766
2258	Res	PV	7.7	8.0	6.12	10,722	01/20/15	96766
2259	Res	PV	2.5	3.0	2.00	3,504	01/20/15	96765
2260	Res	PV	4.0	4.0	3.20	5,606	01/21/15	96746
2261	Com	PV	2.4	2.0	1.95	3,420	01/22/15	96766
2262	Res	PV	1.2	1.0	0.98	1,710	01/22/15	96766
2263	Res	PV	3.1	2.5	2.44	4,275	01/22/15	96766
2264	Res	PV	4.3	3.5	3.42	5,985	01/22/15	96766
2265	Res	PV	4.9	4.0	3.90	6,840	01/22/15	96766
2266	Res	PV	1.2	1.0	0.98	1,710	01/22/15	96766
2267	Res	PV	2.4	2.0	1.95	3,420	01/22/15	96766
2268	Res	PV	3.7	3.0	2.93	5,130	01/22/15	96766
2269	Res	PV	6.1	5.0	4.88	8,550	01/22/15	96766
2270	Res	PV	3.1	2.5	2.44	4,275	01/22/15	96766
2271	Res	PV	1.8	1.5	1.46	2,565	01/22/15	96766
2272	Res	PV	8.0	8.0	6.40	11,213	01/22/15	96746
2273	Res	PV	8.2	7.4	6.53	11,437	01/23/15	96766
2274	Res	PV	4.5	4.0	3.58	6,279	01/23/15	96766
2275	Res	PV	4.3	4.0	3.46	6,055	01/23/15	96746
2276	Res	PV	4.6	5.0	3.67	6,433	01/23/15	96766
2277	Res	PV	5.2	4.3	4.16	7,288	01/23/15	96766
2278	Com	PV	1.8	1.5	1.44	2,523	01/26/15	96766
2279	Com	PV	1.8	1.5	1.44	2,523	01/26/15	96766
2280	Res	PV	1.8	1.5	1.44	2,523	01/26/15	96766
2281	Res	PV	1.2	1.0	0.96	1,682	01/26/15	96766
2282	Res	PV	2.4	2.0	1.92	3,364	01/26/15	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
2283	Res	PV	1.8	1.5	1.44	2,523	01/26/15	96766
2284	Res	PV	3.0	2.5	2.40	4,205	01/26/15	96766
2285	Res	PV	3.0	2.5	2.40	4,205	01/26/15	96766
2286	Res	PV	3.0	2.5	2.40	4,205	01/26/15	96766
2287	Res	PV	1.8	1.5	1.44	2,523	01/26/15	96766
2288	Res	PV	4.8	4.0	3.84	6,728	01/26/15	96766
2289	Res	PV	1.2	1.0	0.96	1,682	01/26/15	96766
2290	Res	PV	6.0	5.0	4.80	8,410	01/26/15	96766
2291	Res	PV	1.2	1.0	0.96	1,682	01/26/15	96766
2292	Res	PV	1.2	1.0	0.96	1,682	01/26/15	96766
2293	Res	PV	1.2	1.0	0.96	1,682	01/26/15	96766
2294	Res	PV	4.8	4.0	3.84	6,728	01/26/15	96766
2295	Res	PV	4.8	4.0	3.84	6,728	01/26/15	96766
2296	Res	PV	1.2	1.0	0.96	1,682	01/26/15	96766
2297	Res	PV	5.4	4.5	4.32	7,569	01/26/15	96766
2298	Res	PV	4.8	4.0	3.84	6,728	01/26/15	96766
2299	Res	PV	5.2	4.3	4.16	7,288	01/26/15	96741
2300	Res	PV	6.6	6.0	5.28	9,251	01/26/15	96741
2301	Res	PV	3.6	3.0	2.91	5,102	01/26/15	96705
2302	Res	PV	3.5	3.0	2.80	4,906	01/26/15	96741
2303	Res	PV	3.8	4.0	3.06	5,368	01/26/15	96752
2304	Res	PV	1.2	1.0	0.96	1,682	01/26/15	96766
2305	Res	PV	3.8	4.0	3.06	5,368	01/26/15	96752
2306	Res	PV	3.6	3.0	2.88	5,046	01/26/15	96766
2307	Res	PV	5.4	4.5	4.32	7,569	01/26/15	96766
2308	Res	PV	3.8	4.0	3.06	5,368	01/26/15	96752
2309	Res	PV	3.0	2.5	2.40	4,205	01/26/15	96766
2310	Res	PV	2.5	3.0	2.00	3,504	01/27/15	96766
2311	Com	PV	3.8	4.0	3.06	5,368	01/28/15	96752
2312	Res	PV	3.2	3.0	2.59	4,541	01/29/15	96766
2313	Res	PV	7.7	7.0	6.12	10,722	01/29/15	96716
2314	Res	PV	3.5	3.0	2.80	4,906	01/29/15	96746
2315	Res	PV	7.8	7.0	6.27	10,989	01/29/15	96746
2316	Res	PV	3.8	4.0	3.06	5,368	01/29/15	96752
2317	Com	PV	0.9	0.8	0.72	1,261	02/02/15	96766
2318	Res	PV	9.2	8.5	7.34	12,867	02/02/15	96756
2319	Res	PV	4.2	3.5	3.36	5,887	02/02/15	96766
2320	Res	PV	1.7	3.0	1.34	2,355	02/02/15	96752
2321	Res	PV	4.2	3.5	3.36	5,887	02/02/15	96766
2322	Res	PV	4.2	3.5	3.36	5,887	02/02/15	96766
2323	Res	PV	4.2	3.5	3.36	5,887	02/02/15	96766
2324	Res	PV	4.2	3.5	3.36	5,887	02/02/15	96766
2325	Res	PV	4.2	3.5	3.36	5,887	02/02/15	96766
2326	Res	PV	4.2	3.5	3.36	5,887	02/02/15	96766
2327	Res	PV	4.2	3.5	3.36	5,887	02/02/15	96766
2328	Res	PV	2.7	2.3	2.13	3,728	02/02/15	96746
2329	Res	PV	0.9	0.8	0.72	1,261	02/02/15	96766
2330	Res	PV	4.2	3.5	3.36	5,887	02/02/15	96766
2331	Com	PV	7.0	6.0	5.60	9,811	02/03/15	96746
2332	Res	PV	11.4	12.0	9.11	15,964	02/03/15	96765
2333	Res	PV	4.0	4.0	3.20	5,606	02/03/15	96741
2334	Com	PV	1.2	1.0	0.98	1,710	02/04/15	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
2335	Com	PV	4.2	3.5	3.36	5,887	02/04/15	96766
2336	Res	PV	1.2	1.0	0.96	1,682	02/04/15	96766
2337	Res	PV	2.4	2.0	1.95	3,420	02/04/15	96766
2338	Res	PV	3.1	2.5	2.44	4,275	02/04/15	96766
2339	Res	PV	5.5	4.5	4.39	7,695	02/04/15	96766
2340	Res	PV	2.4	2.0	1.95	3,420	02/04/15	96766
2341	Res	PV	2.4	2.0	1.95	3,420	02/04/15	96766
2342	Res	PV	3.1	2.5	2.44	4,275	02/04/15	96766
2343	Res	PV	2.4	2.0	1.95	3,420	02/04/15	96766
2344	Res	PV	4.3	3.5	3.42	5,985	02/04/15	96766
2345	Res	PV	4.3	3.5	3.42	5,985	02/04/15	96766
2346	Res	PV	4.9	4.0	3.90	6,840	02/04/15	96766
2347	Res	PV	4.9	4.0	3.90	6,840	02/04/15	96766
2348	Res	PV	4.3	3.5	3.42	5,985	02/04/15	96766
2349	Res	PV	1.8	1.5	1.44	2,523	02/04/15	96766
2350	Res	PV	3.0	2.5	2.40	4,205	02/04/15	96766
2351	Res	PV	4.8	4.0	3.84	6,728	02/04/15	96766
2352	Res	PV	1.2	1.0	0.96	1,682	02/04/15	96766
2353	Res	PV	1.8	1.5	1.44	2,523	02/04/15	96766
2354	Res	PV	3.6	3.0	2.88	5,046	02/04/15	96766
2355	Res	PV	4.2	3.5	3.36	5,887	02/04/15	96766
2356	Res	PV	4.2	3.5	3.36	5,887	02/04/15	96766
2357	Res	PV	3.3	3.0	2.64	4,625	02/04/15	96746
2358	Com	PV	24.3	20.9	19.40	33,989	02/05/15	96746
2359	Com	PV	25.3	21.7	20.20	35,390	02/05/15	96746
2360	Com	PV	4.0	3.4	3.20	5,606	02/05/15	96746
2361	Res	PV	9.9	9.0	7.92	13,876	02/05/15	96754
2362	Res	PV	7.1	6.0	5.66	9,923	02/09/15	96766
2363	Res	PV	7.7	8.0	6.12	10,722	02/09/15	96752
2364	Res	PV	7.7	8.0	6.12	10,722	02/09/15	96754
2365	Res	PV	3.6	3.0	2.88	5,046	02/09/15	96765
2366	Com	PV	11.6	10.8	9.29	16,273	02/10/15	96766
2367	Res	PV	3.1	2.5	2.44	4,275	02/10/15	96766
2368	Res	PV	3.8	4.0	3.06	5,354	02/11/15	96796
2369	Res	PV	5.2	5.0	4.16	7,288	02/11/15	96752
2370	Res	PV	3.8	4.0	3.06	5,354	02/11/15	96752
2371	Res	PV	8.9	7.5	7.08	12,404	02/11/15	96766
2372	Res	PV	2.4	2.0	1.92	3,364	02/11/15	96766
2373	Res	PV	3.2	3.0	2.59	4,541	02/11/15	96766
2374	Res	PV	3.8	3.5	3.02	5,298	02/11/15	96766
2375	Com	PV	24.8	21.3	19.80	34,690	02/12/15	96746
2376	Res	PV	14.3	13.3	11.45	20,057	02/12/15	96746
2377	Com	PV	1.8	1.5	1.44	2,523	02/13/15	96766
2378	Res	PV	5.4	4.5	4.32	7,569	02/13/15	96766
2379	Res	PV	5.4	4.5	4.32	7,569	02/13/15	96766
2380	Res	PV	1.8	1.5	1.44	2,523	02/13/15	96766
2381	Res	PV	4.8	4.0	3.84	6,728	02/13/15	96766
2382	Res	PV	4.8	4.0	3.84	6,728	02/13/15	96766
2383	Res	PV	3.6	3.0	2.88	5,046	02/13/15	96766
2384	Res	PV	3.6	3.0	2.88	5,046	02/13/15	96766
2385	Res	PV	2.4	2.0	1.92	3,364	02/13/15	96766
2386	Res	PV	6.6	5.5	5.28	9,251	02/13/15	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
2387	Res	PV	2.4	2.0	1.92	3,364	02/13/15	96766
2388	Res	PV	7.5	7.6	6.02	10,540	02/17/15	96766
2389	Res	PV	3.8	3.8	3.06	5,354	02/17/15	96766
2390	Res	PV	3.8	4.0	3.06	5,354	02/17/15	96752
2391	Res	PV	10.2	9.0	8.16	14,296	02/17/15	96754
2392	Res	PV	8.6	8.8	6.86	12,012	02/17/15	96722
2393	Res	PV	4.7	3.9	3.74	6,559	02/17/15	96746
2394	Res	PV	7.7	8.0	6.12	10,722	02/17/15	96705
2395	Res	PV	4.0	4.0	3.20	5,606	02/17/15	96752
2396	Res	PV	9.7	9.5	7.75	13,582	02/17/15	96746
2397	Res	PV	7.7	8.0	6.12	10,722	02/18/15	96796
2398	Res	PV	2.8	2.5	2.24	3,924	02/18/15	96752
2399	Res	PV	6.5	6.0	5.18	9,082	02/18/15	96766
2400	Res	PV	7.3	6.5	5.82	10,204	02/19/15	96756
2401	Res	PV	3.8	4.0	3.06	5,354	02/19/15	96716
2402	Res	PV	8.3	7.5	6.60	11,563	02/19/15	96766
2403	Res	PV	3.8	4.0	3.06	5,354	02/20/15	96752
2404	Res	PV	7.1	6.0	5.66	9,923	02/23/15	96766
2405	Res	PV	6.5	7.0	5.20	9,110	02/23/15	96703
2406	Res	PV	6.1	5.5	4.84	8,480	02/25/15	96741
2407	Res	PV	5.1	5.0	4.08	7,148	02/25/15	96752
2408	Res	PV	3.8	4.0	3.06	5,354	02/25/15	96752
2409	Res	PV	3.2	3.0	2.59	4,541	02/25/15	96766
2410	Res	PV	3.3	3.0	2.64	4,625	02/25/15	96746
2411	Res	PV	7.1	6.5	5.66	9,923	02/25/15	96766
2412	Res	PV	7.7	8.0	6.12	10,722	02/25/15	96752
2413	Res	PV	3.8	4.0	3.06	5,354	02/25/15	96796
2414	Com	PV	1.2	1.0	0.96	1,682	02/26/15	96766
2415	Res	PV	1.2	1.0	0.96	1,682	02/26/15	96766
2416	Res	PV	1.2	1.0	0.96	1,682	02/26/15	96766
2417	Res	PV	3.0	2.5	2.40	4,205	02/26/15	96766
2418	Res	PV	4.8	4.0	3.84	6,728	02/26/15	96766
2419	Res	PV	1.2	1.0	0.96	1,682	02/26/15	96766
2420	Res	PV	3.0	2.5	2.40	4,205	02/26/15	96766
2421	Res	PV	3.6	3.0	2.88	5,046	02/26/15	96766
2422	Res	PV	3.8	3.3	3.06	5,368	02/26/15	96754
2423	Res	PV	4.2	3.5	3.36	5,887	02/26/15	96766
2424	Res	PV	4.8	4.0	3.84	6,728	02/26/15	96766
2425	Res	PV	4.8	4.0	3.84	6,728	02/26/15	96766
2426	Res	PV	3.0	2.5	2.40	4,205	02/26/15	96766
2427	Res	PV	4.8	4.0	3.84	6,728	02/26/15	96766
2428	Res	PV	4.2	3.5	3.36	5,887	02/26/15	96766
2429	Com	PV	18.0	15.5	14.40	25,229	02/27/15	96746
2430	Com	PV	37.0	31.8	29.60	51,859	02/27/15	96746
2431	Res	PV	7.7	8.0	6.12	10,722	02/27/15	96716
2432	Res	PV	3.8	4.0	3.06	5,354	02/27/15	96752
2433	Res	PV	3.8	3.8	3.06	5,354	02/27/15	96752
2434	Res	PV	3.8	4.0	3.06	5,354	02/27/15	96756
2435	Res	PV	5.0	5.0	4.00	7,008	02/27/15	96705
2436	Res	PV	4.1	3.8	3.26	5,719	02/27/15	96705
2437	Res	PV	7.7	8.0	6.12	10,722	02/27/15	96746
2438	Res	PV	7.7	6.5	6.14	10,750	03/02/15	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
2439	Com	PV	49.5	42.6	39.60	69,379	03/03/15	96746
2440	Com	PV	115.8	99.6	92.60	162,235	03/03/15	96746
2441	Res	PV	4.2	3.5	3.36	5,887	03/04/15	96766
2442	Com	PV	9.8	8.0	7.81	13,680	03/06/15	96766
2443	Res	PV	20.7	17.0	16.59	29,069	03/06/15	96766
2444	Res	PV	1.8	1.5	1.44	2,523	03/09/15	96766
2445	Res	PV	2.8	2.5	2.24	3,924	03/10/15	96752
2446	Res	PV	3.8	4.0	3.06	5,354	03/10/15	96752
2447	Res	PV	5.6	4.8	4.48	7,849	03/10/15	96766
2448	Res	PV	5.3	4.5	4.25	7,442	03/10/15	96746
2449	Res	PV	7.7	6.5	6.14	10,750	03/10/15	96746
2450	Res	PV	5.6	5.0	4.49	7,863	03/10/15	96746
2451	Res	PV	10.6	9.0	8.50	14,885	03/10/15	96746
2452	Res	PV	4.4	4.0	3.52	6,167	03/10/15	96766
2453	Com	PV	5.6	5.0	4.48	7,849	03/11/15	96722
2454	Res	PV	3.8	4.0	3.06	5,354	03/12/15	96796
2455	Res	PV	3.8	4.0	3.06	5,354	03/12/15	96752
2456	Com	PV	6.1	4.5	4.50	7,884	03/13/15	96766
2457	Res	PV	10.1	9.0	8.06	14,128	03/13/15	96746
2458	Res	PV	4.5	4.0	3.58	6,279	03/13/15	96746
2459	Res	PV	8.3	6.5	6.45	11,300	03/13/15	96754
2460	Res	PV	4.1	5.0	3.24	5,676	03/13/15	96754
2461	Com	PV	1.2	1.0	0.98	1,710	03/17/15	96766
2462	Com	PV	1.8	1.5	1.46	2,565	03/17/15	96766
2463	Res	PV	7.7	7.6	6.12	10,722	03/17/15	96746
2464	Res	PV	6.5	6.0	5.18	9,082	03/17/15	96746
2465	Res	PV	4.2	3.5	3.36	5,887	03/17/15	96766
2466	Res	PV	4.3	3.5	3.42	5,985	03/17/15	96766
2467	Res	PV	3.7	3.0	2.93	5,130	03/17/15	96766
2468	Res	PV	1.2	1.0	0.98	1,710	03/17/15	96766
2469	Res	PV	2.4	2.0	1.95	3,420	03/17/15	96766
2470	Res	PV	1.2	1.0	0.98	1,710	03/17/15	96766
2471	Res	PV	4.3	3.5	3.42	5,985	03/17/15	96766
2472	Res	PV	4.9	4.0	3.90	6,840	03/17/15	96766
2473	Res	PV	4.9	4.0	3.90	6,840	03/17/15	96766
2474	Res	PV	4.9	4.0	3.90	6,840	03/17/15	96766
2475	Res	PV	3.7	3.0	2.93	5,130	03/17/15	96766
2476	Res	PV	4.9	4.0	3.90	6,840	03/17/15	96766
2477	Res	PV	3.7	3.0	2.93	5,130	03/17/15	96766
2478	Res	PV	3.1	2.5	2.44	4,275	03/17/15	96766
2479	Res	PV	3.7	3.0	2.93	5,130	03/17/15	96766
2480	Res	PV	3.1	2.5	2.44	4,275	03/17/15	96766
2481	Res	PV	1.2	1.0	0.98	1,710	03/17/15	96766
2482	Res	PV	3.1	2.5	2.44	4,275	03/17/15	96766
2483	Res	PV	3.7	3.0	2.93	5,130	03/17/15	96766
2484	Res	PV	4.3	3.5	3.42	5,985	03/17/15	96766
2485	Res	PV	1.2	1.0	0.98	1,710	03/17/15	96766
2486	Res	PV	1.2	1.0	0.98	1,710	03/17/15	96766
2487	Res	PV	4.3	3.5	3.42	5,985	03/17/15	96766
2488	Res	PV	2.4	2.0	1.95	3,420	03/17/15	96766
2489	Res	PV	2.4	2.0	1.95	3,420	03/17/15	96766
2490	Res	PV	2.6	3.0	2.04	3,574	03/18/15	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
2491	Res	PV	2.7	2.3	2.12	3,714	03/18/15	96746
2492	Res	PV	8.8	9.0	7.00	12,264	03/18/15	96746
2493	Res	PV	9.4	8.8	7.54	13,217	03/18/15	96766
2494	Res	PV	3.8	4.0	3.06	5,354	03/18/15	96741
2495	Res	PV	3.8	3.8	3.06	5,354	03/18/15	96741
2496	Res	PV	7.7	8.0	6.12	10,722	03/19/15	96796
2497	Res	PV	20.3	19.0	16.23	28,438	03/19/15	96741
2498	Res	PV	9.4	8.0	7.54	13,217	03/23/15	96705
2499	Res	PV	8.5	7.6	6.78	11,886	03/23/15	96752
2500	Res	PV	3.8	4.0	3.06	5,354	03/23/15	96752
2501	Res	PV	4.8	4.0	3.82	6,686	03/23/15	96716
2502	Res	PV	6.2	5.3	4.95	8,676	03/23/15	96746
2503	Res	PV	3.2	3.0	2.59	4,541	03/23/15	96754
2504	Res	PV	3.9	3.8	3.14	5,494	03/23/15	96746
2505	Res	PV	7.8	7.0	6.27	10,989	03/24/15	96752
2506	Res	PV	3.6	3.3	2.91	5,102	03/24/15	96741
2507	Res	PV	3.2	3.0	2.59	4,541	03/24/15	96746
2508	Res	PV	5.0	4.5	3.96	6,938	03/24/15	96746
2509	Res	PV	5.2	4.8	4.18	7,316	03/24/15	96705
2510	Res	PV	5.0	4.5	3.96	6,938	03/25/15	96766
2511	Res	PV	7.3	6.5	5.82	10,204	03/26/15	96746
2512	Res	PV	5.5	4.5	4.39	7,695	03/26/15	96746
2513	Res	PV	3.3	3.0	2.62	4,583	03/26/15	96705
2514	Res	PV	5.9	5.0	4.70	8,241	03/26/15	96716
2515	Res	PV	7.7	8.0	6.12	10,722	03/26/15	96716
2516	Res	PV	3.8	4.0	3.06	5,354	03/26/15	96752
2517	Res	PV	3.8	4.0	3.06	5,354	03/26/15	96796
2518	Res	PV	7.7	8.0	6.12	10,722	03/26/15	96716
2519	Res	PV	3.1	3.0	2.48	4,345	03/26/15	96705
2520	Res	PV	2.7	2.5	2.16	3,784	03/30/15	96746
2521	Com	PV	11.3	10.5	9.07	15,894	04/01/15	96716
2522	Com	PV	118.8	79.8	79.80	139,810	04/01/15	96766
2523	Res	PV	2.4	2.0	1.92	3,364	04/01/15	96766
2524	Res	PV	6.0	5.0	4.80	8,410	04/01/15	96766
2525	Res	PV	2.7	2.5	2.16	3,784	04/01/15	96746
2526	Res	PV	8.1	7.5	6.48	11,353	04/01/15	96746
2527	Res	PV	2.4	2.0	1.95	3,420	04/01/15	96766
2528	Res	PV	3.6	3.0	2.88	5,046	04/01/15	96766
2529	Res	PV	15.3	13.0	12.24	21,444	04/01/15	96716
2530	Res	PV	15.3	14.0	12.24	21,444	04/01/15	96756
2531	Res	PV	6.9	6.0	5.49	9,615	04/02/15	96766
2532	Res	PV	6.6	5.5	5.28	9,251	04/02/15	96766
2533	Res	PV	4.4	4.0	3.52	6,167	04/02/15	96752
2534	Res	PV	3.8	4.0	3.06	5,354	04/02/15	96752
2535	Res	PV	3.0	2.5	2.40	4,205	04/02/15	96766
2536	Res	PV	8.8	8.0	7.04	12,334	04/02/15	96746
2537	Res	PV	5.0	4.5	3.96	6,938	04/02/15	96796
2538	Com	PV	10.1	9.0	8.06	14,128	04/07/15	96714
2539	Res	PV	7.7	8.0	6.12	10,722	04/07/15	96705
2540	Res	PV	5.6	5.0	4.48	7,849	04/07/15	96796
2541	Res	PV	6.1	5.0	4.90	8,578	04/07/15	96746
2542	Res	PV	12.7	11.5	10.12	17,730	04/07/15	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
2543	Res	PV	12.2	12.0	9.79	17,156	04/07/15	96754
2544	Res	PV	14.9	15.0	11.88	20,814	04/07/15	96754
2545	Com	PV	4.6	9.0	3.65	6,391	04/08/15	96766
2546	Res	PV	9.5	8.0	7.58	13,287	04/08/15	96766
2547	Res	PV	7.2	6.0	5.76	10,092	04/09/15	96756
2548	Res	PV	2.6	3.0	2.09	3,658	04/10/15	96766
2549	Res	PV	2.9	3.0	2.35	4,121	04/10/15	96746
2550	Com	PV	3.6	3.8	2.88	5,046	04/13/15	96741
2551	Res	PV	7.7	8.0	6.12	10,722	04/13/15	96752
2552	Res	PV	1.8	1.5	1.44	2,523	04/13/15	96766
2553	Res	PV	3.8	4.0	3.06	5,354	04/13/15	96716
2554	Com	PV	20.2	15.4	15.40	26,981	04/15/15	96716
2555	Res	PV	4.6	5.0	3.67	6,433	04/15/15	96756
2556	Res	PV	3.3	3.0	2.62	4,583	04/15/15	96741
2557	Res	PV	11.5	12.0	9.18	16,076	04/15/15	96741
2558	Res	PV	7.7	7.0	6.12	10,722	04/15/15	96705
2559	Res	PV	17.0	17.5	13.60	23,827	04/15/15	96752
2560	Res	PV	7.8	6.8	6.27	10,989	04/15/15	96766
2561	Res	PV	3.3	3.0	2.64	4,625	04/15/15	96766
2562	Com	PV	18.6	16.0	14.90	26,098	04/16/15	96716
2563	Res	PV	7.7	8.0	6.12	10,722	04/16/15	96746
2564	Res	PV	4.5	4.0	3.58	6,279	04/16/15	96796
2565	Res	PV	4.5	4.6	3.58	6,279	04/17/15	96722
2566	Res	PV	3.8	4.0	3.06	5,354	04/17/15	96754
2567	Com	PV	22.7	18.0	18.00	31,536	04/20/15	96766
2568	Res	PV	3.1	2.6	2.50	4,373	04/21/15	96766
2569	Res	PV	3.6	3.0	2.87	5,032	04/21/15	96746
2570	Res	PV	3.8	3.5	3.02	5,298	04/21/15	96752
2571	Res	PV	2.8	3.0	2.21	3,868	04/21/15	96746
2572	Res	PV	11.4	9.8	9.15	16,034	04/22/15	96756
2573	Res	PV	3.8	4.0	3.02	5,298	04/22/15	96741
2574	Com	PV	19.4	18.0	15.55	27,247	04/23/15	96766
2575	Res	PV	10.2	9.0	8.16	14,296	04/23/15	96741
2576	Res	PV	3.8	4.0	3.06	5,354	04/23/15	96752
2577	Res	PV	3.6	3.8	2.88	5,046	04/23/15	96741
2578	Res	PV	6.9	6.3	5.50	9,629	04/23/15	96796
2579	Res	PV	4.2	3.4	3.33	5,831	04/23/15	96752
2580	Res	PV	2.6	2.2	2.08	3,644	04/23/15	96752
2581	Res	PV	7.4	6.8	5.94	10,400	04/23/15	96746
2582	Res	PV	6.8	5.8	5.42	9,503	04/23/15	96746
2583	Res	PV	5.9	5.0	4.70	8,241	04/23/15	96766
2584	Res	PV	3.2	2.8	2.59	4,541	04/23/15	96746
2585	Res	PV	4.7	4.0	3.78	6,616	04/24/15	96705
2586	Res	PV	9.1	7.8	7.31	12,811	04/24/15	96746
2587	Res	PV	5.1	5.0	4.08	7,148	04/24/15	96754
2588	Com	PV	22.8	22.8	18.24	31,956	04/28/15	96766
2589	Res	PV	5.0	5.0	4.00	7,008	04/28/15	96766
2590	Res	PV	7.7	8.0	6.12	10,722	04/28/15	96766
2591	Res	PV	7.7	7.0	6.16	10,792	04/29/15	96766
2592	Res	PV	10.1	9.0	8.06	14,128	04/29/15	96716
2593	Res	PV	3.8	4.0	3.06	5,354	04/29/15	96752
2594	Res	PV	4.5	5.0	3.60	6,307	04/29/15	96756

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
2595	Res	PV	5.2	5.0	4.16	7,288	04/29/15	96752
2596	Res	PV	7.7	8.0	6.12	10,722	04/29/15	96766
2597	Res	PV	7.7	7.0	6.12	10,722	04/29/15	96746
2598	Res	PV	6.3	5.3	5.04	8,830	04/29/15	96703
2599	Res	PV	6.1	5.5	4.84	8,480	04/29/15	96746
2600	Res	PV	3.6	3.0	2.91	5,102	04/30/15	96741
2601	Res	PV	5.6	5.0	4.49	7,863	04/30/15	96716
2602	Res	PV	6.6	6.0	5.30	9,293	04/30/15	96766
2603	Res	PV	6.6	6.0	5.28	9,251	04/30/15	96716
2604	Res	PV	3.8	4.0	3.06	5,354	04/30/15	96796
2605	Com	PV	33.7	28.4	26.93	47,178	05/04/15	96766
2606	Com	PV	25.5	21.5	20.40	35,741	05/04/15	96766
2607	Res	PV	4.2	3.4	3.33	5,831	05/04/15	96741
2608	Res	PV	20.5	19.8	16.40	28,733	05/04/15	96766
2609	Res	PV	5.0	4.3	4.01	7,022	05/04/15	96746
2610	Res	PV	8.3	7.6	6.62	11,605	05/05/15	96722
2611	Com	PV	1.4	3.0	1.12	1,962	05/06/15	96796
2612	Com	PV	7.0	7.0	5.60	9,811	05/06/15	96752
2613	Res	PV	4.2	4.0	3.36	5,887	05/06/15	96796
2614	Res	PV	6.5	6.0	5.18	9,082	05/06/15	96746
2615	Res	PV	3.0	3.0	2.40	4,205	05/06/15	96746
2616	Res	PV	3.9	3.8	3.14	5,494	05/06/15	96746
2617	Res	PV	4.5	5.0	3.60	6,307	05/11/15	96754
2618	Com	PV	13.8	11.6	11.02	19,300	05/12/15	96746
2619	Res	PV	6.1	5.0	4.90	8,578	05/12/15	96766
2620	Res	PV	9.1	7.8	7.31	12,811	05/12/15	96766
2621	Res	PV	4.3	4.0	3.46	6,055	05/12/15	96746
2622	Res	PV	4.1	3.5	3.30	5,789	05/12/15	96766
2623	Res	PV	13.0	12.0	10.37	18,165	05/12/15	96746
2624	Res	PV	6.8	5.8	5.42	9,503	05/12/15	96746
2625	Res	PV	7.8	8.0	6.24	10,932	05/12/15	96746
2626	Res	PV	8.6	8.0	6.86	12,026	05/14/15	96705
2627	Res	PV	7.7	7.8	6.12	10,722	05/14/15	96716
2628	Res	PV	8.6	7.3	6.84	11,984	05/14/15	96746
2629	Res	PV	3.9	3.5	3.08	5,396	05/14/15	96746
2630	Res	PV	7.7	8.0	6.12	10,722	05/15/15	96796
2631	Res	PV	3.9	4.0	3.12	5,466	05/15/15	96752
2632	Res	PV	3.9	4.0	3.12	5,466	05/18/15	96741
2633	Res	PV	7.7	8.0	6.12	10,722	05/18/15	96752
2634	Res	PV	9.4	8.0	7.55	13,231	05/19/15	96746
2635	Res	PV	6.0	5.0	4.80	8,410	05/19/15	96716
2636	Res	PV	7.0	6.0	5.60	9,811	05/19/15	96746
2637	Res	PV	3.3	3.0	2.64	4,625	05/20/15	96754
2638	Res	PV	8.6	7.3	6.84	11,984	05/22/15	96766
2639	Res	PV	7.7	6.8	6.15	10,778	05/22/15	96746
2640	Com	PV	7.8	8.0	6.24	10,932	05/26/15	96703
2641	Res	PV	2.7	2.3	2.12	3,714	05/26/15	96766
2642	Res	PV	5.3	4.5	4.25	7,442	05/26/15	96703
2643	Res	PV	7.8	8.0	6.24	10,932	05/26/15	96703
2644	Res	PV	9.0	7.6	7.18	12,572	05/26/15	96714
2645	Res	PV	7.8	8.0	6.24	10,932	05/27/15	96752
2646	Res	PV	11.2	9.5	8.97	15,712	05/27/15	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
2647	Res	PV	5.0	4.3	4.01	7,022	05/27/15	96746
2648	Res	PV	3.8	4.0	3.06	5,354	05/27/15	96752
2649	Res	PV	8.3	7.0	6.61	11,577	05/27/15	96746
2650	Res	PV	3.5	3.0	2.83	4,962	05/27/15	96746
2651	Res	PV	3.9	4.0	3.12	5,466	05/28/15	96703
2652	Res	PV	5.5	5.0	4.40	7,709	05/28/15	96746
2653	Res	PV	6.6	6.0	5.28	9,251	05/29/15	96766
2654	Res	PV	7.5	6.5	6.00	10,512	05/29/15	96766
2655	Res	PV	8.8	8.0	7.04	12,334	05/29/15	96766
2656	Com	PV	35.2	35.0	28.12	49,266	06/02/15	96766
2657	Res	PV	6.2	5.5	4.93	8,634	06/03/15	96766
2658	Res	PV	3.9	3.8	3.12	5,466	06/03/15	96705
2659	Res	PV	6.2	5.3	4.95	8,676	06/03/15	96746
2660	Res	PV	6.0	5.0	4.80	8,410	06/03/15	96765
2661	Res	PV	3.2	3.0	2.59	4,541	06/03/15	96746
2662	Res	PV	3.2	2.8	2.59	4,541	06/03/15	96746
2663	Res	PV	4.3	4.0	3.40	5,957	06/03/15	96796
2664	Com	PV	22.4	18.9	17.95	31,452	06/04/15	96746
2665	Res	PV	9.6	8.8	7.70	13,483	06/04/15	96715
2666	Res	PV	3.9	3.5	3.08	5,396	06/04/15	96746
2667	Res	PV	3.5	3.8	2.81	4,920	06/04/15	96746
2668	Res	PV	3.9	4.0	3.12	5,466	06/04/15	96703
2669	Res	PV	7.8	8.0	6.24	10,932	06/05/15	96705
2670	Res	PV	6.8	7.0	5.41	9,475	06/05/15	96766
2671	Res	PV	4.1	3.5	3.30	5,789	06/05/15	96746
2672	Res	PV	4.6	5.0	3.66	6,405	06/05/15	96705
2673	Res	PV	10.1	9.0	8.06	14,128	06/05/15	96746
2674	Res	PV	3.0	4.0	2.40	4,205	06/08/15	96766
2675	Res	PV	6.5	7.0	5.20	9,110	06/08/15	96796
2676	Res	PV	3.6	3.0	2.88	5,046	06/09/15	96766
2677	Res	PV	3.0	2.5	2.40	4,205	06/09/15	96766
2678	Res	PV	1.2	1.0	0.96	1,682	06/09/15	96766
2679	Res	PV	1.2	1.0	0.96	1,682	06/09/15	96766
2680	Res	PV	3.0	2.5	2.40	4,205	06/09/15	96766
2681	Res	PV	3.0	2.5	2.40	4,205	06/09/15	96766
2682	Res	PV	1.2	1.0	0.96	1,682	06/09/15	96766
2683	Res	PV	3.0	2.5	2.40	4,205	06/09/15	96766
2684	Res	PV	3.0	2.5	2.40	4,205	06/09/15	96766
2685	Res	PV	3.0	2.5	2.40	4,205	06/09/15	96766
2686	Res	PV	6.1	5.5	4.84	8,480	06/09/15	96766
2687	Res	PV	4.5	5.0	3.60	6,307	06/10/15	96796
2688	Res	PV	3.9	3.8	3.12	5,466	06/10/15	96752
2689	Res	PV	7.1	6.0	5.66	9,923	06/10/15	96746
2690	Res	PV	5.0	4.5	3.96	6,938	06/10/15	96766
2691	Res	PV	7.7	8.0	6.12	10,722	06/12/15	96705
2692	Res	PV	5.2	5.0	4.18	7,330	06/15/15	96765
2693	Res	PV	0.9	0.9	0.75	1,318	06/15/15	96716
2694	Res	PV	3.9	4.0	3.12	5,466	06/15/15	96705
2695	Com	PV	1.8	1.5	1.44	2,523	06/17/15	96766
2696	Res	PV	3.9	4.0	3.12	5,466	06/17/15	96705
2697	Res	PV	4.8	4.0	3.84	6,728	06/17/15	96766
2698	Res	PV	4.8	4.0	3.84	6,728	06/17/15	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
2699	Res	PV	4.2	3.5	3.36	5,887	06/17/15	96766
2700	Res	PV	3.6	3.0	2.88	5,046	06/17/15	96766
2701	Res	PV	15.6	13.0	12.48	21,865	06/17/15	96766
2702	Res	PV	3.0	2.5	2.40	4,205	06/17/15	96766
2703	Res	PV	1.8	1.5	1.44	2,523	06/17/15	96766
2704	Res	PV	1.8	1.5	1.44	2,523	06/17/15	96766
2705	Res	PV	4.2	3.5	3.36	5,887	06/17/15	96766
2706	Res	PV	2.8	2.5	2.22	3,896	06/17/15	96752
2707	Res	PV	1.8	1.5	1.44	2,523	06/18/15	96766
2708	Res	PV	3.6	3.0	2.88	5,046	06/18/15	96766
2709	Res	PV	2.4	2.0	1.92	3,364	06/18/15	96766
2710	Res	PV	1.2	1.0	0.96	1,682	06/18/15	96766
2711	Res	PV	3.8	4.0	3.06	5,354	06/18/15	96754
2712	Res	PV	11.2	10.0	8.96	15,698	06/18/15	96722
2713	Res	PV	16.0	14.0	12.77	22,370	06/18/15	96722
2714	Res	PV	3.6	3.0	2.91	5,102	06/19/15	96746
2715	Res	PV	3.9	3.8	3.12	5,466	06/22/15	96705
2716	Res	PV	3.8	4.0	3.06	5,354	06/22/15	96752
2717	Res	PV	5.6	5.0	4.49	7,863	06/22/15	96746
2718	Res	PV	4.2	3.8	3.33	5,831	06/22/15	96705
2719	Res	PV	11.5	10.0	9.18	16,076	06/22/15	96752
2720	Res	PV	4.2	4.0	3.33	5,831	06/22/15	96746
2721	Res	PV	8.2	8.0	6.53	11,437	06/23/15	96754
2722	Res	PV	7.3	6.5	5.82	10,204	06/24/15	96752
2723	Res	PV	2.5	3.0	1.98	3,462	06/25/15	96765
2724	Res	PV	8.6	7.3	6.84	11,984	06/25/15	96703
2725	Res	PV	10.9	9.8	8.74	15,305	06/29/15	96746
2726	Res	PV	5.3	4.5	4.25	7,442	06/29/15	96714
2727	Res	PV	7.8	7.8	6.24	10,932	06/30/15	96705
2728	Res	PV	3.9	4.0	3.12	5,466	06/30/15	96716
2729	Res	PV	3.9	3.8	3.12	5,466	06/30/15	96752
2730	Res	PV	4.2	4.0	3.33	5,831	06/30/15	96705
2731	Res	PV	3.9	4.0	3.12	5,466	06/30/15	96752
2732	Res	PV	6.0	5.0	4.80	8,410	07/02/15	96766
2733	Res	PV	3.9	4.0	3.12	5,466	07/07/15	96766
2734	Res	PV	6.3	5.5	5.02	8,788	07/07/15	96756
2735	Res	PV	3.9	4.0	3.12	5,466	07/07/15	96752
2736	Res	PV	4.6	4.0	3.65	6,391	07/08/15	96746
2737	Res	PV	3.9	4.0	3.12	5,466	07/09/15	96703
2738	Res	PV	3.9	4.0	3.12	5,466	07/13/15	96752
2739	Res	PV	7.7	8.0	6.12	10,722	07/13/15	96752
2740	Res	PV	3.9	4.0	3.12	5,466	07/13/15	96752
2741	Res	PV	4.4	3.8	3.54	6,195	07/13/15	96766
2742	Res	PV	9.7	8.3	7.78	13,638	07/13/15	96756
2743	Res	PV	3.9	4.0	3.12	5,466	07/14/15	96716
2744	Res	PV	5.9	5.0	4.72	8,269	07/14/15	96746
2745	Res	PV	6.7	6.0	5.38	9,419	07/14/15	96754
2746	Res	PV	3.9	3.8	3.12	5,466	07/14/15	96752
2747	Res	PV	7.1	6.0	5.66	9,923	07/14/15	96746
2748	Res	PV	14.6	13.0	11.65	20,407	07/14/15	96722
2749	Res	PV	4.8	5.0	3.86	6,770	07/15/15	96741
2750	Res	PV	3.1	3.0	2.50	4,373	07/20/15	96716

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
2751	Res	PV	3.9	3.8	3.12	5,466	07/20/15	96752
2752	Res	PV	7.8	7.6	6.24	10,932	07/20/15	96765
2753	Res	PV	6.7	6.0	5.38	9,419	07/20/15	96746
2754	Res	PV	5.9	5.3	4.70	8,241	07/20/15	96746
2755	Res	PV	7.4	6.1	5.94	10,400	07/20/15	96722
2756	Com	PV	5.0	4.5	4.03	7,064	07/22/15	96703
2757	Res	PV	5.5	5.0	4.40	7,709	07/22/15	96766
2758	Res	PV	2.6	2.2	2.08	3,644	07/22/15	96741
2759	Res	PV	7.5	6.3	6.00	10,512	07/22/15	96766
2760	Res	PV	5.8	6.0	4.60	8,059	07/22/15	96746
2761	Res	PV	5.5	5.0	4.40	7,709	07/22/15	96746
2762	Res	PV	11.7	9.8	9.36	16,399	07/22/15	96766
2763	Res	PV	5.0	4.5	3.96	6,938	07/22/15	96741
2764	Com	PV	22.4	20.0	17.92	31,396	07/23/15	96766
2765	Res	PV	5.0	4.5	3.96	6,938	07/23/15	96765
2766	Res	PV	7.8	8.0	6.24	10,932	07/24/15	96752
2767	Res	PV	6.2	6.1	4.99	8,746	07/28/15	96756
2768	Res	PV	3.9	4.0	3.12	5,466	07/28/15	96703
2769	Res	PV	8.3	7.5	6.60	11,563	07/28/15	96746
2770	Res	PV	6.7	6.0	5.38	9,419	07/28/15	96754
2771	Res	PV	8.7	7.8	6.94	12,166	07/29/15	96703
2772	Res	PV	5.1	5.0	4.08	7,148	07/29/15	96752
2773	Res	PV	3.9	3.8	3.12	5,466	07/31/15	96752
2774	Res	PV	2.9	2.5	2.28	3,995	07/31/15	96746
2775	Res	PV	3.9	3.8	3.12	5,466	08/04/15	96756
2776	Res	PV	3.9	3.5	3.14	5,494	08/04/15	96746
2777	Res	PV	3.3	3.0	2.64	4,625	08/04/15	96746
2778	Res	PV	6.0	5.0	4.80	8,410	08/04/15	96716
2779	Res	PV	3.4	3.0	2.69	4,709	08/04/15	96746
2780	Res	PV	3.0	3.0	2.40	4,205	08/04/15	96746
2781	Res	PV	3.9	3.8	3.14	5,494	08/05/15	96796
2782	Res	PV	3.9	3.8	3.14	5,494	08/05/15	96796
2783	Res	PV	3.9	3.8	3.14	5,494	08/05/15	96796
2784	Res	PV	3.9	3.8	3.14	5,494	08/05/15	96796
2785	Res	PV	7.8	8.0	6.24	10,932	08/05/15	96705
2786	Res	PV	3.9	4.0	3.12	5,466	08/05/15	96703
2787	Res	PV	5.0	5.0	4.03	7,064	08/06/15	96756
2788	Res	PV	4.1	3.8	3.30	5,789	08/06/15	96746
2789	Res	PV	11.7	10.5	9.34	16,357	08/07/15	96741
2790	Res	PV	4.5	4.0	3.58	6,279	08/10/15	96716
2791	Res	PV	8.9	8.0	7.14	12,502	08/10/15	96746
2792	Res	PV	3.3	2.8	2.64	4,625	08/10/15	96703
2793	Res	PV	3.4	3.0	2.69	4,709	08/12/15	96741
2794	Res	PV	3.3	3.0	2.64	4,625	08/12/15	96752
2795	Res	PV	8.0	7.6	6.43	11,269	08/12/15	96754
2796	Res	PV	9.4	7.6	7.49	13,119	08/17/15	96765
2797	Res	PV	2.6	3.0	2.08	3,644	08/17/15	96705
2798	Res	PV	15.6	13.0	12.48	21,865	08/18/15	96754
2799	Res	PV	3.9	4.0	3.12	5,466	08/19/15	96752
2800	Res	PV	12.1	10.0	9.65	16,903	08/19/15	96746
2801	Res	PV	4.5	4.0	3.58	6,279	08/19/15	96754
2802	Res	PV	3.4	4.0	2.74	4,793	08/19/15	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) = $D \times 0.8, E$	Energy Produced (kWh) (G) = $F \times 0.2 \times 8760$	Connection Date (H)	Zip Code (I)
2803	Res	PV	3.4	3.0	2.69	4,709	08/19/15	96746
2804	Res	PV	3.9	3.8	3.12	5,466	08/20/15	96756
2805	Res	PV	9.1	8.0	7.28	12,755	08/20/15	96752
2806	Res	PV	3.9	3.8	3.12	5,466	08/20/15	96752
2807	Res	PV	3.9	4.0	3.12	5,466	08/20/15	96765
2808	Res	PV	3.9	4.0	3.12	5,466	08/20/15	96752
2809	Res	PV	5.2	5.0	4.14	7,260	08/25/15	96746
2810	Res	PV	6.4	7.0	5.10	8,928	08/26/15	96765
2811	Res	PV	7.8	8.0	6.24	10,932	08/26/15	96796
2812	Res	PV	3.9	4.0	3.12	5,466	08/26/15	96752
2813	Res	PV	3.9	4.0	3.12	5,466	08/26/15	96752
2814	Res	PV	3.9	4.0	3.12	5,466	08/26/15	96752
2815	Res	PV	7.2	6.0	5.75	10,078	08/26/15	96752
2816	Res	PV	7.3	6.5	5.82	10,204	08/26/15	96766
2817	Res	PV	9.4	8.0	7.49	13,119	08/28/15	96766
2818	Res	PV	7.0	6.3	5.60	9,811	08/28/15	96741
2819	Res	PV	7.8	8.0	6.24	10,932	08/28/15	96746
2820	Res	PV	3.9	3.8	3.12	5,466	08/28/15	96752
2821	Res	PV	9.5	8.5	7.62	13,343	08/31/15	96741
2822	Res	PV	3.9	3.5	3.08	5,396	08/31/15	96741
2823	Res	PV	15.1	11.0	11.00	19,272	09/02/15	96741
2824	Res	PV	6.7	6.0	5.38	9,419	09/03/15	96756
2825	Res	PV	2.7	3.0	2.16	3,784	09/03/15	96716
2826	Res	PV	3.0	5.0	2.40	4,205	09/03/15	96705
2827	Res	PV	7.8	8.0	6.24	10,932	09/03/15	96746
2828	Res	PV	7.7	8.0	6.12	10,722	09/04/15	96746
2829	Res	PV	5.1	5.0	4.08	7,148	09/08/15	96752
2830	Res	PV	9.1	10.0	7.30	12,797	09/09/15	96766
2831	Res	PV	7.5	6.5	6.00	10,512	09/10/15	96741
2832	Res	PV	3.9	3.8	3.12	5,466	09/11/15	96752
2833	Res	PV	4.5	3.8	3.60	6,307	09/14/15	96756
2834	Res	PV	6.5	5.5	5.19	9,096	09/14/15	96746
2835	Res	PV	6.7	6.0	5.38	9,419	09/15/15	96754
2836	Res	PV	3.9	4.0	3.12	5,466	09/15/15	96741
2837	Res	PV	3.9	4.0	3.12	5,466	09/16/15	96752
2838	Res	PV	4.5	3.8	3.60	6,307	09/16/15	96766
2839	Res	PV	3.9	4.0	3.12	5,466	09/16/15	96752
2840	Res	PV	6.3	5.3	5.04	8,830	09/17/15	96703
2841	Res	PV	5.4	4.5	4.32	7,569	09/17/15	96751
2842	Res	PV	2.9	3.0	2.30	4,037	09/18/15	96746
2843	Res	PV	3.9	3.8	3.12	5,466	09/18/15	96752
2844	Res	PV	5.1	4.3	4.08	7,148	09/18/15	96746
2845	Res	PV	7.8	8.0	6.24	10,932	09/21/15	96705
2846	Res	PV	7.8	8.0	6.24	10,932	09/21/15	96705
2847	Res	PV	14.3	12.0	11.42	20,015	09/22/15	96754
2848	Res	PV	4.2	3.8	3.36	5,887	09/22/15	96741
2849	Res	PV	8.1	7.6	6.48	11,353	09/22/15	96756
2850	Res	PV	4.8	4.0	3.84	6,728	09/22/15	96766
2851	Res	PV	2.2	2.0	1.79	3,140	09/23/15	96741
2852	Res	PV	3.9	4.0	3.12	5,466	09/24/15	96752
2853	Res	PV	3.9	3.8	3.12	5,466	09/24/15	96752
2854	Res	PV	4.9	5.0	3.95	6,924	09/24/15	96796

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
2855	Res	PV	4.2	4.0	3.33	5,831	09/24/15	96796
2856	Res	PV	5.3	5.0	4.24	7,428	09/25/15	96766
2857	Com	PV	17.0	15.8	13.60	23,827	09/28/15	96722
2858	Res	PV	4.8	5.0	3.86	6,770	09/28/15	96756
2859	Res	PV	5.4	4.5	4.32	7,569	09/28/15	96716
2860	Res	PV	5.6	5.0	4.48	7,849	09/28/15	96796
2861	Res	PV	4.0	3.0	3.00	5,256	09/28/15	96746
2862	Res	PV	8.3	8.0	6.66	11,661	09/28/15	96746
2863	Res	PV	2.1	3.0	1.66	2,915	09/29/15	96716
2864	Res	PV	3.4	3.0	2.69	4,709	09/30/15	96766
2865	Res	PV	5.8	5.0	4.64	8,129	09/30/15	96746
2866	Res	PV	7.8	8.0	6.24	10,932	10/01/15	96752
2867	Res	PV	6.7	6.0	5.38	9,419	10/02/15	96766
2868	Res	PV	6.7	6.0	5.38	9,419	10/02/15	96766
2869	Res	PV	5.6	5.0	4.48	7,849	10/02/15	96766
2870	Res	PV	5.1	4.3	4.08	7,148	10/02/15	96703
2871	Res	PV	6.2	5.5	4.93	8,634	10/06/15	96796
2872	Res	PV	3.9	3.8	3.12	5,466	10/08/15	96756
2873	Res	PV	3.0	3.0	2.40	4,205	10/08/15	96705
2874	Res	PV	7.3	8.0	5.82	10,204	10/08/15	96765
2875	Res	PV	6.6	6.0	5.28	9,251	10/08/15	96703
2876	Res	PV	6.8	6.0	5.47	9,587	10/13/15	96722
2877	Res	PV	7.5	7.6	6.00	10,512	10/14/15	96746
2878	Res	PV	6.7	6.0	5.38	9,419	10/15/15	96796
2879	Res	PV	3.9	4.0	3.12	5,466	10/15/15	96752
2880	Res	PV	4.2	3.8	3.36	5,887	10/15/15	96703
2881	Res	PV	3.9	3.8	3.12	5,466	10/15/15	96752
2882	Res	PV	8.3	7.5	6.60	11,563	10/19/15	96756
2883	Res	PV	3.9	4.0	3.12	5,466	10/19/15	96752
2884	Res	PV	3.3	3.0	2.64	4,625	10/19/15	96715
2885	Res	PV	4.8	5.0	3.84	6,728	10/19/15	96715
2886	Res	PV	7.3	6.5	5.82	10,204	10/19/15	96746
2887	Res	PV	3.9	3.8	3.12	5,466	10/20/15	96752
2888	Res	PV	3.3	5.0	2.64	4,625	10/20/15	96722
2889	Res	PV	4.2	3.5	3.36	5,887	10/20/15	96746
2890	Res	PV	5.1	4.3	4.08	7,148	10/21/15	96766
2891	Res	PV	3.4	3.0	2.69	4,709	10/21/15	96746
2892	Res	PV	5.7	5.0	4.56	7,989	10/21/15	96746
2893	Res	PV	9.3	8.0	7.45	13,049	10/21/15	96714
2894	Res	PV	6.1	6.0	4.88	8,550	10/21/15	96703
2895	Res	PV	8.7	7.3	6.96	12,194	10/22/15	96766
2896	Res	PV	10.1	9.0	8.06	14,128	10/22/15	96741
2897	Res	PV	4.5	3.8	3.60	6,307	10/23/15	96766
2898	Res	PV	3.9	4.0	3.12	5,466	10/23/15	96796
2899	Res	PV	4.5	3.8	3.60	6,307	10/23/15	96705
2900	Res	PV	9.3	7.8	7.44	13,035	10/23/15	96703
2901	Res	PV	8.6	8.0	6.91	12,110	10/23/15	96756
2902	Res	PV	9.0	7.5	7.20	12,614	10/23/15	96716
2903	Res	PV	11.7	10.0	9.36	16,399	10/23/15	96752
2904	Res	PV	2.0	1.8	1.57	2,747	10/26/15	96766
2905	Res	PV	7.8	6.5	6.24	10,932	10/26/15	96766
2906	Res	PV	13.7	12.3	10.98	19,230	10/28/15	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
2907	Res	PV	7.2	7.6	5.75	10,078	10/28/15	96714
2908	Res	PV	11.4	10.0	9.11	15,964	10/28/15	96754
2909	Res	PV	7.8	8.0	6.24	10,932	11/02/15	96752
2910	Res	PV	11.5	10.0	9.18	16,090	11/02/15	96741
2911	Res	PV	7.7	8.0	6.12	10,722	11/02/15	96766
2912	Res	PV	2.7	3.0	2.16	3,784	11/03/15	96754
2913	Res	PV	4.5	4.0	3.58	6,279	11/04/15	96766
2914	Res	PV	6.7	6.0	5.38	9,419	11/04/15	96766
2915	Res	PV	3.1	3.0	2.50	4,373	11/04/15	96766
2916	Res	PV	3.1	3.0	2.50	4,373	11/04/15	96766
2917	Com	PV	4.7	3.8	3.74	6,559	11/06/15	96756
2918	Com	PV	18.2	16.3	14.56	25,509	11/09/15	96766
2919	Res	PV	6.9	6.3	5.50	9,629	11/10/15	96756
2920	Res	PV	4.6	5.0	3.66	6,405	11/10/15	96741
2921	Res	PV	3.9	3.8	3.12	5,466	11/10/15	96705
2922	Res	PV	9.9	9.8	7.90	13,848	11/10/15	96796
2923	Res	PV	5.0	4.5	4.03	7,064	11/10/15	96746
2924	Res	PV	5.0	4.5	4.03	7,064	11/10/15	96746
2925	Com	PV	6.9	6.3	5.50	9,629	11/12/15	96766
2926	Res	PV	6.7	6.0	5.38	9,419	11/12/15	96766
2927	Res	PV	4.5	4.0	3.58	6,279	11/12/15	96746
2928	Res	PV	4.5	4.0	3.58	6,279	11/12/15	96746
2929	Res	PV	4.8	3.8	3.80	6,658	11/12/15	96746
2930	Res	PV	4.5	4.0	3.58	6,279	11/12/15	96746
2931	Res	PV	3.9	3.3	3.12	5,466	11/12/15	96703
2932	Res	PV	8.0	8.0	6.36	11,143	11/13/15	96756
2933	Res	PV	3.9	3.8	3.12	5,466	11/13/15	96796
2934	Res	PV	4.5	4.0	3.58	6,279	11/16/15	96741
2935	Res	PV	6.5	6.8	5.20	9,110	11/16/15	96752
2936	Res	PV	7.8	6.8	6.27	10,989	11/16/15	96746
2937	Res	PV	10.1	9.0	8.06	14,128	11/17/15	96756
2938	Res	PV	7.3	6.0	5.82	10,204	11/17/15	96752
2939	Res	PV	10.8	10.0	8.64	15,137	11/17/15	96769
2940	Res	PV	7.8	8.0	6.24	10,932	11/18/15	96705
2941	Res	PV	4.6	4.0	3.65	6,391	11/18/15	96746
2942	Res	PV	4.8	5.0	3.84	6,728	11/18/15	96752
2943	Res	PV	6.0	6.0	4.78	8,382	11/18/15	96752
2944	Res	PV	5.2	5.0	4.18	7,330	11/19/15	96766
2945	Res	PV	7.3	7.8	5.82	10,204	11/19/15	96705
2946	Com	PV	33.5	30.0	26.78	46,926	11/23/15	96766
2947	Res	PV	7.8	8.0	6.24	10,932	11/23/15	96796
2948	Res	PV	7.8	8.0	6.24	10,932	11/23/15	96766
2949	Res	PV	1.4	1.3	1.10	1,920	11/25/15	96756
2950	Res	PV	7.8	8.0	6.24	10,932	11/30/15	96746
2951	Res	PV	3.4	3.0	2.69	4,709	11/30/15	96746
2952	Res	PV	5.6	5.0	4.48	7,849	11/30/15	96746
2953	Res	PV	4.4	3.8	3.48	6,097	11/30/15	96741
2954	Res	PV	3.6	3.0	2.88	5,046	11/30/15	96766
2955	Res	PV	7.2	6.0	5.76	10,092	11/30/15	96766
2956	Res	PV	3.6	3.0	2.88	5,046	11/30/15	96715
2957	Res	PV	7.8	7.0	6.27	10,989	12/01/15	96746
2958	Com	PV	26.6	23.8	21.28	37,283	12/02/15	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) = $D \times .8, E$	Energy Produced (kWh) (G) = $F \times .2 \times 8760$	Connection Date (H)	Zip Code (I)
2959	Com	PV	124.8	100.0	99.84	174,920	12/02/15	96746
2960	Res	PV	3.9	3.8	3.12	5,466	12/02/15	96752
2961	Res	PV	3.3	2.8	2.64	4,625	12/02/15	96766
2962	Res	PV	1.8	1.5	1.44	2,523	12/02/15	96766
2963	Res	PV	6.6	6.0	5.28	9,251	12/03/15	96746
2964	Res	PV	3.3	4.0	2.64	4,625	12/03/15	96746
2965	Res	PV	10.1	9.0	8.06	14,128	12/04/15	96741
2966	Res	PV	11.7	10.0	9.36	16,399	12/07/15	96756
2967	Res	PV	3.9	4.0	3.12	5,466	12/07/15	96741
2968	Res	PV	7.8	8.0	6.24	10,932	12/07/15	96741
2969	Res	PV	7.8	8.0	6.24	10,932	12/07/15	96752
2970	Res	PV	11.2	10.0	8.96	15,698	12/08/15	96746
2971	Res	PV	7.3	6.5	5.82	10,204	12/08/15	96756
2972	Com	PV	5.7	5.0	4.58	8,017	12/09/15	96756
2973	Com	PV	48.4	46.5	38.69	67,781	12/09/15	96716
2974	Res	PV	12.0	10.0	9.57	16,763	12/09/15	96766
2975	Res	PV	5.7	5.0	4.58	8,017	12/10/15	96766
2976	Res	PV	4.4	3.8	3.54	6,195	12/10/15	96716
2977	Res	PV	5.4	6.0	4.32	7,569	12/11/15	96756
2978	Res	PV	7.8	8.0	6.24	10,932	12/11/15	96741
2979	Res	PV	6.7	6.0	5.38	9,419	12/14/15	96746
2980	Res	PV	4.4	5.0	3.52	6,167	12/14/15	96746
2981	Res	PV	11.2	10.0	8.96	15,698	12/15/15	96746
2982	Res	PV	8.4	8.0	6.72	11,773	12/15/15	96703
2983	Res	PV	7.3	6.5	5.82	10,204	12/17/15	96765
2984	Res	PV	3.3	3.0	2.64	4,625	12/17/15	96705
2985	Res	PV	5.5	5.0	4.37	7,653	12/18/15	96766
2986	Res	PV	5.2	6.0	4.18	7,330	12/18/15	96766
2987	Res	PV	6.4	5.8	5.15	9,026	12/18/15	96746
2988	Res	PV	5.2	5.0	4.16	7,288	12/18/15	96766
2989	Res	PV	3.4	3.0	2.69	4,709	12/21/15	96741
2990	Res	PV	7.3	6.6	5.86	10,260	12/21/15	96741
2991	Res	PV	7.8	8.0	6.24	10,932	12/21/15	96752
2992	Res	PV	3.9	4.0	3.12	5,466	12/22/15	96705
2993	Res	PV	4.5	9.0	3.62	6,335	12/23/15	96766
2994	Res	PV	6.2	7.6	4.99	8,746	12/23/15	96741
2995	Res	PV	4.5	4.0	3.58	6,279	12/23/15	96741
2996	Res	PV	7.2	7.6	5.76	10,092	12/24/15	96705
2997	Res	PV	4.2	3.8	3.36	5,887	12/24/15	96705
2998	Res	PV	3.0	3.0	2.40	4,205	12/24/15	96716
2999	Res	PV	6.1	5.0	4.90	8,578	12/24/15	96796
3000	Res	PV	6.1	6.0	4.90	8,578	12/24/15	96752
3001	Res	PV	3.6	9.2	2.88	5,046	12/28/15	96766
3002	Res	PV	3.9	3.5	3.14	5,494	12/28/15	96746
3003	Res	PV	3.4	3.0	2.69	4,709	12/28/15	96766
3004	Res	PV	6.2	5.5	4.93	8,634	12/29/15	96746
3005	Res	PV	4.4	4.0	3.53	6,181	12/29/15	96746
3006	Res	PV	11.8	9.8	9.42	16,497	12/29/15	96754
3007	Res	PV	11.8	10.0	9.42	16,497	12/29/15	96722
3008	Com	PV	9.1	7.6	7.28	12,755	01/07/16	96766
3009	Com	PV	9.1	7.6	7.28	12,755	01/07/16	96766
3010	Com	PV	9.1	7.6	7.28	12,755	01/07/16	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
3011	Com	PV	9.1	7.6	7.28	12,755	01/07/16	96766
3012	Com	PV	9.1	7.6	7.28	12,755	01/07/16	96766
3013	Res	PV	11.4	10.0	9.12	15,978	01/07/16	96741
3014	Res	PV	3.4	3.0	2.69	4,709	01/07/16	96705
3015	Res	PV	4.2	3.4	3.33	5,831	01/07/16	96716
3016	Res	PV	4.0	3.8	3.18	5,564	01/07/16	96752
3017	Res	PV	3.9	3.5	3.14	5,494	01/07/16	96766
3018	Res	PV	8.4	7.5	6.72	11,773	01/08/16	96756
3019	Res	PV	9.5	8.5	7.62	13,343	01/08/16	96766
3020	Res	PV	10.2	9.0	8.16	14,296	01/08/16	96746
3021	Res	PV	9.6	7.6	7.60	13,315	01/08/16	96756
3022	Res	PV	7.8	8.0	6.24	10,932	01/08/16	96746
3023	Res	PV	2.6	3.0	2.08	3,644	01/11/16	96766
3024	Res	PV	4.8	7.6	3.86	6,770	01/11/16	96765
3025	Res	PV	4.5	4.0	3.58	6,279	01/11/16	96746
3026	Res	PV	6.0	5.0	4.80	8,410	01/11/16	96703
3027	Res	PV	14.0	11.5	11.22	19,650	01/11/16	96756
3028	Res	PV	9.0	8.0	7.17	12,558	01/11/16	96746
3029	Res	PV	4.1	5.0	3.26	5,719	01/11/16	96756
3030	Res	PV	5.6	5.0	4.48	7,849	01/11/16	96746
3031	Res	PV	6.1	6.0	4.90	8,578	01/12/16	96766
3032	Res	PV	1.8	3.0	1.44	2,523	01/12/16	96741
3033	Res	PV	7.3	6.5	5.82	10,204	01/12/16	96752
3034	Res	PV	2.6	3.0	2.04	3,574	01/12/16	96756
3035	Res	PV	2.6	3.0	2.04	3,574	01/12/16	96716
3036	Res	PV	11.8	10.5	9.44	16,539	01/12/16	96754
3037	Res	PV	1.4	1.3	1.10	1,934	01/12/16	96754
3038	Com	PV	41.0	36.0	32.83	57,522	01/13/16	96766
3039	Res	PV	6.9	6.0	5.52	9,671	01/13/16	96766
3040	Res	PV	5.6	5.0	4.48	7,849	01/15/16	96746
3041	Res	PV	3.5	5.0	2.76	4,836	01/18/16	96741
3042	Res	PV	3.9	4.0	3.12	5,466	01/19/16	96796
3043	Res	PV	17.1	15.0	13.68	23,967	01/20/16	96756
3044	Res	PV	4.2	3.8	3.36	5,887	01/22/16	96754
3045	Res	PV	7.8	7.6	6.24	10,932	01/22/16	96741
3046	Res	PV	2.6	2.0	2.00	3,504	01/24/16	96746
3047	Res	PV	8.4	7.5	6.72	11,773	01/25/16	96741
3048	Res	PV	22.8	20.0	18.24	31,956	01/26/16	96754
3049	Res	PV	3.1	2.8	2.46	4,317	01/26/16	96746
3050	Res	PV	3.4	3.0	2.69	4,709	01/26/16	96746
3051	Res	PV	1.7	1.5	1.34	2,355	01/26/16	96766
3052	Res	PV	10.8	9.5	8.66	15,179	01/27/16	96741
3053	Res	PV	7.3	6.5	5.82	10,204	01/28/16	96752
3054	Res	PV	6.9	6.0	5.52	9,671	01/28/16	96746
3055	Res	PV	3.9	3.8	3.12	5,466	01/28/16	96746
3056	Res	PV	14.0	12.5	11.20	19,622	01/28/16	96746
3057	Res	PV	5.7	5.0	4.56	7,989	01/28/16	96741
3058	Res	PV	6.2	6.0	4.97	8,704	01/29/16	96746
3059	Res	PV	10.8	9.0	8.64	15,137	02/01/16	96705
3060	Res	PV	8.0	7.0	6.36	11,143	02/01/16	96703
3061	Res	PV	6.2	6.0	4.97	8,704	02/02/16	96754
3062	Res	PV	6.2	6.0	4.97	8,704	02/02/16	96754

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
3063	Res	PV	9.5	7.7	7.63	13,371	02/02/16	96754
3064	Res	PV	4.2	4.0	3.39	5,943	02/02/16	96741
3065	Res	PV	3.0	3.0	2.40	4,205	02/02/16	96766
3066	Res	PV	5.2	5.0	4.16	7,288	02/04/16	96766
3067	Com	PV	33.6	34.0	26.88	47,094	02/05/16	96754
3068	Res	PV	2.6	2.2	2.08	3,644	02/05/16	96754
3069	Res	PV	3.1	3.0	2.50	4,373	02/05/16	96754
3070	Res	PV	3.8	3.0	3.00	5,256	02/08/16	96746
3071	Res	PV	5.0	4.5	3.96	6,938	02/08/16	96766
3072	Res	PV	7.3	7.0	5.82	10,204	02/08/16	96716
3073	Res	PV	6.0	6.0	4.78	8,382	02/09/16	96766
3074	Res	PV	7.4	6.0	5.94	10,400	02/09/16	96703
3075	Res	PV	4.4	3.8	3.54	6,195	02/09/16	96703
3076	Res	PV	10.1	16.0	8.06	14,128	02/16/16	96703
3077	Res	PV	-10.1	-16.0	-8.06	-14,128	02/16/16	96703
3078	Res	PV	9.7	10.0	7.73	13,539	02/16/16	96754
3079	Res	PV	4.5	4.0	3.58	6,279	02/16/16	96766
3080	Res	PV	6.7	6.0	5.38	9,419	02/16/16	96765
3081	Res	PV	4.7	5.0	3.74	6,559	02/16/16	96766
3082	Com	PV	-12.6	-12.0	-10.08	-17,660	02/16/16	96716
3083	Com	PV	-85.2	-50.0	-50.00	-87,600	02/16/16	96756
3084	Com	PV	12.9	12.9	10.32	18,081	02/18/16	96766
3085	Com	PV	39.6	39.6	31.68	55,503	02/18/16	96766
3086	Com	PV	24.0	24.0	19.20	33,638	02/18/16	96766
3087	Com	PV	29.7	29.7	23.76	41,628	02/19/16	96722
3088	Com	PV	5.4	5.4	4.32	7,569	02/19/16	96754
3089	Com	PV	30.0	30.0	24.00	42,048	02/19/16	96756
3090	Com	PV	9.6	9.6	7.68	13,455	02/19/16	96796
3091	Com	PV	20.4	20.4	16.32	28,593	02/19/16	96752
3092	Com	PV	19.8	19.8	15.84	27,752	02/19/16	96741
3093	Res	PV	4.8	4.0	3.84	6,728	02/19/16	96746
3094	Res	PV	4.2	3.8	3.36	5,887	02/19/16	96746
3095	Res	PV	7.5	7.6	6.03	10,568	02/19/16	96766
3096	Com	PV	9.1	7.6	7.28	12,755	02/22/16	96766
3097	Res	PV	4.3	3.8	3.40	5,957	02/22/16	96746
3098	Res	PV	6.8	6.0	5.41	9,475	02/23/16	96766
3099	Res	PV	3.4	3.0	2.69	4,709	02/23/16	96754
3100	Res	PV	3.4	3.0	2.69	4,709	02/23/16	96703
3101	Res	PV	4.4	3.8	3.54	6,195	02/23/16	96703
3102	Com	PV	7.6	7.0	6.05	10,596	02/24/16	96766
3103	Com	PV	6.5	6.0	5.18	9,082	02/24/16	96766
3104	Com	PV	6.5	6.0	5.18	9,082	02/24/16	96766
3105	Com	PV	7.6	7.0	6.05	10,596	02/25/16	96766
3106	Res	PV	6.7	6.0	5.38	9,419	02/25/16	96705
3107	Res	PV	4.5	4.0	3.60	6,307	02/25/16	96756
3108	Com	PV	47.8	36.0	36.00	63,072	02/26/16	96766
3109	Res	PV	3.7	4.0	2.97	5,200	02/26/16	96756
3110	Com	PV	14.0	10.6	10.60	18,571	02/29/16	96766
3111	Res	PV	7.8	7.0	6.27	10,989	02/29/16	96766
3112	Res	PV	3.1	3.0	2.50	4,373	03/02/16	96746
3113	Res	PV	3.4	3.0	2.70	4,737	03/02/16	96766
3114	Res	PV	3.1	3.8	2.50	4,373	03/03/16	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) = $D \times .8, E$	Energy Produced (kWh) (G) = $F \times .2 \times 8760$	Connection Date (H)	Zip Code (I)
3115	Com	PV	20.1	20.0	16.08	28,172	03/08/16	96754
3116	Res	PV	4.2	3.8	3.33	5,831	03/08/16	96746
3117	Res	PV	3.6	3.0	2.91	5,102	03/08/16	96741
3118	Res	PV	3.9	4.0	3.12	5,466	03/08/16	96752
3119	Res	PV	12.4	11.4	9.94	17,408	03/08/16	96756
3120	Res	PV	4.5	5.0	3.60	6,307	03/08/16	96756
3121	Res	PV	4.0	3.8	3.18	5,564	03/08/16	96716
3122	Res	PV	10.4	10.0	8.32	14,577	03/10/16	96766
3123	Res	PV	6.1	5.5	4.87	8,536	03/10/16	96703
3124	Res	PV	3.9	3.8	3.12	5,466	03/11/16	96703
3125	Res	PV	8.0	8.0	6.36	11,143	03/16/16	96754
3126	Res	PV	6.0	5.0	4.78	8,382	03/17/16	96766
3127	Res	PV	8.7	7.8	6.94	12,166	03/17/16	96746
3128	Res	PV	5.2	5.0	4.16	7,288	03/18/16	96766
3129	Res	PV	2.2	2.0	1.79	3,140	03/18/16	96746
3130	Res	PV	7.2	7.0	5.76	10,092	03/21/16	96765
3131	Res	PV	9.0	8.0	7.18	12,572	03/21/16	96741
3132	Res	PV	9.7	8.0	7.75	13,582	03/21/16	96796
3133	Res	PV	5.1	4.3	4.08	7,148	03/21/16	96705
3134	Res	PV	6.0	6.0	4.80	8,410	03/22/16	96746
3135	Com	PV	5.8	5.2	4.61	8,073	03/23/16	96703
3136	Res	PV	8.1	7.6	6.45	11,297	03/23/16	96703
3137	Res	PV	3.4	3.0	2.70	4,737	03/24/16	96766
3138	Res	PV	3.4	3.8	2.70	4,737	03/29/16	96766
3139	Res	PV	7.4	7.5	5.94	10,400	03/29/16	96766
3140	Res	PV	3.7	3.8	2.97	5,200	03/29/16	96752
3141	Res	PV	7.8	8.0	6.24	10,932	03/29/16	96796
3142	Res	PV	7.5	6.3	6.00	10,512	03/29/16	96766
3143	Res	PV	3.6	3.8	2.91	5,102	03/29/16	96756
3144	Res	PV	3.9	4.0	3.12	5,466	03/29/16	96716
3145	Res	PV	9.9	7.6	7.60	13,315	03/29/16	96754
3146	Res	PV	3.9	3.8	3.12	5,466	03/30/16	96705
3147	Res	PV	5.4	4.5	4.32	7,569	03/31/16	96703
3148	Res	PV	4.2	3.8	3.33	5,831	03/31/16	96703
3149	Res	PV	6.3	5.0	5.00	8,760	03/31/16	96746
3150	Res	PV	5.4	4.5	4.32	7,569	03/31/16	96703
3151	Res	PV	4.2	4.2	3.33	5,831	04/01/16	96746
3152	Res	PV	8.0	7.3	6.38	11,171	04/01/16	96766
3153	Res	PV	5.1	5.0	4.08	7,148	04/01/16	96766
3154	Res	PV	6.3	5.0	5.00	8,760	04/01/16	96746
3155	Res	PV	7.8	8.0	6.24	10,932	04/04/16	96796
3156	Res	PV	2.6	3.0	2.08	3,644	04/05/16	96705
3157	Res	PV	8.7	7.6	6.96	12,194	04/05/16	96766
3158	Res	PV	2.8	2.5	2.24	3,924	04/05/16	96746
3159	Res	PV	2.1	3.0	1.66	2,915	04/05/16	96703
3160	Res	PV	6.0	5.0	4.80	8,410	04/05/16	96705
3161	Res	PV	6.2	6.0	4.97	8,704	04/05/16	96766
3162	Res	PV	5.5	5.0	4.37	7,653	04/05/16	96752
3163	Res	PV	5.9	5.3	4.70	8,241	04/06/16	96756
3164	Res	PV	2.9	3.8	2.29	4,009	04/12/16	96703
3165	Res	PV	3.6	3.8	2.91	5,102	04/12/16	96766
3166	Res	PV	4.7	5.0	3.74	6,559	04/12/16	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
3167	Res	PV	3.2	3.0	2.56	4,485	04/12/16	96746
3168	Res	PV	2.6	3.0	2.08	3,644	04/12/16	96746
3169	Res	PV	24.0	20.0	19.20	33,638	04/13/16	96754
3170	Res	PV	6.2	5.0	4.99	8,746	04/13/16	96766
3171	Res	PV	4.4	3.8	3.54	6,195	04/14/16	96746
3172	Res	PV	5.5	5.0	4.37	7,653	04/14/16	96703
3173	Res	PV	6.7	6.0	5.38	9,419	04/14/16	96765
3174	Res	PV	4.5	4.0	3.58	6,279	04/14/16	96741
3175	Res	PV	6.3	6.0	5.04	8,830	04/15/16	96746
3176	Res	PV	3.2	2.5	2.50	4,380	04/15/16	96766
3177	Res	PV	6.3	6.0	5.04	8,830	04/15/16	96746
3178	Res	PV	4.5	3.8	3.60	6,307	04/18/16	96756
3179	Res	PV	6.9	6.0	5.51	9,657	04/18/16	96766
3180	Res	PV	3.1	3.8	2.50	4,373	04/19/16	96766
3181	Res	PV	7.1	7.0	5.71	10,007	04/19/16	96741
3182	Res	PV	3.4	2.6	2.58	4,520	04/19/16	96741
3183	Res	PV	4.9	5.0	3.95	6,924	04/19/16	96766
3184	Res	PV	6.6	5.3	5.25	9,198	04/20/16	96705
3185	Res	PV	3.9	3.5	3.08	5,396	04/21/16	96756
3186	Res	PV	4.7	5.0	3.74	6,559	04/22/16	96746
3187	Res	PV	4.4	3.8	3.54	6,195	04/22/16	96746
3188	Res	PV	7.3	6.5	5.82	10,204	04/26/16	96741
3189	Res	PV	3.4	3.8	2.70	4,737	04/27/16	96746
3190	Res	PV	7.4	7.5	5.94	10,400	04/27/16	96705
3191	Res	PV	2.0	2.5	1.60	2,803	04/28/16	96752
3192	Res	PV	11.5	10.0	9.22	16,146	04/29/16	96756
3193	Res	PV	10.4	9.0	8.32	14,577	04/29/16	96746
3194	Res	PV	3.6	3.8	2.91	5,102	05/02/16	96746
3195	Res	PV	10.0	10.0	8.00	14,016	05/02/16	96756
3196	Res	PV	8.3	8.0	6.62	11,605	05/02/16	96756
3197	Res	PV	5.7	5.0	4.56	7,989	05/03/16	96754
3198	Res	PV	3.9	3.8	3.12	5,466	05/03/16	96766
3199	Res	PV	3.2	2.5	2.50	4,380	05/03/16	96716
3200	Res	PV	14.1	14.1	11.28	19,763	05/03/16	96754
3201	Res	PV	3.2	2.5	2.50	4,380	05/04/16	96705
3202	Res	PV	3.5	2.8	2.75	4,818	05/04/16	96766
3203	Res	PV	5.2	5.0	4.16	7,288	05/05/16	96766
3204	Res	PV	2.9	2.5	2.28	3,995	05/09/16	96716
3205	Res	PV	3.9	3.8	3.12	5,466	05/09/16	96703
3206	Res	PV	3.9	3.8	3.12	5,466	05/10/16	96766
3207	Res	PV	3.9	3.8	3.12	5,466	05/12/16	96703
3208	Res	PV	3.9	3.8	3.12	5,466	05/12/16	96746
3209	Res	PV	4.3	3.8	3.42	5,985	05/12/16	96746
3210	Res	PV	5.4	4.3	4.25	7,446	05/12/16	96752
3211	Res	PV	3.4	3.8	2.70	4,737	05/12/16	96766
3212	Res	PV	2.9	3.0	2.29	4,009	05/12/16	96716
3213	Res	PV	6.7	6.0	5.38	9,419	05/13/16	96766
3214	Res	PV	2.6	3.8	2.08	3,644	05/16/16	96766
3215	Res	PV	2.6	3.8	2.08	3,644	05/18/16	96766
3216	Res	PV	11.8	10.5	9.41	16,483	05/18/16	96703
3217	Res	PV	7.8	7.6	6.24	10,932	05/19/16	96766
3218	Res	PV	9.1	7.6	7.30	12,797	05/19/16	96756

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
3219	Res	PV	3.4	3.8	2.70	4,737	05/19/16	96766
3220	Res	PV	6.5	6.0	5.20	9,110	05/20/16	96766
3221	Res	PV	4.5	5.0	3.58	6,279	05/20/16	96766
3222	Res	PV	6.7	6.0	5.38	9,419	05/24/16	96746
3223	Res	PV	5.7	5.0	4.56	7,989	05/24/16	96741
3224	Res	PV	6.3	5.0	5.00	8,760	05/25/16	96722
3225	Res	PV	12.2	10.0	9.79	17,156	05/25/16	96703
3226	Res	PV	9.5	7.7	7.56	13,245	05/25/16	96756
3227	Res	PV	3.9	4.0	3.12	5,466	05/27/16	96752
3228	Res	PV	3.9	3.8	3.12	5,466	05/27/16	96766
3229	Res	PV	10.1	9.8	8.06	14,128	05/31/16	96751
3230	Res	PV	3.9	3.8	3.12	5,466	05/31/16	96766
3231	Res	PV	6.6	5.3	5.25	9,198	06/01/16	96741
3232	Res	PV	6.2	6.0	4.99	8,746	06/01/16	96766
3233	Res	PV	5.6	7.6	4.44	7,779	06/01/16	96754
3234	Res	PV	3.9	3.8	3.14	5,494	06/03/16	96766
3235	Res	PV	5.3	5.0	4.22	7,400	06/06/16	96746
3236	Res	PV	-4.6	-4.0	-3.68	-6,447	06/07/16	96765
3237	Res	PV	5.1	4.5	4.10	7,190	06/09/16	96766
3238	Res	PV	4.9	4.5	3.89	6,812	06/09/16	96754
3239	Res	PV	4.4	5.0	3.54	6,195	06/09/16	96766
3240	Res	PV	4.9	5.0	3.95	6,924	06/13/16	96766
3241	Res	PV	9.9	9.0	7.92	13,876	06/13/16	96751
3242	Res	PV	3.9	3.8	3.12	5,466	06/15/16	96746
3243	Res	PV	3.1	3.8	2.50	4,373	06/15/16	96766
3244	Res	PV	5.0	5.0	4.00	7,008	06/15/16	96746
3245	Res	PV	5.5	8.0	4.40	7,709	06/16/16	96754
3246	Res	PV	-5.5	-8.0	-4.40	-7,709	06/16/16	96754
3247	Res	PV	11.5	10.0	9.18	16,076	06/17/16	96705
3248	Res	PV	3.4	3.0	2.69	4,709	06/17/16	96746
3249	Res	PV	3.4	3.0	2.69	4,709	06/20/16	96765
3250	Res	PV	3.4	3.0	2.69	4,709	06/20/16	96746
3251	Com	PV	5.5	4.7	4.40	7,709	06/21/16	96756
3252	Res	PV	4.7	5.0	3.74	6,559	06/21/16	96746
3253	Res	PV	4.8	4.1	3.80	6,658	06/21/16	96756
3254	Res	PV	4.8	4.1	3.80	6,658	06/21/16	96756
3255	Res	PV	4.8	4.1	3.80	6,658	06/21/16	96756
3256	Res	PV	4.8	4.1	3.80	6,658	06/21/16	96756
3257	Res	PV	6.4	6.0	5.15	9,026	06/24/16	96766
3258	Res	PV	8.4	8.0	6.72	11,773	06/28/16	96746
3259	Res	PV	2.9	3.0	2.30	4,037	06/29/16	96746
3260	Res	PV	4.6	4.0	3.65	6,391	07/05/16	96705
3261	Res	PV	2.8	2.5	2.24	3,924	07/05/16	96746
3262	Res	PV	2.8	2.5	2.24	3,924	07/06/16	96746
3263	Res	PV	3.2	2.5	2.50	4,380	07/08/16	96705
3264	Res	PV	3.9	4.0	3.12	5,466	07/11/16	96752
3265	Res	PV	5.7	5.0	4.58	8,017	07/14/16	96766
3266	Res	PV	3.4	3.8	2.70	4,737	07/18/16	96766
3267	Com	PV	15.0	6.0	6.00	10,512	07/21/16	96754
3268	Res	PV	4.2	3.8	3.36	5,887	07/21/16	96752
3269	Res	PV	8.8	7.0	7.00	12,264	07/21/16	96796
3270	Res	PV	7.7	7.6	6.19	10,848	07/21/16	96741

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) = $D \times 0.8, E$	Energy Produced (kWh) (G) = $F \times 2 \times 8760$	Connection Date (H)	Zip Code (I)
3271	Res	PV	11.7	11.0	9.38	16,441	07/26/16	96741
3272	Res	PV	6.2	5.0	4.96	8,690	07/26/16	96756
3273	Res	PV	2.5	2.5	2.00	3,504	07/26/16	96741
3274	Res	PV	3.8	3.8	3.07	5,382	07/27/16	96741
3275	Res	PV	6.0	5.0	4.80	8,410	07/27/16	96752
3276	Res	PV	6.7	6.0	5.38	9,419	07/27/16	96741
3277	Res	PV	4.2	3.8	3.36	5,887	07/28/16	96715
3278	Res	PV	4.8	5.0	3.84	6,728	07/28/16	96766
3279	Res	PV	5.6	5.0	4.48	7,849	07/28/16	96741
3280	Res	PV	2.4	2.3	1.90	3,336	08/01/16	96746
3281	Res	PV	3.4	3.0	2.69	4,709	08/01/16	96746
3282	Res	PV	24.6	17.4	17.38	30,450	08/01/16	96754
3283	Res	PV	4.4	4.0	3.51	6,146	08/01/16	96766
3284	Res	PV	6.7	6.0	5.38	9,419	08/02/16	96766
3285	Res	PV	6.7	5.2	5.16	9,040	08/05/16	96746
3286	Com	PV	2.2	2.0	1.79	3,140	08/09/16	96756
3287	Res	PV	6.2	6.0	4.96	8,690	08/09/16	96756
3288	Res	PV	11.0	11.9	8.79	15,404	08/10/16	96722
3289	Res	PV	5.2	5.0	4.16	7,288	08/10/16	96766
3290	Com	PV	21.1	18.5	16.85	29,518	08/11/16	96722
3291	Res	PV	9.9	10.0	7.95	13,932	08/15/16	96756
3292	Res	PV	3.9	3.8	3.12	5,466	08/22/16	96766
3293	Res	PV	5.7	5.0	4.56	7,989	08/23/16	96766
3294	Res	PV	3.2	2.5	2.50	4,380	08/23/16	96766
3295	Res	PV	3.0	3.0	2.40	4,205	08/24/16	96716
3296	Res	PV	3.2	2.5	2.50	4,380	08/24/16	96746
3297	Res	PV	5.1	5.0	4.08	7,148	08/24/16	96741
3298	Res	PV	5.6	5.0	4.48	7,849	08/26/16	96766
3299	Res	PV	5.0	4.5	4.03	7,064	08/29/16	96766
3300	Res	PV	3.4	3.0	2.74	4,793	08/30/16	96766
3301	Res	PV	6.7	6.0	5.38	9,419	08/30/16	96766
3302	Res	PV	3.9	3.8	3.12	5,466	09/06/16	96752
3303	Res	PV	3.2	2.5	2.50	4,380	09/06/16	96766
3304	Res	PV	1.1	1.0	0.90	1,570	09/06/16	96766
3305	Res	PV	7.4	6.0	5.94	10,414	09/06/16	96716
3306	Com	PV	32.0	26.3	25.62	44,879	09/07/16	96766
3307	Res	PV	6.0	5.0	4.78	8,382	09/07/16	96766
3308	Res	PV	4.7	5.0	3.74	6,559	09/09/16	96766
3309	Res	PV	5.4	4.3	4.25	7,446	09/09/16	96756
3310	Res	PV	2.4	2.0	1.92	3,364	09/15/16	96754
3311	Res	PV	5.7	5.0	4.58	8,017	09/15/16	96746
3312	Com	PV	2.1	3.8	1.66	2,915	09/20/16	96746
3313	Res	PV	6.8	6.5	5.41	9,475	09/20/16	96703
3314	Res	PV	3.2	2.5	2.50	4,380	09/20/16	96766
3315	Res	PV	6.7	6.0	5.38	9,419	09/20/16	96765
3316	Res	PV	4.5	4.0	3.58	6,279	09/20/16	96741
3317	Res	PV	6.6	5.3	5.25	9,198	09/20/16	96741
3318	Res	PV	5.7	6.0	4.58	8,017	09/22/16	96746
3319	Res	PV	5.2	5.0	4.16	7,288	09/22/16	96746
3320	Res	PV	3.8	3.0	3.00	5,256	09/23/16	96703
3321	Res	PV	7.0	6.0	5.62	9,839	09/23/16	96766
3322	Res	PV	8.8	7.0	7.00	12,264	09/23/16	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
3323	Res	PV	3.6	3.8	2.91	5,102	09/23/16	96746
3324	Res	PV	5.6	5.0	4.48	7,849	09/23/16	96766
3325	Res	PV	4.0	4.0	3.18	5,564	09/23/16	96752
3326	Res	PV	-1.8	-3.0	-1.44	-2,523	09/27/16	96746
3327	Res	PV	6.0	6.0	4.78	8,382	09/28/16	96746
3328	Res	PV	6.0	5.0	4.78	8,382	09/28/16	96766
3329	Res	PV	6.0	5.0	4.80	8,410	09/29/16	96796
3330	Res	PV	4.9	5.0	3.95	6,924	09/29/16	96752
3331	Res	PV	3.2	2.5	2.50	4,380	09/29/16	96703
3332	Res	PV	3.4	3.0	2.69	4,709	09/29/16	96766
3333	Res	PV	3.2	2.5	2.50	4,380	09/29/16	96703
3334	Res	PV	4.4	3.4	3.44	6,027	09/30/16	96756
3335	Res	PV	2.8	2.5	2.24	3,924	09/30/16	96746
3336	Res	PV	6.2	6.0	4.99	8,746	10/04/16	96705
3337	Res	PV	4.9	5.0	3.95	6,924	10/04/16	96752
3338	Res	PV	9.2	16.0	7.39	12,951	10/05/16	96756
3339	Res	PV	-9.2	-16.0	-7.39	-12,951	10/05/16	96756
3340	Res	PV	9.8	8.8	7.84	13,736	10/11/16	96756
3341	Res	PV	10.1	9.0	8.06	14,128	10/13/16	96754
3342	Res	PV	6.2	5.5	4.93	8,634	10/14/16	96766
3343	Res	PV	8.4	7.5	6.72	11,773	10/18/16	96741
3344	Res	PV	3.5	2.8	2.75	4,818	10/25/16	96766
3345	Com	PV	28.3	26.0	22.67	39,721	10/26/16	96766
3346	Res	PV	3.5	2.8	2.75	4,818	10/27/16	96746
3347	Res	PV	2.8	3.8	2.24	3,924	10/28/16	96756
3348	Com	PV	12.6	10.0	10.00	17,520	10/31/16	96746
3349	Res	PV	3.4	3.0	2.69	4,709	10/31/16	96746
3350	Res	PV	6.2	6.0	4.99	8,746	10/31/16	96756
3351	Res	PV	2.8	2.2	2.15	3,767	11/01/16	96746
3352	Res	PV	8.3	7.5	6.60	11,563	11/01/16	96741
3353	Res	PV	3.1	2.5	2.44	4,275	11/04/16	96746
3354	Res	PV	4.9	4.0	3.90	6,840	11/07/16	96766
3355	Res	PV	3.0	3.0	2.40	4,205	11/10/16	96752
3356	Res	PV	8.4	7.5	6.72	11,773	11/14/16	96716
3357	Res	PV	3.9	3.5	3.15	5,522	11/15/16	96746
3358	Res	PV	4.3	3.8	3.42	5,985	11/16/16	96756
3359	Res	PV	6.6	5.3	5.25	9,198	11/16/16	96756
3360	Res	PV	3.2	2.5	2.50	4,380	11/16/16	96716
3361	Res	PV	3.4	3.0	2.69	4,709	11/16/16	96746
3362	Res	PV	5.0	4.5	4.03	7,064	11/16/16	96766
3363	Res	PV	6.7	6.0	5.38	9,419	11/16/16	96746
3364	Res	PV	10.4	9.3	8.29	14,521	11/18/16	96746
3365	Res	PV	3.1	2.8	2.50	4,387	11/21/16	96746
3366	Res	PV	16.7	14.8	13.33	23,351	11/23/16	96741
3367	Res	PV	3.4	3.0	2.69	4,709	11/23/16	96741
3368	Res	PV	9.0	7.6	7.17	12,558	11/23/16	96756
3369	Res	PV	2.8	2.5	2.23	3,910	11/25/16	96766
3370	Res	PV	6.7	6.0	5.38	9,419	11/25/16	96766
3371	Res	PV	3.4	3.0	2.69	4,709	11/25/16	96766
3372	Res	PV	3.5	2.8	2.75	4,818	11/28/16	96746
3373	Res	PV	4.6	4.0	3.65	6,391	11/29/16	96752
3374	Res	PV	11.2	10.0	8.96	15,698	12/01/16	96703

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
3375	Res	PV	4.5	4.0	3.60	6,307	12/06/16	96756
3376	Res	PV	3.1	2.5	2.48	4,345	12/06/16	96766
3377	Res	PV	3.5	2.8	2.75	4,818	12/06/16	96741
3378	Res	PV	6.5	6.0	5.18	9,082	12/06/16	96756
3379	Res	PV	3.2	2.5	2.50	4,380	12/08/16	96766
3380	Res	PV	3.4	3.0	2.69	4,709	12/08/16	96716
3381	Res	PV	2.6	3.0	2.05	3,588	12/08/16	96741
3382	Res	PV	11.8	9.8	9.41	16,483	12/08/16	96766
3383	Res	PV	3.4	3.0	2.74	4,793	12/09/16	96765
3384	Res	PV	2.4	2.2	1.92	3,364	12/12/16	96796
3385	Res	PV	2.6	3.0	2.05	3,588	12/12/16	96746
3386	Res	PV	3.4	3.0	2.74	4,793	12/12/16	96746
3387	Res	PV	3.6	3.8	2.91	5,102	12/12/16	96766
3388	Res	PV	10.8	9.5	8.67	15,193	12/12/16	96746
3389	Res	PV	3.5	3.0	2.82	4,934	12/14/16	96766
3390	Res	PV	6.6	5.3	5.25	9,198	12/15/16	96766
3391	Res	PV	4.9	5.0	3.93	6,882	12/15/16	96756
3392	Res	PV	3.0	3.0	2.40	4,205	12/15/16	96756
3393	Res	PV	6.7	5.2	5.16	9,040	12/20/16	96756
3394	Res	PV	2.7	3.0	2.14	3,756	12/20/16	96705
3395	Res	PV	3.1	3.0	2.50	4,373	12/20/16	96766
3396	Res	PV	2.7	3.0	2.14	3,756	12/20/16	96705
3397	Res	PV	5.4	5.0	4.32	7,569	12/20/16	96766
3398	Res	PV	8.6	6.9	6.84	11,984	12/21/16	96722
3399	Res	PV	2.8	2.5	2.24	3,924	12/21/16	96766
3400	Com	PV	56.7	45.0	45.00	78,840	12/22/16	96766
3401	Com	PV	28.5	25.0	22.80	39,946	12/22/16	96766
3402	Res	PV	3.1	2.4	2.36	4,135	12/22/16	96754
3403	Res	PV	3.1	3.8	2.50	4,373	12/22/16	96756
3404	Res	PV	7.6	6.0	6.00	10,512	12/22/16	96746
3405	Res	PV	3.9	3.8	3.14	5,494	12/23/16	96746
3406	Res	PV	4.0	3.5	3.19	5,592	12/27/16	96746
3407	Res	PV	3.0	2.5	2.40	4,205	12/27/16	96741
3408	Res	PV	10.9	16.0	8.74	15,305	12/28/16	96754
3409	Res	PV	-10.9	-16.0	-8.74	-15,305	12/28/16	96754
3410	Res	PV	5.9	8.0	4.70	8,241	12/28/16	96714
3411	Res	PV	-5.9	-8.0	-4.70	-8,241	12/28/16	96714
3412	Res	PV	5.7	4.5	4.50	7,884	12/28/16	96746
3413	Com	PV	8.0	7.1	6.40	11,213	12/29/16	96766
3414	Com	PV	28.8	30.0	23.04	40,366	12/29/16	96766
3415	Com	PV	28.8	30.0	23.04	40,366	12/29/16	96766
3416	Res	PV	3.2	2.5	2.50	4,380	12/29/16	96766
3417	Res	PV	4.2	3.8	3.36	5,887	12/29/16	96756
3418	Res	PV	10.7	10.0	8.54	14,955	12/29/16	96746
3419	Res	PV	8.1	7.6	6.45	11,297	12/30/16	96752
3420	Res	PV	5.1	4.3	4.08	7,148	01/04/17	96703
3421	Res	PV	5.1	4.5	4.11	7,204	01/04/17	96746
3422	Res	PV	6.6	5.3	5.25	9,198	01/04/17	96741
3423	Res	PV	8.7	7.5	6.96	12,194	01/04/17	96766
3424	Res	PV	2.6	2.3	2.08	3,644	01/06/17	96766
3425	Res	PV	6.8	6.0	5.47	9,587	01/09/17	96741
3426	Res	PV	5.2	5.0	4.16	7,288	01/09/17	96715

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
3427	Res	PV	7.8	7.6	6.24	10,932	01/09/17	96746
3428	Res	PV	7.2	7.6	5.76	10,092	01/10/17	96703
3429	Res	PV	3.2	2.5	2.50	4,380	01/10/17	96765
3430	Res	PV	3.2	2.5	2.50	4,380	01/10/17	96796
3431	Res	PV	3.9	3.8	3.12	5,466	01/10/17	96766
3432	Res	PV	3.1	3.0	2.48	4,345	01/10/17	96741
3433	Res	PV	5.7	5.0	4.58	8,017	01/10/17	96752
3434	Com	PV	2.4	3.0	1.92	3,364	01/12/17	96766
3435	Res	PV	2.7	3.0	2.14	3,756	01/13/17	96796
3436	Res	PV	3.4	3.0	2.69	4,709	01/17/17	96796
3437	Res	PV	2.9	3.8	2.29	4,009	01/17/17	96746
3438	Res	PV	5.4	5.0	4.32	7,569	01/18/17	96722
3439	Res	PV	2.5	2.2	1.96	3,434	01/18/17	96766
3440	Res	PV	13.6	11.4	10.86	19,020	01/19/17	96746
3441	Res	PV	3.8	3.0	3.00	5,256	01/19/17	96746
3442	Res	PV	8.3	7.6	6.66	11,661	01/19/17	96766
3443	Res	PV	7.6	6.0	6.00	10,512	01/23/17	96766
3444	Res	PV	6.7	5.2	5.16	9,040	01/24/17	96756
3445	Com	PV	11.8	8.0	8.00	14,016	01/25/17	96754
3446	Com	PV	-11.8	-8.0	-8.00	-14,016	01/25/17	96754
3447	Com	PV	9.3	10.0	7.44	13,035	01/26/17	96751
3448	Com	PV	2.9	2.5	2.28	3,995	01/26/17	96714
3449	Com	PV	4.3	3.8	3.42	5,985	01/26/17	96714
3450	Com	PV	5.7	5.0	4.56	7,989	01/26/17	96714
3451	Res	PV	13.0	11.0	10.38	18,193	01/26/17	96746
3452	Res	PV	6.3	5.0	5.00	8,760	01/26/17	96766
3453	Com	PV	2.9	2.5	2.28	3,995	01/27/17	96714
3454	Res	PV	2.4	2.2	1.92	3,364	01/27/17	96756
3455	Res	PV	4.1	3.5	3.30	5,789	01/27/17	96703
3456	Res	PV	2.9	2.5	2.28	3,995	01/30/17	96746
3457	Res	PV	3.1	2.5	2.44	4,275	01/30/17	96765
3458	Res	PV	1.3	1.3	1.04	1,822	01/30/17	96796
3459	Res	PV	2.0	1.8	1.57	2,747	02/01/17	96722
3460	Res	PV	2.0	1.8	1.57	2,747	02/01/17	96722
3461	Res	PV	12.6	12.0	10.08	17,660	02/01/17	96703
3462	Res	PV	2.0	1.8	1.57	2,747	02/01/17	96722
3463	Res	PV	2.0	1.8	1.57	2,747	02/01/17	96722
3464	Res	PV	2.0	1.8	1.57	2,747	02/01/17	96722
3465	Res	PV	2.0	1.8	1.57	2,747	02/01/17	96722
3466	Res	PV	2.0	1.8	1.57	2,747	02/01/17	96722
3467	Res	PV	3.2	2.5	2.50	4,380	02/02/17	96746
3468	Res	PV	2.2	2.2	1.73	3,027	02/02/17	96766
3469	Res	PV	6.7	6.0	5.36	9,391	02/07/17	96766
3470	Res	PV	2.0	1.8	1.57	2,747	02/07/17	96722
3471	Res	PV	2.0	1.8	1.57	2,747	02/07/17	96722
3472	Res	PV	2.0	1.8	1.57	2,747	02/07/17	96722
3473	Res	PV	2.0	1.8	1.57	2,747	02/07/17	96722
3474	Res	PV	2.0	1.8	1.57	2,747	02/07/17	96722
3475	Res	PV	2.7	3.0	2.14	3,756	02/07/17	96746
3476	Res	PV	2.0	1.8	1.57	2,747	02/07/17	96722
3477	Res	PV	2.0	1.8	1.57	2,747	02/07/17	96722
3478	Res	PV	2.0	1.8	1.57	2,747	02/07/17	96722

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
3479	Res	PV	2.0	1.8	1.57	2,747	02/07/17	96722
3480	Res	PV	2.0	1.8	1.57	2,747	02/07/17	96722
3481	Res	PV	2.0	1.8	1.57	2,747	02/07/17	96722
3482	Res	PV	2.0	1.8	1.57	2,747	02/07/17	96722
3483	Res	PV	2.0	1.8	1.57	2,747	02/07/17	96722
3484	Res	PV	2.0	1.8	1.57	2,747	02/07/17	96722
3485	Res	PV	2.0	1.8	1.57	2,747	02/07/17	96722
3486	Res	PV	2.0	1.8	1.57	2,747	02/07/17	96722
3487	Res	PV	2.0	1.8	1.57	2,747	02/07/17	96722
3488	Res	PV	2.0	1.8	1.57	2,747	02/08/17	96722
3489	Res	PV	2.0	1.8	1.57	2,747	02/08/17	96722
3490	Res	PV	2.0	1.8	1.57	2,747	02/08/17	96722
3491	Res	PV	2.0	1.8	1.57	2,747	02/08/17	96722
3492	Res	PV	2.0	1.8	1.57	2,747	02/08/17	96722
3493	Res	PV	2.0	1.8	1.57	2,747	02/08/17	96722
3494	Res	PV	2.0	1.8	1.57	2,747	02/08/17	96722
3495	Res	PV	2.0	1.8	1.57	2,747	02/08/17	96722
3496	Res	PV	2.0	1.8	1.57	2,747	02/08/17	96722
3497	Res	PV	2.0	1.8	1.57	2,747	02/08/17	96722
3498	Res	PV	2.0	1.8	1.57	2,747	02/08/17	96722
3499	Res	PV	2.0	1.8	1.57	2,747	02/08/17	96722
3500	Res	PV	2.7	3.0	2.15	3,770	02/09/17	96705
3501	Res	PV	5.2	5.0	4.18	7,316	02/09/17	96756
3502	Res	PV	2.0	1.8	1.57	2,747	02/09/17	96722
3503	Res	PV	2.0	1.8	1.57	2,747	02/09/17	96722
3504	Res	PV	2.0	1.8	1.57	2,747	02/09/17	96722
3505	Res	PV	4.9	5.0	3.95	6,924	02/14/17	96766
3506	Res	PV	4.4	5.0	3.48	6,097	02/14/17	96705
3507	Res	PV	2.0	1.8	1.57	2,747	02/14/17	96722
3508	Res	PV	2.0	1.8	1.57	2,747	02/14/17	96722
3509	Res	PV	2.0	1.8	1.57	2,747	02/14/17	96722
3510	Res	PV	2.2	2.0	1.79	3,140	02/17/17	96741
3511	Com	PV	10.0	8.4	7.98	13,974	02/21/17	96754
3512	Res	PV	6.6	7.2	5.28	9,251	02/21/17	96766
3513	Res	PV	5.4	5.0	4.29	7,513	02/21/17	96754
3514	Res	PV	10.5	9.0	8.43	14,773	02/21/17	96754
3515	Res	PV	2.7	2.5	2.12	3,714	02/22/17	96754
3516	Res	PV	3.1	2.8	2.46	4,317	02/22/17	96766
3517	Res	PV	2.0	1.8	1.57	2,747	02/24/17	96722
3518	Res	PV	2.8	2.5	2.24	3,924	02/27/17	96756
3519	Res	PV	-3.8	-4.0	-3.01	-5,270	02/27/17	96722
3520	Res	PV	2.7	3.0	2.14	3,756	02/28/17	96705
3521	Res	PV	2.4	2.2	1.92	3,364	03/01/17	96752
3522	Res	PV	2.0	1.8	1.57	2,747	03/02/17	96722
3523	Res	PV	5.3	4.3	4.24	7,428	03/03/17	96746
3524	Res	PV	2.7	3.0	2.14	3,756	03/06/17	96705
3525	Res	PV	2.7	3.0	2.14	3,756	03/06/17	96705
3526	Com	PV	12.3	10.8	9.80	17,170	03/07/17	96766
3527	Res	PV	2.7	3.0	2.14	3,756	03/07/17	96705
3528	Res	PV	5.4	5.0	4.29	7,513	03/09/17	96766
3529	Res	PV	3.2	2.5	2.50	4,380	03/13/17	96746
3530	Res	PV	2.7	3.0	2.14	3,756	03/14/17	96705

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
3531	Res	PV	5.0	5.0	4.00	7,008	03/14/17	96766
3532	Com	PV	97.0	90.0	77.62	135,983	03/16/17	96714
3533	Res	PV	2.7	3.0	2.14	3,756	03/16/17	96752
3534	Res	PV	8.1	7.3	6.50	11,381	03/17/17	96756
3535	Res	PV	2.4	3.0	1.92	3,364	03/22/17	96703
3536	Res	PV	3.8	3.0	3.00	5,256	03/27/17	96746
3537	Res	PV	2.7	3.0	2.14	3,756	03/28/17	96756
3538	Res	PV	2.7	3.0	2.14	3,756	03/31/17	96766
3539	Res	PV	8.6	7.5	6.84	11,984	04/03/17	96705
3540	Res	PV	3.8	3.0	3.00	5,256	04/03/17	96716
3541	Res	PV	3.2	2.5	2.50	4,380	04/03/17	96796
3542	Res	PV	2.7	3.0	2.14	3,756	04/05/17	96752
3543	Res	PV	3.2	2.5	2.50	4,380	04/05/17	96766
3544	Res	PV	7.4	7.7	5.90	10,330	04/06/17	96714
3545	Res	PV	4.5	1.0	1.00	1,752	04/06/17	96756
3546	Res	PV	4.5	4.0	3.58	6,279	04/06/17	96756
3547	Com	PV	215.5	180.0	172.37	301,989	04/10/17	96705
3548	Com	PV	-215.5	-180.0	-172.37	-301,989	04/10/17	96705
3549	Com	PV	173.6	156.0	138.85	243,262	04/10/17	96796
3550	Com	PV	-173.6	-156.0	-138.85	-243,262	04/10/17	96796
3551	Res	PV	8.6	7.5	6.84	11,984	04/10/17	96756
3552	Res	PV	3.4	3.0	2.74	4,793	04/11/17	96746
3553	Res	PV	4.5	4.0	3.58	6,279	04/13/17	96756
3554	Res	PV	4.5	4.0	3.58	6,279	04/13/17	96756
3555	Res	PV	7.0	7.6	5.62	9,853	04/19/17	96714
3556	Res	PV	2.7	3.0	2.14	3,756	04/19/17	96705
3557	Com	PV	257.7	216.0	206.14	361,150	04/20/17	96746
3558	Com	PV	-257.7	-216.0	-206.14	-361,150	04/20/17	96746
3559	Com	PV	26.0	20.0	20.00	35,040	04/20/17	96722
3560	Com	PV	26.0	20.0	20.00	35,040	04/20/17	96722
3561	Com	PV	4.0	3.0	3.00	5,256	04/20/17	96722
3562	Res	PV	6.8	6.0	5.47	9,587	04/20/17	96766
3563	Res	PV	9.5	7.6	7.56	13,245	04/21/17	96756
3564	Res	PV	2.4	3.0	1.92	3,364	04/24/17	96746
3565	Res	PV	2.7	3.0	2.14	3,756	04/25/17	96703
3566	Res	PV	19.5	17.0	15.60	27,331	04/28/17	96756
3567	Res	PV	10.5	7.6	7.60	13,315	04/28/17	96766
3568	Res	PV	3.4	2.8	2.73	4,779	05/04/17	96716
3569	Res	PV	2.7	3.0	2.14	3,756	05/08/17	96752
3570	Res	PV	2.7	3.0	2.14	3,756	05/08/17	96705
3571	Res	PV	6.5	6.0	5.18	9,082	05/09/17	96746
3572	Res	PV	11.2	10.0	8.96	15,698	05/10/17	96756
3573	Com	PV	194.7	162.0	155.74	272,849	05/11/17	96756
3574	Com	PV	-194.7	-162.0	-155.74	-272,849	05/11/17	96756
3575	Com	PV	6.5	5.0	5.00	8,760	05/12/17	96722
3576	Com	PV	16.1	13.6	12.90	22,594	05/15/17	96722
3577	Res	PV	4.9	3.8	3.80	6,658	05/15/17	96756
3578	Res	PV	10.0	9.0	8.00	14,016	05/15/17	96756
3579	Res	PV	6.0	6.0	4.80	8,410	05/16/17	96765
3580	Res	PV	10.2	9.0	8.18	14,324	05/17/17	96766
3581	Res	PV	8.7	7.5	6.96	12,194	05/17/17	96746
3582	Res	PV	7.0	6.0	5.57	9,755	05/22/17	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
3583	Res	PV	7.5	7.6	6.00	10,512	05/23/17	96766
3584	Res	PV	5.4	6.0	4.32	7,569	05/23/17	96746
3585	Com	PV	16.2	11.4	11.40	19,973	05/24/17	96754
3586	Res	PV	11.7	10.0	9.36	16,399	05/24/17	96754
3587	Res	PV	6.7	7.6	5.36	9,391	05/25/17	96756
3588	Res	PV	4.2	4.0	3.33	5,831	05/25/17	96746
3589	Com	PV	9.0	7.7	7.20	12,614	05/26/17	96766
3590	Res	PV	6.7	7.6	5.36	9,391	05/31/17	96756
3591	Res	PV	2.4	2.2	1.92	3,364	06/01/17	96746
3592	Res	PV	3.5	2.8	2.75	4,818	06/02/17	96796
3593	Res	PV	6.6	6.0	5.30	9,293	06/02/17	96766
3594	Com	PV	7.0	7.6	5.63	9,867	06/05/17	96754
3595	Res	PV	3.4	3.0	2.68	4,695	06/06/17	96741
3596	Res	PV	8.1	7.0	6.50	11,381	06/07/17	96722
3597	Res	PV	3.2	2.5	2.50	4,380	06/07/17	96703
3598	Res	PV	11.0	10.0	8.78	15,390	06/08/17	96756
3599	Res	PV	3.0	2.8	2.38	4,163	06/09/17	96766
3600	Res	PV	2.3	2.3	1.87	3,280	06/09/17	96766
3601	Res	PV	3.2	2.5	2.50	4,380	06/13/17	96746
3602	Com	PV	26.0	20.0	20.00	35,040	06/14/17	96722
3603	Com	PV	8.7	10.0	6.97	12,208	06/14/17	96716
3604	Res	PV	4.0	3.8	3.22	5,634	06/14/17	96714
3605	Res	PV	2.7	3.0	2.14	3,756	06/15/17	96752
3606	Res	PV	2.7	3.0	2.14	3,756	06/15/17	96752
3607	Res	PV	5.0	4.0	4.00	7,008	06/19/17	96756
3608	Res	PV	4.1	3.5	3.25	5,690	06/19/17	96741
3609	Res	PV	3.5	3.0	2.78	4,878	06/19/17	96746
3610	Res	PV	2.6	2.5	2.08	3,644	06/22/17	96765
3611	Res	PV	2.7	3.0	2.14	3,756	06/22/17	96752
3612	Res	PV	2.7	3.0	2.14	3,756	06/22/17	96752
3613	Res	PV	2.7	3.0	2.14	3,756	06/23/17	96752
3614	Res	PV	2.7	3.0	2.14	3,756	06/23/17	96752
3615	Res	PV	12.5	9.9	9.89	17,327	06/27/17	96754
3616	Res	PV	4.1	3.5	3.25	5,690	06/30/17	96741
3617	Res	PV	2.0	2.0	1.63	2,859	07/03/17	96796
3618	Res	PV	3.5	2.8	2.75	4,818	07/03/17	96746
3619	Res	PV	3.2	2.5	2.50	4,380	07/03/17	96746
3620	Res	PV	3.5	2.8	2.75	4,818	07/07/17	96746
3621	Res	PV	2.7	3.0	2.14	3,756	07/11/17	96752
3622	Res	PV	3.7	3.8	2.94	5,158	07/18/17	96754
3623	Res	PV	8.1	7.8	6.50	11,381	07/18/17	96703
3624	Com	PV	109.1	100.0	87.30	152,943	07/21/17	96766
3625	Res	PV	8.2	6.5	6.50	11,388	07/21/17	96722
3626	Res	PV	3.2	3.5	2.58	4,513	07/24/17	96746
3627	Res	PV	3.0	3.0	2.41	4,219	07/24/17	96746
3628	Res	PV	3.0	3.0	2.40	4,205	07/25/17	96741
3629	Com	PV	23.2	20.0	18.56	32,517	07/27/17	96746
3630	Res	PV	7.3	8.0	5.86	10,260	07/27/17	96756
3631	Res	PV	2.9	2.5	2.32	4,065	07/28/17	96746
3632	Res	PV	7.0	6.0	5.57	9,755	07/28/17	96746
3633	Res	PV	3.0	3.8	2.38	4,163	07/31/17	96765
3634	Res	PV	9.7	10.0	7.73	13,539	08/01/17	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
3635	Res	PV	4.5	5.0	3.58	6,279	08/02/17	96756
3636	Res	PV	9.8	8.6	7.81	13,680	08/03/17	96756
3637	Res	PV	5.8	5.0	4.64	8,129	08/03/17	96746
3638	Res	PV	7.6	6.0	6.00	10,512	08/03/17	96756
3639	Res	PV	2.7	3.0	2.14	3,756	08/07/17	96705
3640	Res	PV	2.7	3.0	2.14	3,756	08/07/17	96705
3641	Res	PV	3.5	3.0	2.78	4,878	08/08/17	96746
3642	Res	PV	2.8	2.5	2.24	3,924	08/08/17	96756
3643	Res	PV	4.6	4.0	3.71	6,503	08/08/17	96746
3644	Res	PV	6.3	5.0	5.00	8,760	08/11/17	96756
3645	Com	PV	3.2	2.5	2.50	4,380	08/16/17	96746
3646	Com	PV	55.8	43.2	43.20	75,686	08/17/17	96766
3647	Res	PV	5.9	6.0	4.69	8,213	08/17/17	96754
3648	Res	PV	4.4	3.5	3.50	6,132	08/17/17	96746
3649	Res	PV	2.7	3.0	2.14	3,756	08/17/17	96714
3650	Res	PV	2.9	2.5	2.32	4,065	08/21/17	96741
3651	Res	PV	4.6	4.0	3.71	6,503	08/21/17	96746
3652	Res	PV	5.9	6.0	4.69	8,213	08/21/17	96754
3653	Res	PV	7.0	11.0	5.57	9,755	08/24/17	96756
3654	Res	PV	4.4	3.8	3.48	6,097	08/24/17	96741
3655	Res	PV	2.7	3.0	2.14	3,756	08/24/17	96766
3656	Res	PV	6.0	4.8	4.75	8,322	08/24/17	96746
3657	Res	PV	2.8	2.2	2.15	3,767	08/28/17	96746
3658	Com	PV	219.6	168.0	168.00	294,336	08/29/17	96766
3659	Com	PV	-219.6	-168.0	-168.00	-294,336	08/29/17	96766
3660	Res	PV	6.6	5.3	5.25	9,198	08/29/17	96766
3661	Res	PV	6.7	7.6	5.38	9,419	08/29/17	96766
3662	Res	PV	6.2	5.0	4.97	8,704	08/31/17	96752
3663	Res	PV	5.3	5.0	4.26	7,457	08/31/17	96746
3664	Res	PV	7.0	6.0	5.57	9,755	09/01/17	96746
3665	Res	PV	3.8	3.3	3.02	5,284	09/06/17	96765
3666	Res	PV	3.6	3.0	2.88	5,046	09/07/17	96752
3667	Res	PV	6.6	5.3	5.25	9,198	09/12/17	96746
3668	Res	PV	7.0	6.0	5.57	9,755	09/13/17	96766
3669	Res	PV	4.8	4.0	3.84	6,728	09/15/17	96746
3670	Res	PV	3.0	2.5	2.40	4,205	09/18/17	96705
3671	Res	PV	2.7	3.0	2.14	3,756	09/18/17	96705
3672	Res	PV	5.4	5.0	4.29	7,513	09/18/17	96752
3673	Res	PV	3.6	3.0	2.88	5,046	09/18/17	96756
3674	Res	PV	7.2	6.0	5.76	10,092	09/18/17	96741
3675	Com	PV	7.2	6.0	5.76	10,092	09/19/17	96746
3676	Res	PV	3.2	2.5	2.50	4,380	09/19/17	96746
3677	Res	PV	4.3	2.1	2.08	3,644	09/21/17	96722
3678	Res	PV	4.3	2.1	2.08	3,644	09/21/17	96722
3679	Res	PV	4.3	2.1	2.08	3,644	09/21/17	96722
3680	Res	PV	4.0	2.1	2.08	3,644	09/21/17	96722
3681	Res	PV	4.0	2.1	2.08	3,644	09/21/17	96722
3682	Res	PV	4.0	2.1	2.08	3,644	09/21/17	96722
3683	Res	PV	4.3	2.1	2.08	3,644	09/21/17	96722
3684	Res	PV	5.3	2.1	2.08	3,644	09/21/17	96722
3685	Res	PV	4.3	2.1	2.08	3,644	09/21/17	96722
3686	Res	PV	5.3	2.1	2.08	3,644	09/21/17	96722

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
3687	Res	PV	4.3	2.1	2.08	3,644	09/21/17	96722
3688	Res	PV	4.3	2.1	2.08	3,644	09/21/17	96722
3689	Res	PV	4.0	2.1	2.08	3,644	09/21/17	96722
3690	Res	PV	4.0	2.1	2.08	3,644	09/21/17	96722
3691	Res	PV	4.3	2.1	2.08	3,644	09/21/17	96722
3692	Res	PV	4.3	2.1	2.08	3,644	09/21/17	96722
3693	Res	PV	4.3	2.1	2.08	3,644	09/21/17	96722
3694	Res	PV	4.3	2.1	2.08	3,644	09/21/17	96722
3695	Res	PV	4.3	2.1	2.08	3,644	09/21/17	96722
3696	Res	PV	4.0	2.1	2.08	3,644	09/21/17	96722
3697	Res	PV	4.3	2.1	2.08	3,644	09/21/17	96722
3698	Res	PV	4.0	2.1	2.08	3,644	09/21/17	96722
3699	Res	PV	4.3	2.1	2.08	3,644	09/21/17	96722
3700	Res	PV	4.3	2.1	2.08	3,644	09/21/17	96722
3701	Res	PV	5.3	2.1	2.08	3,644	09/21/17	96722
3702	Res	PV	5.3	2.1	2.08	3,644	09/21/17	96722
3703	Res	PV	4.0	2.1	2.08	3,644	09/21/17	96722
3704	Res	PV	4.0	2.1	2.08	3,644	09/21/17	96722
3705	Res	PV	3.2	2.5	2.50	4,380	09/22/17	96746
3706	Res	PV	3.4	3.0	2.69	4,709	09/22/17	96716
3707	Res	PV	2.7	3.0	2.14	3,756	09/25/17	96703
3708	Res	PV	5.3	2.1	2.08	3,644	09/25/17	96722
3709	Res	PV	5.3	2.1	2.08	3,644	09/25/17	96722
3710	Res	PV	4.3	2.1	2.08	3,644	09/25/17	96722
3711	Res	PV	4.0	2.1	2.08	3,644	09/25/17	96722
3712	Res	PV	4.3	2.1	2.08	3,644	09/25/17	96722
3713	Res	PV	4.3	2.8	2.84	4,976	09/25/17	96722
3714	Res	PV	4.3	2.1	2.08	3,644	09/25/17	96722
3715	Res	PV	4.3	2.1	2.08	3,644	09/25/17	96722
3716	Res	PV	4.0	2.1	2.08	3,644	09/25/17	96722
3717	Res	PV	4.0	2.1	2.08	3,644	09/25/17	96722
3718	Res	PV	3.6	3.0	2.88	5,046	09/25/17	96705
3719	Res	PV	4.0	2.1	2.08	3,644	09/25/17	96722
3720	Res	PV	4.3	2.1	2.08	3,644	09/25/17	96722
3721	Res	PV	4.3	2.1	2.08	3,644	09/25/17	96722
3722	Res	PV	4.3	2.1	2.08	3,644	09/25/17	96722
3723	Res	PV	5.3	2.1	2.08	3,644	09/25/17	96722
3724	Res	PV	4.3	2.1	2.08	3,644	09/25/17	96722
3725	Res	PV	5.3	2.1	2.08	3,644	09/25/17	96722
3726	Res	PV	4.3	2.1	2.08	3,644	09/25/17	96722
3727	Res	PV	4.3	2.1	2.08	3,644	09/25/17	96722
3728	Res	PV	4.3	2.1	2.08	3,644	09/25/17	96722
3729	Res	PV	4.3	2.1	2.08	3,644	09/25/17	96722
3730	Res	PV	4.3	2.1	2.08	3,644	09/25/17	96722
3731	Res	PV	4.3	2.1	2.08	3,644	09/25/17	96722
3732	Res	PV	4.3	2.1	2.08	3,644	09/26/17	96722
3733	Res	PV	4.3	2.1	2.08	3,644	09/26/17	96722
3734	Res	PV	4.3	2.1	2.08	3,644	09/26/17	96722
3735	Res	PV	4.0	2.1	2.08	3,644	09/26/17	96722
3736	Res	PV	4.0	2.1	2.08	3,644	09/26/17	96722
3737	Res	PV	4.3	2.1	2.08	3,644	09/26/17	96722
3738	Res	PV	4.3	2.1	2.08	3,644	09/26/17	96722

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
3739	Res	PV	4.3	2.1	2.08	3,644	09/26/17	96722
3740	Res	PV	4.3	2.1	2.08	3,644	09/26/17	96722
3741	Res	PV	4.3	2.1	2.08	3,644	09/26/17	96722
3742	Res	PV	4.0	2.1	2.08	3,644	09/26/17	96722
3743	Res	PV	4.3	2.1	2.08	3,644	09/26/17	96722
3744	Res	PV	4.3	2.1	2.08	3,644	09/26/17	96722
3745	Res	PV	4.3	2.1	2.08	3,644	09/26/17	96722
3746	Res	PV	4.0	2.1	2.08	3,644	09/26/17	96722
3747	Res	PV	4.3	2.1	2.08	3,644	09/26/17	96722
3748	Res	PV	4.0	2.1	2.08	3,644	09/26/17	96722
3749	Res	PV	4.3	2.1	2.08	3,644	09/26/17	96722
3750	Res	PV	4.3	2.1	2.08	3,644	09/26/17	96722
3751	Res	PV	4.0	2.1	2.08	3,644	09/26/17	96722
3752	Res	PV	4.3	2.1	2.08	3,644	09/28/17	96722
3753	Res	PV	4.3	2.1	2.08	3,644	09/28/17	96722
3754	Res	PV	4.3	2.1	2.08	3,644	09/28/17	96722
3755	Res	PV	4.3	2.1	2.08	3,644	09/28/17	96722
3756	Res	PV	4.3	2.1	2.08	3,644	09/28/17	96722
3757	Res	PV	4.3	2.1	2.08	3,644	09/28/17	96722
3758	Res	PV	4.0	2.1	2.08	3,644	09/28/17	96722
3759	Res	PV	4.0	2.1	2.08	3,644	09/28/17	96722
3760	Res	PV	2.7	3.0	2.14	3,756	09/29/17	96716
3761	Res	PV	2.7	3.0	2.14	3,756	09/29/17	96705
3762	Res	PV	4.3	2.1	2.08	3,644	10/03/17	96722
3763	Res	PV	4.3	2.1	2.08	3,644	10/03/17	96722
3764	Res	PV	4.3	2.1	2.08	3,644	10/03/17	96722
3765	Res	PV	4.3	2.1	2.08	3,644	10/03/17	96722
3766	Res	PV	4.3	2.1	2.08	3,644	10/03/17	96722
3767	Res	PV	4.0	2.1	2.08	3,644	10/03/17	96722
3768	Res	PV	4.0	2.1	2.08	3,644	10/03/17	96722
3769	Res	PV	4.3	2.1	2.08	3,644	10/03/17	96722
3770	Res	PV	4.3	2.1	2.08	3,644	10/03/17	96722
3771	Res	PV	4.3	2.1	2.08	3,644	10/03/17	96722
3772	Res	PV	4.0	2.1	2.08	3,644	10/03/17	96722
3773	Res	PV	4.3	2.1	2.08	3,644	10/03/17	96722
3774	Res	PV	4.3	2.1	2.08	3,644	10/03/17	96722
3775	Res	PV	4.0	2.1	2.08	3,644	10/03/17	96722
3776	Res	PV	4.3	2.1	2.08	3,644	10/03/17	96722
3777	Res	PV	4.0	2.1	2.08	3,644	10/03/17	96722
3778	Res	PV	4.3	2.1	2.08	3,644	10/03/17	96722
3779	Res	PV	4.3	2.1	2.08	3,644	10/03/17	96722
3780	Res	PV	9.3	7.3	7.33	12,842	10/03/17	96756
3781	Res	PV	2.7	3.0	2.14	3,756	10/04/17	96705
3782	Res	PV	2.7	3.0	2.14	3,756	10/04/17	96752
3783	Res	PV	8.0	7.6	6.43	11,269	10/04/17	96716
3784	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3785	Res	PV	4.0	2.1	2.08	3,644	10/04/17	96722
3786	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3787	Res	PV	4.0	2.1	2.08	3,644	10/04/17	96722
3788	Res	PV	4.0	2.1	2.08	3,644	10/04/17	96722
3789	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3790	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
3791	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3792	Res	PV	4.0	2.1	2.08	3,644	10/04/17	96722
3793	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3794	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3795	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3796	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3797	Res	PV	4.0	2.1	2.08	3,644	10/04/17	96722
3798	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3799	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3800	Res	PV	4.0	2.1	2.08	3,644	10/04/17	96722
3801	Res	PV	4.0	2.1	2.08	3,644	10/04/17	96722
3802	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3803	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3804	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3805	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3806	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3807	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3808	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3809	Res	PV	4.0	2.1	2.08	3,644	10/04/17	96722
3810	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3811	Res	PV	3.9	2.1	2.08	3,644	10/04/17	96722
3812	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3813	Res	PV	4.0	2.1	2.08	3,644	10/04/17	96722
3814	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3815	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3816	Res	PV	4.0	2.1	2.08	3,644	10/04/17	96722
3817	Res	PV	4.0	2.1	2.08	3,644	10/04/17	96722
3818	Res	PV	4.0	2.1	2.08	3,644	10/04/17	96722
3819	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3820	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3821	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3822	Res	PV	4.0	2.1	2.08	3,644	10/04/17	96722
3823	Res	PV	4.0	2.1	2.08	3,644	10/04/17	96722
3824	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3825	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3826	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3827	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3828	Res	PV	4.0	2.1	2.08	3,644	10/04/17	96722
3829	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3830	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3831	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3832	Res	PV	4.0	2.1	2.08	3,644	10/04/17	96722
3833	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3834	Res	PV	4.0	2.1	2.08	3,644	10/04/17	96722
3835	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3836	Res	PV	4.0	2.1	2.08	3,644	10/04/17	96722
3837	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3838	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3839	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3840	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3841	Res	PV	4.0	2.1	2.08	3,644	10/04/17	96722
3842	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
3843	Res	PV	4.3	2.1	2.08	3,644	10/04/17	96722
3844	Res	PV	5.4	5.0	4.32	7,569	10/05/17	96756
3845	Res	PV	4.3	2.1	2.08	3,644	10/05/17	96722
3846	Res	PV	4.0	2.1	2.08	3,644	10/05/17	96722
3847	Res	PV	4.3	2.1	2.08	3,644	10/05/17	96722
3848	Res	PV	3.1	2.5	2.44	4,275	10/06/17	96766
3849	Res	PV	3.2	2.5	2.50	4,380	10/06/17	96796
3850	Res	PV	8.1	7.0	6.50	11,381	10/11/17	96746
3851	Res	PV	8.1	7.0	6.50	11,381	10/11/17	96746
3852	Res	PV	9.1	10.0	7.30	12,783	10/11/17	96746
3853	Res	PV	4.3	2.1	2.08	3,644	10/11/17	96722
3854	Res	PV	4.3	2.1	2.08	3,644	10/11/17	96722
3855	Res	PV	4.3	2.1	2.08	3,644	10/11/17	96722
3856	Res	PV	4.3	2.1	2.08	3,644	10/11/17	96722
3857	Res	PV	3.7	3.0	2.93	5,130	10/16/17	96766
3858	Res	PV	5.4	6.0	4.29	7,513	10/16/17	96716
3859	Res	PV	3.5	2.8	2.75	4,818	10/17/17	96722
3860	Res	PV	5.7	5.0	4.56	7,989	10/17/17	96746
3861	Res	PV	8.1	6.8	6.50	11,381	10/17/17	96746
3862	Res	PV	5.1	5.0	4.10	7,190	10/17/17	96746
3863	Res	PV	4.3	2.1	2.08	3,644	10/20/17	96722
3864	Res	PV	4.3	2.1	2.08	3,644	10/20/17	96722
3865	Res	PV	4.3	2.1	2.08	3,644	10/20/17	96722
3866	Res	PV	4.3	2.1	2.08	3,644	10/20/17	96722
3867	Res	PV	4.3	2.1	2.08	3,644	10/20/17	96722
3868	Res	PV	4.0	2.1	2.08	3,644	10/20/17	96722
3869	Res	PV	4.3	2.1	2.08	3,644	10/20/17	96722
3870	Res	PV	4.0	2.1	2.08	3,644	10/20/17	96722
3871	Res	PV	4.0	2.1	2.08	3,644	10/20/17	96722
3872	Res	PV	4.0	2.1	2.08	3,644	10/20/17	96722
3873	Res	PV	4.3	2.1	2.08	3,644	10/20/17	96722
3874	Res	PV	4.3	2.1	2.08	3,644	10/20/17	96722
3875	Res	PV	4.0	2.1	2.08	3,644	10/20/17	96722
3876	Res	PV	4.0	2.1	2.08	3,644	10/20/17	96722
3877	Res	PV	4.3	2.1	2.08	3,644	10/20/17	96722
3878	Res	PV	4.3	2.1	2.08	3,644	10/20/17	96722
3879	Res	PV	4.3	2.1	2.08	3,644	10/20/17	96722
3880	Res	PV	4.3	2.1	2.08	3,644	10/20/17	96722
3881	Res	PV	4.3	2.1	2.08	3,644	10/20/17	96722
3882	Res	PV	4.0	2.1	2.08	3,644	10/20/17	96722
3883	Res	PV	3.4	2.1	2.08	3,644	10/20/17	96722
3884	Res	PV	4.3	2.1	2.08	3,644	10/20/17	96722
3885	Res	PV	4.0	2.1	2.08	3,644	10/20/17	96722
3886	Res	PV	4.3	2.1	2.08	3,644	10/20/17	96722
3887	Res	PV	4.3	2.1	2.08	3,644	10/20/17	96722
3888	Res	PV	4.3	2.1	2.08	3,644	10/20/17	96722
3889	Res	PV	4.3	2.1	2.08	3,644	10/20/17	96722
3890	Res	PV	4.3	2.1	2.08	3,644	10/20/17	96722
3891	Res	PV	4.3	2.1	2.08	3,644	10/20/17	96722
3892	Res	PV	4.3	2.1	2.08	3,644	10/20/17	96722
3893	Res	PV	7.2	7.7	5.76	10,092	10/23/17	96741
3894	Res	PV	3.2	2.5	2.50	4,380	10/24/17	96741

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
3895	Res	PV	2.7	3.0	2.14	3,756	10/25/17	96752
3896	Res	PV	3.2	3.0	2.54	4,457	10/25/17	96756
3897	Res	PV	4.0	8.8	3.22	5,634	10/25/17	96703
3898	Res	PV	8.0	7.6	6.43	11,269	10/27/17	96746
3899	Res	PV	4.7	5.0	3.75	6,574	10/27/17	96714
3900	Res	PV	4.3	2.1	2.08	3,644	10/27/17	96722
3901	Res	PV	4.0	2.1	2.08	3,644	10/27/17	96722
3902	Res	PV	4.3	2.1	2.08	3,644	10/27/17	96722
3903	Res	PV	2.7	3.0	2.14	3,756	10/30/17	96746
3904	Res	PV	7.2	6.0	5.76	10,092	10/31/17	96741
3905	Res	PV	10.4	9.0	8.35	14,633	11/03/17	96756
3906	Res	PV	2.4	2.0	1.92	3,364	11/06/17	96754
3907	Res	PV	3.5	3.8	2.76	4,836	11/07/17	96714
3908	Res	PV	4.8	10.0	3.86	6,770	11/07/17	96722
3909	Res	PV	7.7	7.6	6.16	10,792	11/09/17	96766
3910	Res	PV	4.9	4.0	3.90	6,840	11/14/17	96741
3911	Res	PV	3.2	2.5	2.50	4,380	11/15/17	96754
3912	Res	PV	2.8	2.5	2.24	3,924	11/21/17	96746
3913	Res	PV	9.0	7.5	7.20	12,614	11/21/17	96741
3914	Res	PV	2.8	2.5	2.24	3,924	11/21/17	96746
3915	Com	PV	60.5	50.0	48.38	84,769	11/22/17	96746
3916	Res	PV	4.8	5.0	3.87	6,784	11/24/17	96746
3917	Res	PV	3.2	2.5	2.50	4,380	11/27/17	96722
3918	Res	PV	3.7	3.0	2.93	5,130	11/28/17	96741
3919	Res	PV	2.7	3.0	2.14	3,756	11/29/17	96752
3920	Res	PV	8.8	10.0	7.06	12,376	11/30/17	96765
3921	Res	PV	6.0	5.0	4.78	8,382	11/30/17	96765
3922	Res	PV	9.0	8.8	7.18	12,572	12/04/17	96741
3923	Res	PV	5.2	4.5	4.14	7,260	12/04/17	96741
3924	Res	PV	4.2	4.1	3.36	5,887	12/05/17	96766
3925	Res	PV	3.4	2.8	2.68	4,695	12/05/17	96766
3926	Res	WIND	2.4	2.4	1.92	3,364	12/06/17	96756
3927	Res	PV	4.4	3.8	3.48	6,097	12/06/17	96756
3928	Res	PV	2.7	3.0	2.14	3,756	12/06/17	96752
3929	Res	PV	3.2	2.5	2.50	4,380	12/08/17	96741
3930	Res	PV	11.3	9.7	9.07	15,894	12/11/17	96756
3931	Res	PV	4.3	3.5	3.42	5,985	12/11/17	96741
3932	Res	PV	2.5	2.0	2.00	3,504	12/13/17	96746
3933	Res	PV	5.5	5.0	4.37	7,653	12/14/17	96756
3934	Res	PV	4.7	4.0	3.74	6,559	12/14/17	96756
3935	Res	PV	5.1	3.8	3.80	6,658	12/14/17	96746
3936	Res	PV	8.6	10.0	6.91	12,110	12/14/17	96746
3937	Res	PV	12.0	11.6	9.60	16,819	12/14/17	96746
3938	Res	PV	7.0	6.0	5.57	9,755	12/14/17	96746
3939	Res	PV	3.0	2.9	2.40	4,205	12/14/17	96746
3940	Res	PV	10.8	9.0	8.64	15,137	12/15/17	96741
3941	Res	PV	10.8	9.0	8.64	15,137	12/15/17	96756
3942	Res	PV	3.6	3.5	2.88	5,046	12/15/17	96766
3943	Res	PV	9.0	8.7	7.20	12,614	12/15/17	96741
3944	Res	PV	4.0	3.8	3.22	5,634	12/15/17	96705
3945	Res	PV	3.2	2.5	2.50	4,380	12/15/17	96756
3946	Res	PV	3.1	3.8	2.48	4,345	12/18/17	96722

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
3947	Res	PV	7.6	7.6	6.07	10,638	12/18/17	96746
3948	Res	PV	3.0	2.5	2.40	4,205	12/19/17	96756
3949	Res	PV	3.2	2.5	2.50	4,380	12/19/17	96703
3950	Com	PV	15.1	13.5	12.10	21,192	12/20/17	96752
3951	Res	PV	6.8	6.0	5.47	9,587	12/20/17	96746
3952	Res	PV	3.1	2.8	2.45	4,289	12/22/17	96746
3953	Res	PV	6.6	5.3	5.25	9,198	12/26/17	96722
3954	Res	PV	14.0	11.6	11.20	19,622	12/26/17	96756
3955	Res	PV	2.7	3.0	2.14	3,756	12/28/17	96766
3956	Res	PV	4.5	5.0	3.58	6,279	12/28/17	96746
3957	Res	PV	9.0	8.7	7.20	12,614	12/28/17	96746
3958	Res	PV	2.7	3.0	2.14	3,756	12/28/17	96754
3959	Res	PV	2.7	3.0	2.14	3,756	12/28/17	96754
3960	Res	PV	4.8	4.6	3.84	6,728	12/28/17	96766
3961	Res	PV	4.2	4.0	3.36	5,887	12/29/17	96765
3962	Res	PV	3.2	2.5	2.50	4,380	12/29/17	96746
3963	Res	PV	3.6	8.0	2.88	5,046	01/02/18	96766
3964	Res	PV	4.8	5.0	3.86	6,770	01/04/18	96756
3965	Res	PV	7.0	7.6	5.62	9,853	01/04/18	96746
3966	Com	PV	6.8	6.0	5.47	9,587	01/08/18	96766
3967	Res	PV	3.4	2.8	2.68	4,695	01/08/18	96746
3968	Res	PV	1.8	1.7	1.44	2,523	01/08/18	96746
3969	Res	PV	10.8	10.4	8.64	15,137	01/08/18	96722
3970	Res	PV	3.1	2.5	2.44	4,275	01/08/18	96741
3971	Res	PV	5.4	10.0	4.29	7,513	01/08/18	96756
3972	Res	PV	2.8	8.0	2.21	3,868	01/08/18	96756
3973	Res	PV	3.6	3.5	2.88	5,046	01/08/18	96752
3974	Res	PV	3.4	5.0	2.68	4,695	01/09/18	96754
3975	Res	PV	8.3	7.6	6.62	11,605	01/09/18	96766
3976	Res	PV	7.2	7.0	5.76	10,092	01/09/18	96756
3977	Res	PV	14.6	13.0	11.65	20,407	01/09/18	96756
3978	Res	PV	5.4	9.5	4.32	7,569	01/10/18	96746
3979	Res	PV	2.7	3.0	2.14	3,756	01/10/18	96714
3980	Res	PV	5.7	5.0	4.56	7,989	01/12/18	96756
3981	Res	PV	4.5	5.0	3.58	6,279	01/15/18	96746
3982	Res	PV	2.3	2.3	1.86	3,252	01/16/18	96741
3983	Res	PV	6.9	6.0	5.49	9,615	01/16/18	96752
3984	Res	PV	3.9	3.5	3.14	5,494	01/16/18	96756
3985	Res	PV	4.0	3.5	3.19	5,592	01/16/18	96756
3986	Res	PV	3.0	2.9	2.40	4,205	01/16/18	96754
3987	Res	PV	3.4	4.0	2.74	4,807	01/16/18	96766
3988	Res	PV	6.6	6.4	5.28	9,251	01/16/18	96754
3989	Res	PV	3.7	3.8	2.96	5,186	01/17/18	96741
3990	Res	PV	9.0	7.7	7.17	12,558	01/23/18	96756
3991	Res	PV	5.6	5.0	4.48	7,849	01/23/18	96766
3992	Res	PV	3.6	8.5	2.88	5,046	01/25/18	96766
3993	Res	PV	2.7	3.0	2.14	3,756	01/25/18	96746
3994	Res	PV	5.9	6.0	4.69	8,213	01/30/18	96714
3995	Res	PV	9.0	8.7	7.20	12,614	02/01/18	96756
3996	Res	PV	7.8	7.6	6.27	10,989	02/01/18	96756
3997	Res	PV	8.3	7.6	6.62	11,605	02/05/18	96766
3998	Res	PV	11.9	10.0	9.54	16,707	02/05/18	96756

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
3999	Res	PV	3.0	2.9	2.40	4,205	02/07/18	96746
4000	Res	PV	10.8	10.0	8.64	15,137	02/07/18	96754
4001	Res	PV	4.8	4.0	3.84	6,728	02/09/18	96766
4002	Com	PV	76.9	61.2	61.20	107,222	02/13/18	96722
4003	Com	PV	33.5	27.0	26.78	46,926	02/13/18	96722
4004	Res	PV	4.0	3.8	3.22	5,634	02/14/18	96716
4005	Res	PV	3.5	8.8	2.76	4,836	02/14/18	96766
4006	Res	PV	2.4	2.3	1.92	3,364	02/14/18	96716
4007	Res	PV	8.3	7.6	6.62	11,605	02/20/18	96796
4008	Res	PV	5.2	5.0	4.14	7,246	02/21/18	96766
4009	Res	PV	4.7	10.0	3.75	6,574	02/26/18	96756
4010	Res	PV	2.8	2.5	2.24	3,924	02/26/18	96756
4011	Res	PV	7.2	7.0	5.76	10,092	03/01/18	96766
4012	Com	PV	9.8	9.3	7.81	13,680	03/06/18	96741
4013	Com	PV	27.7	24.0	22.18	38,852	03/07/18	96752
4014	Com	PV	12.9	10.0	10.00	17,520	03/08/18	96765
4015	Com	PV	120.0	100.0	96.00	168,192	03/08/18	96766
4016	Res	PV	2.7	3.0	2.14	3,756	03/08/18	96756
4017	Res	PV	8.3	10.0	6.62	11,605	03/12/18	96746
4018	Res	PV	10.8	10.4	8.64	15,137	03/14/18	96756
4019	Res	PV	6.1	5.0	4.88	8,550	03/14/18	96756
4020	Res	PV	5.6	4.8	4.51	7,905	03/14/18	96746
4021	Res	PV	2.7	3.0	2.14	3,756	03/23/18	96752
4022	Res	PV	3.4	3.0	2.68	4,695	03/23/18	96752
4023	Res	PV	5.4	5.0	4.29	7,513	03/23/18	96752
4024	Res	PV	15.7	25.2	12.59	22,061	03/23/18	96756
4025	Res	PV	4.4	3.8	3.53	6,181	03/23/18	96741
4026	Res	PV	4.4	4.0	3.53	6,181	03/26/18	96765
4027	Res	PV	2.4	2.5	1.92	3,364	03/26/18	96746
4028	Res	PV	2.7	3.0	2.14	3,756	03/27/18	96703
4029	Res	PV	4.6	4.0	3.65	6,391	03/27/18	96746
4030	Res	PV	4.0	3.8	3.22	5,634	03/27/18	96746
4031	Res	PV	2.7	3.0	2.14	3,756	03/27/18	96746
4032	Res	PV	4.3	2.1	2.08	3,644	04/04/18	96722
4033	Com	PV	10.2	10.0	8.16	14,296	04/10/18	96756
4034	Res	PV	7.2	7.0	5.76	10,092	04/10/18	96746
4035	Res	PV	6.3	6.0	5.02	8,788	04/13/18	96756
4036	Res	PV	3.5	5.0	2.76	4,836	04/13/18	96714
4037	Res	PV	2.8	3.8	2.20	3,854	04/19/18	96741
4038	Res	PV	5.4	5.0	4.29	7,513	04/19/18	96752
4039	Res	PV	3.6	3.5	2.88	5,046	04/30/18	96756
4040	Res	PV	14.0	12.5	11.20	19,622	04/30/18	96741
4041	Res	PV	2.4	2.3	1.92	3,364	05/01/18	96754
4042	Res	PV	15.2	15.2	12.14	21,276	05/01/18	96714
4043	Res	PV	5.1	3.9	3.85	6,745	05/02/18	96765
4044	Res	PV	4.8	4.6	3.84	6,728	05/04/18	96722
4045	Res	PV	7.3	6.0	5.82	10,204	05/04/18	96754
4046	Res	PV	0.0	13.5	0.00	0	05/07/18	96756
4047	Res	PV	15.0	14.5	12.00	21,024	05/07/18	96766
4048	Com	PV	24.6	20.0	19.66	34,437	05/14/18	96756
4049	Res	PV	4.3	10.0	3.46	6,055	05/15/18	96722
4050	Res	PV	7.2	7.0	5.76	10,092	05/24/18	96741

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
4051	Res	PV	3.0	2.4	2.40	4,205	05/30/18	96746
4052	Res	PV	2.7	3.0	2.14	3,756	05/31/18	96703
4053	Res	PV	2.7	3.0	2.14	3,756	06/06/18	96766
4054	Res	PV	5.3	4.4	4.20	7,358	06/08/18	96756
4055	Res	PV	1.2	1.2	0.96	1,682	06/08/18	96766
4056	Res	PV	2.7	2.3	2.16	3,784	06/12/18	96741
4057	Res	PV	6.0	6.0	4.80	8,410	06/12/18	96765
4058	Res	PV	4.3	10.0	3.46	6,055	06/28/18	96746
4059	Res	PV	3.9	7.6	3.12	5,466	06/28/18	96754
4060	Res	PV	6.0	5.8	4.80	8,410	06/28/18	96714
4061	Res	PV	7.4	7.6	5.90	10,330	06/29/18	96714
4062	Res	PV	5.5	10.0	4.42	7,737	06/29/18	96714
4063	Res	PV	2.4	2.3	1.92	3,364	06/29/18	96714
4064	Res	PV	3.5	8.8	2.76	4,836	06/29/18	96722
4065	Com	PV	24.5	21.0	19.58	34,311	07/03/18	96746
4066	Res	PV	3.4	3.0	2.69	4,709	07/05/18	96715
4067	Res	PV	10.0	9.2	8.00	14,016	07/09/18	96741
4068	Res	PV	4.8	7.6	3.87	6,784	07/09/18	96752
4069	Res	PV	4.8	4.6	3.84	6,728	07/10/18	96746
4070	Res	PV	1.8	1.7	1.44	2,523	07/11/18	96754
4071	Res	PV	3.6	3.5	2.88	5,046	07/12/18	96766
4072	Res	PV	7.2	6.8	5.76	10,092	07/17/18	96746
4073	Res	PV	2.7	3.0	2.14	3,756	07/17/18	96703
4074	Res	PV	3.6	3.5	2.88	5,046	07/19/18	96746
4075	Res	PV	2.7	3.0	2.14	3,756	07/19/18	96705
4076	Res	PV	7.2	7.0	5.76	10,092	07/20/18	96766
4077	Res	PV	7.2	7.0	5.76	10,092	07/20/18	96766
4078	Res	PV	7.2	7.0	5.76	10,092	07/31/18	96703
4079	Res	PV	6.6	6.1	5.29	9,265	07/31/18	96756
4080	Res	PV	2.8	3.8	2.20	3,854	07/31/18	96796
4081	Res	PV	6.0	5.8	4.80	8,410	08/02/18	96756
4082	Res	PV	3.6	3.5	2.88	5,046	08/02/18	96746
4083	Res	PV	7.8	7.5	6.24	10,932	08/03/18	96746
4084	Res	PV	4.8	4.6	3.84	6,728	08/07/18	96746
4085	Res	PV	3.4	3.0	2.68	4,695	08/07/18	96741
4086	Res	PV	4.0	4.0	3.20	5,606	08/08/18	96756
4087	Res	PV	7.2	7.0	5.76	10,092	08/13/18	96746
4088	Res	PV	7.2	7.0	5.76	10,092	08/13/18	96716
4089	Res	PV	8.7	7.7	6.96	12,194	08/15/18	96722
4090	Res	PV	2.7	3.0	2.14	3,756	08/15/18	96746
4091	Res	PV	4.4	3.8	3.48	6,097	08/23/18	96752
4092	Res	PV	4.9	4.0	3.92	6,868	08/27/18	96746
4093	Res	PV	5.4	5.0	4.32	7,569	08/27/18	96746
4094	Res	PV	5.4	5.0	4.32	7,569	08/27/18	96746
4095	Res	PV	6.0	5.8	4.80	8,410	08/28/18	96741
4096	Res	PV	6.1	5.8	4.88	8,550	08/29/18	96766
4097	Res	PV	10.8	7.7	7.70	13,490	08/30/18	96756
4098	Res	PV	7.2	7.0	5.76	10,092	08/31/18	96766
4099	Res	PV	9.0	7.6	7.20	12,614	08/31/18	96766
4100	Res	PV	2.7	3.0	2.14	3,756	09/05/18	96746
4101	Res	PV	4.8	7.6	3.84	6,728	09/06/18	96752
4102	Res	PV	5.0	4.2	4.00	7,008	09/11/18	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
4103	Res	PV	4.6	4.0	3.71	6,503	09/13/18	96756
4104	Com	PV	27.0	26.6	21.60	37,843	09/18/18	96746
4105	Res	PV	9.6	8.7	7.68	13,455	09/18/18	96754
4106	Res	PV	6.9	7.6	5.52	9,671	09/18/18	96722
4107	Res	PV	3.6	8.8	2.88	5,046	09/18/18	96703
4108	Res	PV	8.7	8.9	6.99	12,250	09/19/18	96746
4109	Res	PV	3.6	8.5	2.88	5,046	09/19/18	96766
4110	Res	PV	5.0	6.0	4.03	7,064	09/19/18	96752
4111	Res	PV	4.2	9.1	3.36	5,887	09/20/18	96746
4112	Res	PV	10.8	9.0	8.64	15,137	09/20/18	96746
4113	Res	PV	2.8	2.5	2.20	3,854	09/24/18	96746
4114	Res	PV	3.6	3.8	2.88	5,046	09/25/18	96766
4115	Res	PV	5.4	9.9	4.28	7,499	09/26/18	96722
4116	Res	PV	7.2	7.0	5.76	10,092	09/26/18	96766
4117	Res	PV	8.7	7.6	6.97	12,208	09/28/18	96766
4118	Res	PV	2.5	2.5	2.00	3,504	09/29/18	96754
4119	Res	PV	2.4	2.3	1.92	3,364	10/02/18	96705
4120	Res	PV	2.6	2.6	2.11	3,700	10/15/18	96756
4121	Res	PV	6.3	7.6	5.04	8,830	10/16/18	96746
4122	Res	PV	7.2	7.0	5.76	10,092	10/16/18	96766
4123	Res	PV	10.8	10.4	8.64	15,137	10/17/18	96716
4124	Res	PV	7.2	7.1	5.76	10,092	10/17/18	96741
4125	Res	PV	7.2	7.0	5.76	10,092	10/17/18	96766
4126	Res	PV	7.2	7.0	5.76	10,092	10/18/18	96746
4127	Res	PV	7.1	7.6	5.70	9,979	10/18/18	96766
4128	Com	PV	10.8	10.0	8.64	15,137	10/29/18	96766
4129	Res	PV	7.2	7.0	5.76	10,092	10/29/18	96766
4130	Res	PV	3.2	8.8	2.59	4,541	10/29/18	96754
4131	Res	PV	2.7	3.0	2.14	3,756	10/30/18	96765
4132	Res	PV	2.7	3.0	2.14	3,756	10/30/18	96705
4133	Res	PV	1.8	3.0	1.42	2,481	10/30/18	96705
4134	Res	PV	2.7	3.0	2.14	3,756	10/30/18	96705
4135	Res	PV	8.3	7.0	6.62	11,605	11/02/18	96741
4136	Com	PV	19.1	19.0	15.26	26,743	11/02/18	96746
4137	Res	PV	7.2	7.1	5.76	10,092	11/02/18	96766
4138	Res	PV	20.4	19.7	16.32	28,593	11/02/18	96766
4139	Res	PV	2.7	3.0	2.14	3,756	11/02/18	96705
4140	Res	PV	2.7	3.0	2.14	3,756	11/05/18	96705
4141	Res	PV	4.3	3.4	3.36	5,887	11/07/18	96705
4142	Res	PV	7.2	7.0	5.76	10,092	11/07/18	96741
4143	Res	PV	2.6	3.0	2.09	3,658	11/07/18	96766
4144	Res	PV	7.2	7.0	5.76	10,092	11/07/18	96746
4145	Res	PV	7.2	7.1	5.76	10,092	11/08/18	96796
4146	Res	PV	3.6	3.5	2.88	5,046	11/08/18	96746
4147	Res	PV	2.7	3.0	2.14	3,756	11/09/18	96705
4148	Res	PV	2.7	3.0	2.14	3,756	11/09/18	96705
4149	Res	PV	7.2	7.1	5.76	10,092	11/13/18	96741
4150	Res	PV	4.3	5.0	3.46	6,055	11/15/18	96752
4151	Res	PV	2.7	3.0	2.14	3,756	11/15/18	96705
4152	Res	PV	3.6	8.5	2.88	5,046	11/15/18	96766
4153	Res	PV	5.8	6.0	4.61	8,073	11/19/18	96741
4154	Res	PV	4.8	3.8	3.80	6,658	11/19/18	96741

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8760	Connection Date (H)	Zip Code (I)
4155	Res	PV	4.8	3.8	3.80	6,658	11/19/18	96741
4156	Res	PV	3.7	3.5	2.93	5,130	11/19/18	96705
4157	Res	PV	3.6	3.5	2.88	5,046	11/19/18	96766
4158	Res	PV	10.4	7.6	7.60	13,315	11/20/18	96756
4159	Res	PV	4.8	3.8	3.80	6,658	11/20/18	96741
4160	Res	PV	2.7	3.0	2.14	3,756	11/20/18	96705
4161	Res	PV	3.6	7.6	2.88	5,046	11/27/18	96705
4162	Res	PV	4.3	5.0	3.46	6,055	11/27/18	96741
4163	Res	PV	1.2	6.2	0.96	1,682	11/28/18	96766
4164	Res	PV	2.4	2.4	1.92	3,364	11/28/18	96756
4165	Res	PV	2.6	3.0	2.05	3,588	11/28/18	96752
4166	Res	PV	7.2	7.0	5.76	10,092	12/03/18	96746
4167	Res	PV	7.2	7.0	5.76	10,092	12/03/18	96741
4168	Res	PV	9.3	10.0	7.42	13,007	12/06/18	96766
4169	Res	PV	2.6	3.0	2.05	3,588	12/06/18	96766
4170	Res	PV	16.1	16.2	12.86	22,538	12/11/18	96756
4171	Res	PV	6.6	6.5	5.28	9,251	12/12/18	94741
4172	Res	PV	5.0	7.7	4.00	7,008	12/13/18	96766
4173	Res	PV	9.0	8.9	7.20	12,614	12/13/18	96746
4174	Res	PV	5.8	6.0	4.61	8,073	12/17/18	96756
4175	Res	PV	6.1	6.0	4.86	8,522	12/17/18	96746
4176	Com	PV	3.0	3.8	2.41	4,219	12/19/18	96741
4177	Com	PV	9.7	10.0	7.75	13,582	12/20/18	96766
4178	Res	PV	6.6	6.5	5.28	9,251	12/20/18	96752
4179	Res	PV	5.2	3.8	3.80	6,658	12/20/18	96766
4180	Res	PV	3.6	0.5	0.54	946	12/20/18	96766
4181	Res	PV	2.6	2.4	2.05	3,588	12/21/18	96746
4182	Res	PV	14.8	12.9	11.87	20,800	12/28/18	96714
4183	Res	PV	7.7	7.6	6.14	10,764	12/28/18	96765

		kW		kWh			
	Totals	2013	2014	2015	2016	2017	2018
Cumulative Installed kW	7,983	11,583	15,787	17,900	19,891	21,127	

Notes

- (A) **Q Customer #**
- (B) **Customer Type:** Res = Residential, Com = Commercial
- (C) **System Type:** PV = Photovoltaic, W=Wind
- (D) **Panel capacity:** Capacity of PV panels in kWdc
- (E) **Inverter Capacity:** Capacity of inverter in kWac
- (F) **Installed Capacity:** Lesser of (panel capacity x 80% efficiency factor) or inverter capacity
- (G) **Energy Produced:** Estimated using the installed capacity x 20% capacity factor x 8760
(or 8784 for Leap Year)
- (H) **Connection date:** Date KIUC installed the Q meter
- (I) **Zip Code**

ATTACHMENT C

Attachment C
Larger Systems¹
Kauai Island Utility Cooperative

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D* 8,E	Energy Produced (kWh) (G) =F* 2*8760	Connection Date (H)	Zip Code (I)
1	Com	PV	680.0	550.0	544.00	953,088	12/10/07	96766
2	Com	PV	277.0	300.0	221.60	388,243	08/29/08	96756
3	Com	PV	896.5	750.0	717.22	1,256,568	12/24/08	96766
4	Com	PV	338.0	308.0	270.40	473,741	04/28/09	96766
5	Com	PV	67.4	66.0	53.91	94,457	02/12/10	96705
6	Com	PV	83.3	82.0	66.60	116,683	03/19/10	96766
7	Com	PV	125.0	120.0	100.00	175,200	12/29/10	96752
8	Com	PV	39.5	36.0	31.58	55,335	08/26/11	96705
9	Com	PV	675.0	685.0	540.00	946,080	09/02/11	96752
10	Com	PV	315.0	252.0	252.00	441,504	09/25/12	96766
11	Com	PV	592.2	532.0	473.76	830,028	03/13/13	96766
12	Com	PV	10.0	10.0	8.00	14,016	05/31/13	96752
13	Com	PV	198.8	160.0	159.05	278,661	06/03/14	96746
14	Com	PV	300.4	253.3	240.31	421,027	07/07/14	96756
15	Com	PV	320.1	305.6	256.08	448,652	04/17/15	96722
16	Res	PV	10.1	16.0	8.06	14,128	02/16/16	96754
17	Com	PV	6.6	8.0	5.28	9,251	08/18/16	96754
18	Res	PV	7.6	16.0	6.05	10,596	10/05/16	96756
19	Res	PV	5.9	8.0	4.70	8,241	12/28/16	96714
20	Res	PV	10.9	16.0	8.74	15,305	12/28/16	96754
21	Res	PV	11.8	8.0	8.00	14,016	01/25/17	96754
22	Com	PV	215.5	180.0	172.37	301,989	04/10/17	96705
23	Com	PV	173.6	156.0	138.85	243,269	04/10/17	96796
24	Com	PV	257.7	216.0	206.14	361,150	04/20/17	96746
25	Com	PV	194.7	162.0	155.74	272,849	05/11/17	96756
26	Com	PV	219.6	168.0	168.00	294,336	08/29/17	96766
27	Com	PV	207.3	192.0	165.82	290,510	11/07/18	96766

		Totals	kW 4,982.3	kWh 8,728,922		
2013						
Cumulative Installed kW	& prior	2014	2015	2016	2017	2018
	3,279	3,678	3,935	3,967	4,816	4,982

Notes

- (A) **Customer #**
- (B) **Customer Type** Res = Residential, Com = Commercial
- (C) **System Type** PV = Photovoltaic, W=Wind
- (D) **Panel capacity** Capacity of PV panels in kWdc
- (E) **Inverter Capacity** Capacity of inverter in kWac
- (F) **Installed Capacity** Lesser of (panel capacity x 80% efficiency factor) or inverter capacity
- (G) **Energy Produced** Estimated using the installed capacity x 20% capacity factor x 8760 (or 8784 for Leap Year)
- (H) **Connection date** Date KIUC installed the meter
- (I) **Zip Code**

¹ The customer-sited generation systems listed on this Attachment C are not Schedule Q, NEM, or NEM Pilot customers and have not entered into a power purchase agreement (PPA) with KIUC. Therefore, these customer-sited generation systems either do not export any energy to KIUC, or if they do export energy to KIUC, they do so without compensation.

² KIUC notes that the Pioneer Hi-Bred International Inc. PV facility (Pioneer Facility), which was the subject of Docket No. 2010-0122, was previously listed on line 3 of Attachment C (Larger Systems) in KIUC's 2011 Annual NEM Program Activity Summary (2011 NEM Report), which was filed with the Commission on May 16, 2012. As reflected on line 3 of Attachment C of the 2011 NEM Report, the Pioneer Facility began generating power for its own use on or about December 16, 2008. From December 16, 2008 up until November 18, 2010 (which was subsequent to the Commission's November 12, 2010 approval of the PPA for the Pioneer Facility), the Pioneer Facility, like the other facilities listed on this Attachment C, either did not export any energy to KIUC or if it did, did so without compensation. Subsequent to, and consistent with, the Commission's approval of the PPA for the Pioneer Facility, KIUC began purchasing excess energy exported to KIUC from the Pioneer Facility. Because the Pioneer Facility is currently subject to a Commission-approved PPA, the Pioneer Facility is no longer being listed above.

³ Changes to prior year Cumulative Installed kW indicates capacity changes for an increase in panels or inverter capacity.

ATTACHMENT D

**Attachment D
2018 NEM Pilot Program Summary
Kauai Island Utility Cooperative
NEM Pilot Installations**

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)										(J)	(K)	(L)	(M)
								Surplus Energy 2011 (kWh)	Surplus Energy 2012 (kWh)	Surplus Energy 2013 (kWh)	Surplus Energy 2014 (kWh)	Surplus Energy 2015 (kWh)	Surplus Energy 2016 (kWh)	Surplus Energy 2017 (kWh)	Surplus Energy 2018 (kWh)	Annualized Imported Energy (kWh)	Annualized Exported Energy (kWh)				
1	Res	PV	3.3	3.0	2.64	4,625	07/07/11	1,890	4,519	4,363	3,431	2,698	2,672	2,233	1,899	8,064	1,725	(1,174)	96741		
2	Res	PV	2.1	4.0	1.68	2,943	07/08/11	1,108	2,495	2,826	2,487	2,559	2,553	2,692	2,272	2,064	2,097	(591)	96741		
3	Res	PV	3.8	3.8	3.04	5,326	07/14/11	1,712	4,141	2,526	4,825	5,082	5,213	5,363	4,695	3,172	4,334	(988)	96752		
4	Res	PV	9.7	10.0	7.76	13,596	07/19/11	1,914	4,983	4,698	4,297	4,381	3,901	3,741	3,221	9,090	2,973	(3,773)	96746		
5	Res	PV	4.2	5.0	3.36	5,887	07/20/11	537	1,345	941	925	833	741	688	434	8,421	401	(1,774)	96746		
6	Res	PV	1.4	3.0	1.12	1,962	07/20/11	974	2,081	2,179	2,049	2,071	1,462	1,288	1,189	5,633	1,098	(441)	96746		
7	Res	PV	3.8	3.8	3.04	5,326	07/21/11	936	2,709	2,668	2,145	1,261	292	30	20	7,730	18	(1,655)	96746		
8	Res	PV	8.7	8.9	6.99	12,250	07/22/11	1,521	3,929	3,525	2,849	2,585	5,322	4,434	0	0	0	(3,922)	96746		
9	Res	PV	5.0	5.0	4.00	7,008	07/27/11	2,574	5,302	4,222	2,418	5,238	4,572	5,777	3,266	6,212	3,015	(1,715)	96754		
10	Com	PV	9.2	9.0	7.36	12,895	08/02/11	1,629	5,109	5,248	5,328	5,633	5,817	6,351	5,240	8,064	4,837	(3,484)	96766		
11	Com	PV	259.2	200.0	200.00	350,400	11/16/12		9,360	248,560	244,680	205,840	240,120	168,800	207,920	105,748	191,926	(67,411)	96766		
12	Res	PV	6.7	6.0	5.38	9,419	01/02/13	7,711	7,992	7,711	7,992	8,114	7,805	7,805	7,756	3,180	7,159	(1,822)	96766		
13	Res	PV	6.5	6.0	5.20	9,110	01/08/13	3,521	7,020	7,496	7,020	7,496	7,619	7,789	6,800	4,918	6,277	(1,863)	96766		
14	Com	PV	70.8	70.0	56.45	98,897	01/15/13	6,120	19,920	28,680	23,880	28,680	23,880	28,200	17,160	110,658	15,840	(24,103)	96766		
15	Res	PV	2.5	2.2	2.00	3,504	01/23/13	782	1,315	1,364	1,335	1,335	1,335	1,088	883	10,377	815	(963)	96756		
16	Res	PV	3.0	2.6	2.40	4,205	01/30/13	1,806	2,323	2,335	2,677	2,335	2,677	2,335	2,744	2,398	2,533	(917)	96746		
17	Res	PV	5.3	4.7	4.22	7,400	02/07/13	5,448	5,819	5,982	6,262	5,982	6,262	5,788	5,592	3,542	5,162	(1,504)	96765		
18	Res	PV	4.9	4.3	3.92	6,868	02/07/13	4,3	9,277	5,032	8,254	9,194	8,704	8,704	8,742	3,374	8,070	(684)	96741		
19	Res	PV	5.2	4.7	4.14	7,246	02/14/13	3,529	4,459	5,113	5,040	5,576	5,828	4,277	4,582	11,089	2,106	(2,419)	96746		
20	Res	PV	125.0	110.0	100.02	175,228	02/26/13	0	8,400	8,000	8,400	8,000	12,200	15,600	26,400	397,246	24,369	(39,900)	96796		
21	Com	PV	3.8	3.2	3.00	5,256	03/01/13	3,982	5,137	5,137	5,257	5,254	5,254	5,254	4,571	1,920	4,219	(982)	96715		
22	Res	PV	2.0	1.7	1.60	2,803	03/01/13	2,248	2,422	2,422	2,422	2,626	3,117	3,235	2,743	537	2,532	(480)	96715		
23	Res	PV	5.1	4.3	4.08	7,148	03/07/13	3,604	5,073	4,970	4,924	4,924	4,924	5,372	4,352	4,765	4,017	(1,804)	96746		
24	Res	PV	3.1	2.6	2.45	4,289	03/07/13	2,167	2,806	3,090	3,029	3,090	3,029	3,408	2,938	1,954	2,712	(915)	96746		
25	Res	PV	4.3	3.7	3.47	6,083	03/07/13	5,078	5,010	5,078	5,010	5,534	4,534	5,558	4,776	2,380	4,409	(1,210)	96746		
26	Res	PV	4.5	3.0	3.00	5,256	03/15/13	1,971	5,235	1,971	5,235	5,250	5,551	5,598	4,589	3,548	4,218	(682)	96741		
27	Res	PV	5.6	4.7	4.49	7,863	03/20/13	4,838	6,484	6,769	6,573	6,769	6,573	7,127	6,227	3,174	5,748	(1,557)	96766		
28	Res	PV	5.8	5.2	4.61	8,073	03/20/13	4,284	4,927	4,766	5,136	5,000	5,000	5,000	5,449	4,356	8,475	(1,892)	96746		
29	Res	PV	4.1	3.4	3.26	5,719	03/22/13	3,828	4,766	4,771	4,832	4,832	4,625	4,771	3,913	3,920	3,612	(1,221)	96746		
30	Res	PV	5.1	4.3	4.08	7,148	03/22/13	4,738	5,632	5,754	5,754	5,754	5,712	6,339	5,424	1,723	5,007	(1,449)	96746		
31	Res	PV	2.1	2.1	1.68	2,943	03/26/13	854	1,176	1,176	1,176	1,356	1,356	1,147	3,338	3,616	6,502	(753)	96766		
32	Res	PV	5.9	5.0	4.72	8,269	03/26/13	5,827	7,741	7,568	7,568	7,568	7,568	7,568	7,044	3,616	6,502	(1,568)	96752		
33	Res	PV	3.0	3.0	2.40	4,205	04/08/13	3,768	5,139	5,180	5,180	5,180	4,543	4,684	3,928	5,521	3,626	(743)	96766		
34	Res	PV	3.0	3.0	2.39	4,191	04/08/13	1,617	3,321	3,478	3,407	3,478	3,407	3,377	2,875	2,927	2,654	(894)	96766		
35	Res	PV	3.0	2.6	2.40	4,205	04/09/13	1,991	2,662	2,742	2,662	2,742	2,662	2,984	2,435	2,865	2,248	(961)	96746		
36	Res	PV	11.3	10.0	9.00	15,768	04/09/13	5,795	9,719	9,670	9,670	9,670	9,670	7,813	6,443	5,285	6,443	(3,915)	96741		
37	Res	PV	6.1	7.0	4.89	8,584	04/11/13	6,058	7,424	7,180	7,489	7,489	7,489	6,395	5,593	8,588	5,163	(1,867)	96746		
38	Res	PV	6.8	6.2	5.46	9,559	04/22/13	4,652	6,200	6,516	6,330	6,516	6,330	6,516	5,229	6,552	4,827	(2,229)	96754		
39	Res	PV	4.4	4.0	3.51	6,148	04/24/13	2,938	4,023	3,677	0	0	0	0	0	0	0	(1,137)	96766		
40	Res	PV	4.1	3.4	3.26	5,719	04/24/13	1,904	0	1,904	0	0	0	0	0	0	0	(1,784)	96746		
41	Res	PV	4.3	5.0	3.40	5,957	04/25/13	3,727	5,287	5,134	5,287	5,134	5,269	6,139	5,078	2,083	4,687	(1,127)	96766		
42	Res	PV	2.3	1.9	1.84	3,224	05/01/13	1,657	0	1,657	0	0	0	0	0	0	0	(1,008)	96766		
43	Res	PV	6.0	5.2	4.80	8,410	05/03/13	3,570	6,630	5,333	6,307	6,307	6,307	8,509	7,892	3,983	7,285	(1,487)	96716		
44	Res	PV	3.5	3.0	2.80	4,906	05/10/13	1,952	3,583	3,482	3,482	3,482	3,482	2,882	1,966	9,410	1,842	(1,243)	96746		
45	Res	PV	3.8	3.4	3.07	5,382	05/14/13	1,827	2,702	2,654	2,702	2,654	2,882	2,521	1,613	7,368	1,489	(1,447)	96746		
46	Res	PV	2.8	3.1	2.24	3,924	05/17/13	1,829	2,914	2,838	2,981	2,981	2,981	3,017	1,729	3,193	1,596	(975)	96766		
47	Res	PV	5.4	5.0	4.31	7,555	05/20/13	3,018	4,675	4,981	5,294	5,294	5,294	3,235	4,159	5,599	3,759	(1,759)	96766		
48	Res	PV	5.4	5.0	4.31	7,555	05/20/13	3,018	5,141	5,257	5,257	5,257	5,257	4,409	4,860	3,158	4,486	(1,657)	96766		
49	Res	PV	20.3	19.0	16.23	28,438	05/20/13	2,359	4,607	0	0	0	0	0	0	0	0	(6,873)	96741		
50	Res	PV	8.3	7.0	6.62	11,605	05/20/13	4,839	8,984	12,684	13,823	13,823	13,823	13,823	13,674	0	0	(3,621)	96741		
51	Res	PV	5.5	5.0	4.42	7,737	05/20/13	3,302	4,544	4,597	4,597	4,597	4,227	4,019	3,129	5,870	2,988	(1,963)	96765		
52	Res	PV	3.5	3.2	2.82	4,948	05/21/13	2,405	3,529	3,744	3,744	3,744	3,744	3,744	3,744	4,221	2,912	(1,089)	96746		
53	Res	PV	6.8	6.8	5.44	9,531	05/21/13	3,733	7,091	7,696	7,754	7,696	7,754	8,600	6,933	4,990	6,400	(1,975)	96766		
54	Res	PV	5.7	5.7	4.56	7,989	05/23/13	3,438	5,841	5,752	5,752	5,752	5,752	5,841	2,593	4,356	2,394	(2,119)	96766		

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)							
Customer Type	System Type	Panel Capacity (kW)	Inverter Capacity (kW)	Installed Capacity (kW)	Energy Produced (kWh)	Connection Date	Surplus Energy 2011 (kWh)	Surplus Energy 2012 (kWh)	Surplus Energy 2013 (kWh)	Surplus Energy 2014 (kWh)	Surplus Energy 2015 (kWh)	Surplus Energy 2016 (kWh)	Surplus Energy 2017 (kWh)	Surplus Energy 2018 (kWh)	Annualized Imported Energy (kWh)	Annualized Exported Energy (kWh)	Financial Impact of Participant (\$)	Zip Code	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)							
				=<D'-8,E	=F* 2'8760														
117	Com	PV	58.3	54.0	46.66	81,741	01/10/14	34,440	33,320	32,120	35,000	28,280	26,105	26,105	40,874	26,105	(18,193)	96766	
118	Com	PV	13.4	9.9	9.90	17,345	01/30/14	1,805	2,082	2,209	2,722	2,044	1,887	1,887	2,861	1,887	(5,454)	96766	
119	Com	PV	12.8	9.5	9.45	16,556	01/30/14	3,487	3,992	3,517	3,477	2,736	3,144	2,526	3,144	2,526	(5,085)	96766	
120	Res	PV	5.0	5.0	4.00	7,008	02/04/14	3,269	3,281	3,422	4,377	4,037	4,377	3,726	5,637	3,726	(1,605)	96746	
121	Res	PV	9.8	9.0	7.80	13,666	02/04/14	9,600	10,570	9,094	9,603	7,543	6,591	6,963	6,591	6,963	(3,177)	96746	
122	Com	PV	85.2	50.0	50.00	87,600	02/06/14	35,350	115,550	123,900	125,500	120,950	111,646	111,646	71,862	111,646	(8,419)	96756	
123	Res	PV	-2.3	-1.9	-1.84	-3,224	03/12/14	0	0	0	0	0	0	0	0	0	1,005	96766	
124	Com	PV	88.0	50.0	50.00	87,600	09/11/14	22,220	114,180	117,360	125,860	104,140	14,714	96,129	14,714	96,129	(13,448)	96756	
125	Com	PV	86.3	50.0	50.00	87,600	09/11/14	11,500	57,160	74,540	115,940	90,420	35,372	83,465	35,372	83,465	(12,152)	96756	
126	Com	PV	183.1	150.0	150.00	262,800	09/12/14	7,800	112,200	141,000	147,400	128,200	140,862	118,338	140,862	118,338	(49,833)	96756	
127	Com	PV	250.7	200.0	200.00	350,400	10/07/14	27,840	201,720	189,240	211,320	64,320	182,470	59,372	182,470	59,372	(78,485)	96766	
128	Com	PV	252.0	200.0	200.00	350,400	10/17/14	0	57,200	54,000	68,800	54,400	541,938	50,215	541,938	50,215	(79,603)	96766	
129	Com	PV	91.7	75.0	73.32	128,457	10/17/14	5,080	80,640	87,000	86,240	87,000	33,900	73,698	49,909	33,900	(27,435)	96766	
130	Com	PV	61.2	50.0	48.96	85,778	12/24/14	0	35,250	37,650	37,950	33,900	59,492	31,292	31,292	31,292	(18,581)	96705	
131	Com	PV	10.3	10.0	8.27	14,493	12/24/14	0	8,240	8,180	10,620	9,460	8,991	8,732	8,991	8,732	(2,683)	96705	
132	Com	PV	25.4	21.0	20.30	35,573	12/24/14	0	24,668	22,988	19,688	16,362	23,576	15,103	15,103	15,103	(9,319)	96705	
133	Com	PV	21.6	18.0	17.28	30,275	01/08/15	0	15,340	15,640	19,460	14,440	11,372	13,329	11,372	13,329	(7,851)	96766	
134	Com	PV	150.5	150.0	120.42	210,983	02/12/15	83,800	75,840	83,800	101,880	81,640	126,129	75,360	126,129	75,360	(48,913)	96752	
135	Com	PV	222.0	200.0	177.60	311,155	02/12/15	107,660	96,720	107,660	130,400	120,400	205,467	103,680	205,467	103,680	(63,460)	96715	
136	Com	PV	57.9	50.0	46.34	81,195	02/15/15	4,500	4,500	2,400	6,000	6,000	5,700	5,700	5,700	5,700	(19,223)	96746	
137	Res	PV	-20.3	-19.0	-16.23	-28,438	03/19/15	0	0	0	0	0	0	0	0	0	8,873	96741	
138	Com	PV	12.6	12.0	10.08	17,660	02/16/16	0	3,300	3,300	3,860	3,120	50,843	2,880	50,843	2,880	(5,394)	96716	
139	Com	PV	85.2	50.0	50.00	87,600	02/16/16	0	96,000	96,000	123,850	109,700	46,431	101,262	46,431	101,262	(9,047)	96756	
140	Com	PV	28.1	21.0	21.00	36,792	04/04/16	10,680	10,680	19,280	19,280	17,280	15,951	15,951	15,951	15,951	(9,582)	96796	
141	Com	PV	79.2	75.0	63.36	111,007	04/04/16	23,680	23,680	49,600	49,600	29,920	63,360	27,918	63,360	27,918	(25,752)	96714	
142	Com	PV	19.7	18.0	15.79	27,668	04/04/16	6,040	6,040	12,440	12,440	8,980	24,148	8,289	24,148	8,289	(7,922)	96714	
143	Com	PV	100.0	85.0	80.03	140,216	04/04/16	39,960	39,960	88,480	88,480	49,440	88,394	45,637	88,394	45,637	(31,103)	96754	
144	Com	PV	250.7	200.0	200.00	350,400	04/18/16	88,480	88,480	110,000	146,880	132,560	188,012	122,363	188,012	122,363	(70,778)	96796	
145	Com	PV	228.3	200.0	182.61	319,929	04/18/16	110,000	110,000	147,720	172,600	137,600	208,377	127,015	208,377	127,015	(62,751)	96796	
146	Com	PV	229.2	200.0	183.36	321,247	04/19/16	147,720	147,720	209,720	209,720	176,000	91,052	162,462	91,052	162,462	(63,590)	96741	
147	Com	PV	143.6	118.0	114.84	201,200	04/22/16	37,000	37,000	47,000	38,800	47,000	189,279	43,385	47,000	43,385	(43,920)	96746	
148	Com	PV	43.2	35.0	34.56	60,549	04/26/16	20,700	20,700	32,560	32,560	34,080	35,225	31,458	34,080	35,225	(14,904)	96766	
149	Com	PV	242.6	200.0	194.10	340,056	06/13/16	25,560	25,560	61,080	61,080	52,440	471,750	48,406	471,750	48,406	(77,295)	96746	
150	Res	PV	-4.4	-4.0	-3.51	-6,146	08/01/16	0	0	0	0	0	0	0	0	0	1,137	96766	
151	Res	PV	3.8	4.0	3.01	5,270	02/27/17	0	0	0	3,945	3,692	1,704	3,408	3,692	1,704	(1,113)	96722	
152	Com	PV	250.7	200.0	200.00	350,400	07/05/17	0	0	0	85,500	142,200	430,131	131,262	430,131	131,262	(69,689)	96766	
153	Res	PV	-9.0	-8.8	-7.18	-12,572	12/04/17	0	0	0	0	0	0	0	0	0	3,923	96741	
154	Res	PV	-5.2	-4.5	-4.14	-7,260	12/04/17	0	0	0	0	0	0	0	0	0	2,265	96741	
155	Res	PV	-10.0	-9.2	-8.00	-14,016	07/09/18	0	0	0	0	0	0	0	0	0	4,373	96741	
156	Res	PV	-5.0	-4.2	-4.00	-7,008	09/11/18	0	0	0	0	0	0	0	0	0	2,188	96766	
157	Res	PV	-8.7	-8.9	-6.99	-12,250	09/19/18	0	0	0	0	0	0	0	0	0	3,822	96746	
158	Res	PV	-8.3	-7.0	-6.62	-11,605	11/02/18	0	0	0	0	0	0	0	0	0	3,621	96741	
159	Res	PV	-14.8	-12.9	-11.87	-20,800	12/28/18	0	0	0	0	0	0	0	0	0	6,499	96714	
Totals				3412		5,977,849		14,795	45,973	644,202	1,026,459	1,853,660	2,528,018	3,041,532	2,565,659	5,189,832	2,368,796	(1,256,774)	

Notes:
(A) NEM Pilot Customer #
(B) Customer Type: Res = Residential, Com = Commercial
(C) System Type: PV = Photovoltaic, W=Wind
(D) Panel Capacity: Capacity of PV panels in kWdc
(E) Inverter Capacity: Capacity of inverter in kWac
(F) Installed Capacity: Lesser of (panel capacity x 80% efficiency factor) or inverter capacity
(G) Energy Produced: Estimated using the installed capacity x 20% capacity factor x 8760 (or 8784 for Leap Year)
(H) Connection date: Date KiUC installed the NEM meter
(I) Surplus Energy: Energy flowing onto the KiUC grid in kWh
(J) Annualized Imported Energy: Sum of the annual channel 1 meter readings that measures the flow of energy from the utility to the customer in kWh. Based on reporting year data.
(K) Annualized Exported Energy: Sum of the annual channel 2 meter readings that measures the flow of energy from the customer to the utility in kWh. Based on reporting year data.
(L) Financial Impact of Participant: The financial impact of the individual pilot program participant had the participant been included under the laws governing NEM, and not subject to the alternative rate structure. Based on reporting year data.
(M) Zip Code

Customer Type	System Type	Panel Capacity (kW)	Inverter Capacity (kW)	Installed Capacity (kW)	Energy Produced (kWh)	Connection Date	Surplus Energy 2011 (kWh)	Surplus Energy 2012 (kWh)	Surplus Energy 2013 (kWh)	Surplus Energy 2014 (kWh)	Surplus Energy 2015 (kWh)	Surplus Energy 2016 (kWh)	Surplus Energy 2017 (kWh)	Surplus Energy 2018 (kWh)	Annualized Imported Energy (kWh)	Annualized Exported Energy (kWh)	Financial Impact of Participant (\$)	Zip Code
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)

PROGRAM TRACKING:

Lesser of 3 Yrs or Limits:

0.5 MW
 0.5 MW
 2.0 MW
 Total

Installed MW:

10 kW and under
 >10 kW to <50 kW
 50 kW to 200 kW
 Total

ANALYSIS OF FINANCIAL IMPACT OF NEM PILOT PROGRAM:

Financial Impact by Rate Class¹

	2011	2012	2013	2014	2015	2016	2017	2018
Schedule D	\$ (12,553)	\$ (12,318)	\$ (164,793)	\$ (165,516)	\$ (160,997)	\$ (161,732)	\$ (163,881)	\$ (164,641)
Schedule G	\$ (3,453)	\$ (4,350)	\$ (4,358)	\$ (40,809)	\$ (39,792)	\$ (77,209)	\$ (77,020)	\$ (82,792)
Schedule J	\$ -	\$ (78,210)	\$ (85,137)	\$ (182,475)	\$ (216,892)	\$ (320,217)	\$ (328,311)	\$ (345,342)
Schedule L	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Schedule P	\$ (16,006)	\$ (93,979)	\$ (296,789)	\$ (641,294)	\$ (730,557)	\$ (1,131,669)	\$ (1,202,863)	\$ (1,256,774)
Total	\$ (32,012)	\$ (188,857)	\$ (631,077)	\$ (1,071,094)	\$ (1,318,346)	\$ (1,681,818)	\$ (1,773,505)	\$ (1,899,550)

Impact on Retail kWh Rate by Rate Class²

	2011	2012	2013	2014	2015	2016	2017	2018
Schedule D	\$ (0.000079)	\$ (0.000078)	\$ (0.001044)	\$ (0.001040)	\$ (0.000985)	\$ (0.000986)	\$ (0.000968)	\$ (0.000942)
Schedule G	\$ (0.000058)	\$ (0.000058)	\$ (0.000074)	\$ (0.000675)	\$ (0.000644)	\$ (0.001262)	\$ (0.001226)	\$ (0.001265)
Schedule J	\$ -	\$ (0.001515)	\$ (0.001656)	\$ (0.003636)	\$ (0.004270)	\$ (0.006153)	\$ (0.006529)	\$ (0.006927)
Schedule L	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Schedule P	\$ (0.000137)	\$ (0.001652)	\$ (0.003153)	\$ (0.007650)	\$ (0.008905)	\$ (0.013764)	\$ (0.014539)	\$ (0.015334)
Total	\$ (0.000373)	\$ (0.003493)	\$ (0.005867)	\$ (0.012365)	\$ (0.014204)	\$ (0.022303)	\$ (0.023226)	\$ (0.024499)

Annual kWh Sales by Rate Class

	2011	2012	2013	2014	2015	2016	2017	2018
Schedule D	159,071,128	157,278,152	157,866,897	159,151,338	161,826,042	163,956,718	163,946,334	174,726,470
Schedule G	59,790,431	59,663,973	59,077,990	60,426,103	61,801,021	61,187,770	62,824,313	65,473,099
Schedule J	51,859,338	51,607,028	51,396,701	50,187,490	50,791,819	52,044,639	50,282,542	49,854,166
Schedule L	44,379,446	46,285,546	47,900,542	47,426,575	50,125,564	52,481,360	51,926,563	51,409,785
Schedule P	116,823,510	115,389,124	112,213,941	109,838,487	104,433,662	106,753,049	103,943,412	107,098,228

¹ Analysis of financial impact of NEM Pilot Program had the participants been included under the laws governing NEM, and not subject to the alternative rate structure. [Docket No. 2006-0084]

² Financial Impact on Non-Generating Customers by Rate Class [DocketNo 2006-0084]