

SCHNEIDER TANAKA RADOVICH

ANDREW & TANAKA

A Limited Liability Law Company

David F. Andrew
Joel D. Kam
Kent D. Morihara
Diane Yuen Praywell
Scott D. Radovich
Robert F. Schneider
Tod Z. Tanaka
Tracy D. Tanaka

1100 Alakea St., Suite 2100, Honolulu, Hawaii 96813
Telephone: 808.792.4200 Facsimile: 808.792.3920
Website: www.stratlaw.com

Counsel:
Lianna L. Figueroa
Gary S. Kerwood
Jamie C. Yoshikane

March 29, 2021

The Honorable Chair and Members of the
Hawaii Public Utilities Commission
465 South King Street
Kekuanaoa Building, Room 103
Honolulu, HI 96813

Re: Kauai Island Utility Cooperative's ("KIUC") 2020 Annual Net Energy
Metering ("NEM") Program Activity Summary

Dear Commissioners and Commission Staff:

Pursuant to Hawaii Revised Statutes ("HRS") § 269-103,¹ please find enclosed KIUC's Annual NEM Program Activity Summary for the year ending December 31, 2020 ("2020 NEM Summary"). See Attachment A. As indicated in the 2020 NEM Summary, the cumulative installed NEM capacity in kilowatts ("kW") produced by eligible customer-generators for the year ending December 31, 2020 was approximately 715 kW. The attached 2020 NEM Summary also includes: (i) information regarding the NEM information packets previously mailed to customers, installations and kilowatt-hours inflows associated with the installations, and (ii) a breakdown of NEM program activity on the island of Kauai in the years 2005 through 2020, for purposes of comparison.

Additionally, although KIUC recognizes that information relating to its Schedule "Q" Modified Tariff customers are not part of the NEM statutory reporting requirement under HRS § 269-103, please also find enclosed as Attachment B additional information reflecting, among other things, the type, amount, and progress of Schedule "Q" installations that were completed from 2008 through 2020. See also Attachment A for information reflecting customers that have transferred from KIUC's NEM to Schedule "Q."

¹ HRS § 269-103 provides, in relevant part, that "[o]n an annual basis, beginning in 2003, every electric utility shall make available to the public utilities commission information on the total rated generating capacity produced by eligible customer-generators that are customers of that utility in the utility's service area."

The Honorable Chair and Members of the
Hawaii Public Utilities Commission
March 29, 2021
Page 2

Also enclosed (although not required as part of the NEM statutory reporting requirement under HRS § 269-103) is information regarding, among other things, the type, amount, and progress of customer-sited generation systems that are not Schedule “Q”, NEM, or NEM Pilot installations and have not entered into a power purchase agreement (PPA) with KIUC. See Attachment C. Pursuant to KIUC’s tariff, such customers are not currently eligible to receive Schedule “Q” payments and are typically required, as part of their interconnection agreement, to install protection devices to prevent export of excess energy to KIUC. Note that the customer-sited generation systems included in Attachment C do not include independent power producers that have entered into negotiated and approved purchase power agreements with KIUC for the specific purpose of generating and exporting power.

Finally, pursuant to the Commission’s *Order Regarding Net Energy Metering Proposals*, issued on January 13, 2011, in Docket No. 2006-0084 (which approved the Stipulated Proposed NEM Pilot Program and Alternative Rate Structure for KIUC, by KIUC, the Consumer Advocate, Hawaii Renewable Energy Alliance, and Hawaii Solar Energy Alliance, filed with the Commission on October 15, 2009, in Docket No. 2006-0084), please find enclosed KIUC’s 2020 NEM Pilot Program Summary for the year ending December 31, 2020 (“2020 NEM Pilot Program Summary”). See Attachment D. The 2020 NEM Pilot Program Summary provides KIUC’s analysis of: (i) the financial impact of the NEM Pilot Program had the participants under the NEM Pilot Program been included under the laws governing NEM (i.e., subject to the NEM rates, and not subject to the alternative rate structure under the NEM Pilot Program); and (ii) the financial impact on each rate classes’ non-generating customers.

If you should have any questions, please do not hesitate to contact the undersigned.

Very truly yours,

/s/ Jamie C. Yoshikane

Kent D. Morihara
Jamie C. Yoshikane
Lianna L. Figueroa

Schneider Tanaka Radovich Andrew &
Tanaka, LLLC
Attorneys for Kauai Island Utility Cooperative

Enclosures

c: Consumer Advocate (w/enclosures)

ATTACHMENT A

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	Surplus Energy 2005 (kWh)	Surplus Energy 2006 (kWh)	Surplus Energy 2007 (kWh)	Surplus Energy 2008 (kWh)	Surplus Energy 2009 (kWh)	Surplus Energy 2010 (kWh)	Surplus Energy 2011 (kWh)	Surplus Energy 2012 (kWh)	Surplus Energy 2013 (kWh)	Surplus Energy 2014 (kWh)	Surplus Energy 2015 (kWh)	Surplus Energy 2016 (kWh)	Surplus Energy 2017 (kWh)	Surplus Energy 2018 (kWh)	Surplus Energy 2019 (kWh)	Surplus Energy 2020 (kWh)	Zip Code	(J)			
								(I)																				
<p>Panel capacity: Capacity of PV panels in kWdc Inverter Capacity: Capacity of inverter in kWac Installed Capacity: Lesser of (panel capacity x 80% efficiency factor) or inverter capacity Prior to 2011 data filing, column reported lesser of panel capacity or inverter capacity, without consideration of 80% panel efficiency Energy Produced: Estimated using the installed capacity x 20% capacity factor x 8760 (or 8784 for Leap Year) Connection date: Date KIUC installed the NEM meter Surplus Energy: Energy flowing onto the KIUC grid in kWh Zip Code 1/2% allocation to systems 10kW or less and 1/2% allocated for systems greater than 10kW and 50kW or less</p>																												
Application Information								Prior	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	Total thru 2020				
Packets Mailed								89	46	95	179	83	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	516			
Units installed								23	14	34	75	15	C	0	0	-2	-2	0	-2	0	-1	-1	-1	-1	156			
Cumulative installed kW ¹								7.4	118	300	664	808	868	808	808	765	765	727	720	720	719	717	715	715	715	715		
Installed kW								Prior	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	Total thru 2020				
KIUC Peak (MW)									76.8	77.5	77.8	75.4	76.0	72.1	73.1	73.0	72.9	74.9	76.5	75.2	77.4	79.7	74.9	74.9	MW			
Max allowable NEM kW (1% of Peak)								381	384	775	754	760	720.5	730.6	729.6	729.1	749.2	765.4	752.4	773.5	796.9	748.8	748.8	748.8	KW			
Cumulative Installed NEM Capacity kW²								7.4	118	300	664	808	868	808	808	765	765	727	720	720	719	717	715	715	715	715	KW	
Installed NEM kW as a percent of KIUC Peak								0.11%	0.15%	0.39%	0.85%	1.07%	1.06%	1.12%	1.11%	1.05%	1.05%	0.97%	0.96%	0.93%	0.90%	0.90%	0.93%	0.95%				

¹ Prior to 2011 data filing, reported as "kWdc installed systems," which is the total Panel Capacity (column D above) of all systems.
² "Cumulative installed kW" is the total installed Capacity (Column F above) of all systems, which is a better measure of total system capacity.

³ Prior to 2011 data filing, reported as "Installed NEM AC Panel Capacity kW."
 The change was made to reflect cumulative installed capacity on an annual basis, which provides a better measure of program fulfillment, year by year.

ATTACHMENT B

Attachment B
Schedule Q Modified
Kauai Island Utility Cooperative

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
1	Res	PV	5.0	6.0	4.00	7,027	06/19/08	96756
2	Res	W	1.8	1.8	1.44	2,530	07/08/08	96741
3	Res	PV	4.0	4.0	3.20	5,622	08/07/08	96741
4	Res	PV	5.25	5.0	4.20	7,379	08/13/08	96756
5	Res	PV	4.0	5.1	3.20	5,622	08/21/08	96722
6	Res	PV	2.7	3.0	2.16	3,795	09/02/08	96754
7	Res	PV	8.0	7.0	6.40	11,244	09/30/08	96716
8	Res	PV	5.0	5.5	4.00	7,027	10/08/08	96746
9	Res	PV	2.25	3.0	1.80	3,162	10/23/08	96741
10	Res	W	1.8	1.8	1.44	2,530	10/27/08	96754
11	Res	PV	2.3	3.0	1.84	3,233	10/30/08	96754
12	Res	PV	4.0	5.1	3.20	5,622	10/31/08	96746
13	Com	PV	110.0	95.0	88.00	154,598	11/05/08	96766
14	Res	PV	2.1	4.0	1.68	2,951	11/06/08	96741
15	Res	PV	1.8	2.0	1.44	2,530	12/11/08	96766
16	Res	PV	5.5	7.8	4.42	7,758	12/24/08	96752
17	Com	PV	105.0	98.0	84.00	147,571	12/29/08	96766
18	Res	PV	2.4	4.0	1.92	3,373	01/08/09	96722
19	Res	PV	10.6	10.0	8.48	14,898	01/12/09	96722
20	Res	PV	5.0	5.0	4.00	7,027	01/15/09	96746
21	Com	PV	12.8	13.0	10.24	17,990	01/15/09	96746
22	Res	PV	2.2	3.0	1.76	3,092	01/15/09	96754
23	Res	PV	5.0	5.1	4.00	7,027	01/16/09	96752
24	Res	PV	2.15	5.1	1.72	3,022	01/16/09	96754
25	Res	PV	4.2	7.0	3.36	5,903	01/21/09	96703
26	Res	PV	2.1	2.8	1.68	2,951	01/30/09	96722
27	Res	PV	1.35	3.0	1.08	1,897	02/05/09	96766
28	Res	PV	1.4	3.0	1.12	1,968	02/10/09	96756
29	Res	W	4.0	5.7	3.17	5,566	02/11/09	96746
30	Res	PV	2.7	3.0	2.16	3,795	02/23/09	96754
31	Res	PV	3.0	3.0	2.40	4,216	03/02/09	96746
32	Res	PV	1.8	7.0	1.44	2,530	03/02/09	96746
33	Com	PV	20.5	21.4	16.38	28,783	03/17/09	96766
34	Res	PV	3.6	3.0	2.88	5,060	03/23/09	96766
35	Res	PV	3.9	4.0	3.12	5,481	03/24/09	96756
36	Res	PV	2.5	3.6	2.00	3,514	03/24/09	96756
37	Res	PV	1.5	1.5	1.20	2,108	04/07/09	96705
38	Res	PV	4.2	5.0	3.36	5,903	04/14/09	96703
39	Res	PV	2.4	3.0	1.92	3,373	04/17/09	96722
40	Res	PV	7.0	7.0	5.60	9,838	04/28/09	96756
41	Res	PV	4.7	5.0	3.76	6,606	05/01/09	96746
42	Res	PV	5.4	5.5	4.29	7,533	05/27/09	96746
43	Res	PV	10.2	9.4	8.13	14,279	06/03/09	96746
44	Res	PV	1.7	1.8	1.36	2,389	06/09/09	96796
45	Res	W	1.8	1.8	1.44	2,530	06/10/09	96746
46	Res	PV	0.76	0.76	0.61	1,068	06/23/09	96741
47	Res	PV	3.6	5.1	2.88	5,060	06/25/09	96756
48	Com	PV	134.4	94.0	94.00	165,139	06/30/09	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
49	Res	PV	2.8	2.6	2.24	3,935	07/02/09	96746
50	Res	PV	1.6	3.0	1.28	2,249	07/06/09	96754
51	Res	PV	10.5	10.0	8.40	14,757	07/16/09	96754
52	Res	PV	1.5	1.5	1.20	2,108	08/20/09	96754
53	Res	PV	8.2	9.2	6.59	11,581	08/20/09	96746
54	Res	PV	5.0	5.0	4.00	7,027	08/20/09	96741
55	Res	PV	3.7	5.0	2.96	5,200	08/28/09	96765
56	Res	PV	2.2	10.0	1.76	3,092	09/04/09	96796
57	Res	PV	2.8	3.0	2.24	3,935	09/11/09	96746
58	Res	PV	6.8	6.0	5.44	9,557	09/11/09	96722
59	Res	PV	1.7	1.7	1.36	2,389	09/11/09	96722
60	Res	PV	5.2	4.5	4.13	7,252	09/29/09	96716
61	Res	PV	4.6	4.6	3.68	6,465	09/29/09	96746
62	Res	PV	5.3	5.0	4.24	7,449	10/13/09	96746
63	Res	PV	9.7	10.0	7.76	13,633	10/16/09	96741
64	Res	PV	6.5	7.5	5.20	9,135	10/30/09	96754
65	Com	PV	8.1	7.0	6.48	11,384	11/27/09	96746
66	Res	PV	2.7	2.7	2.16	3,795	12/01/09	96705
67	Res	PV	3.2	3.0	2.56	4,497	12/01/09	96754
68	Res	PV	1.3	1.3	1.04	1,827	12/09/09	96741
69	Res	PV	7.3	9.0	5.81	10,203	12/09/09	96746
70	Res	PV	4.4	5.0	3.52	6,184	12/10/09	96756
71	Res	PV	1.8	3.0	1.44	2,530	12/10/09	96754
72	Res	PV	6.6	7.7	5.26	9,248	12/16/09	96796
73	Res	PV	2.0	4.0	1.60	2,811	12/16/09	96796
74	Res	PV	4.3	5.0	3.44	6,043	12/16/09	96714
75	Res	PV	2.1	3.0	1.68	2,951	12/23/09	96752
76	Res	PV	2.0	2.0	1.60	2,811	12/23/09	96746
77	Res	PV	5.9	6.0	4.72	8,292	12/23/09	96746
78	Res	PV	1.7	1.7	1.36	2,389	12/28/09	96766
79	Res	PV	3.8	3.8	3.02	5,313	12/28/09	96756
80	Com	PV	4.0	4.0	3.20	5,622	12/28/09	96741
81	Res	PV	1.9	1.8	1.50	2,642	12/28/09	96716
82	Res	PV	7.2	7.2	5.78	10,154	12/28/09	96796
83	Res	PV	3.0	3.0	2.40	4,216	12/28/09	96766
84	Res	PV	5.0	6.6	4.00	7,027	12/28/09	96754
85	Res	PV	5.1	4.8	4.10	7,196	12/29/09	96746
86	Com	PV	6.0	6.0	4.80	8,433	12/29/09	96754
87	Res	PV	1.1	3.0	0.88	1,546	12/29/09	96754
88	Com	PV	5.9	5.9	4.72	8,292	12/30/09	96756
89	Res	PV	1.7	3.0	1.34	2,361	12/30/09	96741
90	Res	PV	3.8	3.8	3.04	5,341	12/30/09	96746
91	Res	PV	2.1	2.1	1.68	2,951	12/30/09	96746
92	Res	PV	3.1	3.0	2.50	4,385	12/30/09	96754
93	Res	PV	3.5	3.0	2.80	4,919	12/30/09	96754
94	Res	PV	4.2	4.2	3.36	5,903	01/04/10	96746
95	Com	PV	17.5	18.0	14.00	24,595	01/14/10	96756
96	Res	PV	4.9	4.6	3.88	6,816	01/14/10	96796
97	Res	PV	2.2	2.2	1.76	3,092	01/14/10	96746
98	Res	PV	17.5	18.0	14.04	24,660	01/18/10	96746
99	Res	PV	2.6	2.6	2.08	3,654	01/21/10	96746
100	Res	PV	4.8	5.0	3.84	6,746	02/01/10	96741
101	Res	PV	3.5	4.0	2.80	4,919	02/04/10	96722

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
102	Res	PV	3.2	3.0	2.56	4,497	02/16/10	96756
103	Res	PV	2.0	2.0	1.60	2,811	02/16/10	96716
104	Res	PV	3.5	3.0	2.80	4,919	02/16/10	96754
105	Res	PV	7.3	9.0	5.84	10,260	02/26/10	96746
106	Res	PV	23.6	19.5	18.90	33,196	03/01/10	96765
107	Res	PV	6.6	10.6	5.30	9,304	03/03/10	96765
108	Res	PV	7.5	5.7	5.70	10,014	03/08/10	96722
109	Res	PV	3.2	3.2	2.56	4,497	03/10/10	96766
110	Res	PV	3.1	3.0	2.48	4,357	03/10/10	96741
111	Res	PV	7.9	7.1	6.30	11,068	03/18/10	96756
112	Res	PV	6.8	6.0	5.44	9,557	03/30/10	96746
113	Res	PV	2.1	4.0	1.68	2,951	03/30/10	96746
114	Res	PV	4.7	4.7	3.77	6,620	03/30/10	96722
115	Res	PV	1.1	1.1	0.88	1,546	04/01/10	96746
116	Res	PV	4.6	4.6	3.68	6,465	04/08/10	96752
117	Res	PV	3.4	4.0	2.72	4,778	04/08/10	96746
118	Res	PV	5.4	5.4	4.32	7,589	04/08/10	96746
119	Res	PV	7.7	6.2	6.12	10,752	04/09/10	96766
120	Res	PV	3.3	4.0	2.64	4,638	04/12/10	96746
121	Res	PV	12.3	11.0	9.82	17,259	04/15/10	96765
122	Res	PV	2.1	3.0	1.68	2,951	04/15/10	96746
123	Res	PV	2.1	2.1	1.68	2,951	04/22/10	96756
124	Res	PV	3.2	3.2	2.56	4,497	04/22/10	96765
125	Res	PV	2.2	3.0	1.76	3,092	04/28/10	96703
126	Res	PV	2.3	2.3	1.84	3,233	04/29/10	96766
127	Res	PV	2.1	2.1	1.68	2,951	04/29/10	96766
128	Res	PV	3.9	5.1	3.12	5,481	04/30/10	96705
129	Res	PV	1.8	1.9	1.44	2,530	04/30/10	96766
130	Res	PV	2.5	2.5	2.00	3,514	05/04/10	96746
131	Com	PV	42.5	42.0	34.03	59,787	05/14/10	96766
132	Res	PV	5.1	5.2	4.08	7,168	05/25/10	96741
133	Res	PV	4.7	5.0	3.76	6,606	06/01/10	96756
134	Res	PV	4.1	4.1	3.28	5,762	06/01/10	96796
135	Res	PV	6.3	5.3	5.04	8,854	06/04/10	96766
136	Res	PV	2.8	2.8	2.24	3,935	06/04/10	96741
137	Res	PV	8.2	7.5	6.53	11,468	06/04/10	96741
138	Res	W	1.8	1.8	1.44	2,530	06/08/10	96754
139	Res	PV	3.2	3.0	2.56	4,497	06/10/10	96722
140	Res	PV	6.5	6.3	5.21	9,149	06/21/10	96746
141	Res	PV	1.9	1.9	1.52	2,670	06/24/10	96705
142	Res	PV	3.5	3.6	2.80	4,919	07/02/10	96705
143	Res	PV	1.9	3.0	1.52	2,670	07/09/10	96741
144	Res	PV	2.2	1.9	1.76	3,092	07/13/10	96752
145	Res	PV	1.9	2.3	1.52	2,670	07/14/10	96741
146	Res	PV	1.9	2.3	1.52	2,670	07/23/10	96705
147	Res	PV	4.3	4.3	3.44	6,043	07/26/10	96766
148	Com	PV	2.3	3.0	1.84	3,233	07/27/10	96754
149	Res	PV	4.2	4.2	3.36	5,903	07/28/10	96741
150	Res	PV	5.3	5.3	4.24	7,449	07/30/10	96754
151	Res	PV	2.1	3.0	1.68	2,951	08/03/10	96715
152	Res	PV	4.8	4.2	3.84	6,746	08/04/10	96746
153	Res	PV	1.9	1.9	1.52	2,670	08/05/10	96752
154	Res	PV	3.4	6.0	2.72	4,778	08/06/10	96714

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
155	Res	PV	3.9	3.0	3.00	5,270	08/09/10	96796
156	Res	PV	2.2	3.0	1.76	3,092	08/13/10	96746
157	Res	PV	3.8	3.0	3.00	5,270	08/13/10	96746
158	Res	PV	3.8	4.0	3.04	5,341	08/13/10	96754
159	Res	PV	1.4	1.1	1.10	1,932	08/17/10	96756
160	Res	PV	2.0	1.7	1.60	2,811	08/18/10	96714
161	Res	PV	2.4	1.9	1.90	3,338	08/19/10	96766
162	Res	PV	3.3	3.3	2.64	4,638	08/30/10	96766
163	Res	PV	2.1	3.0	1.68	2,951	08/30/10	96722
164	Res	PV	2.6	2.5	2.08	3,654	09/09/10	96766
165	Res	PV	0.7	0.7	0.56	984	09/15/10	96746
166	Res	PV	3.8	3.8	3.04	5,341	09/15/10	96746
167	Res	PV	3.4	3.4	2.72	4,778	09/17/10	96796
168	Res	PV	1.9	1.9	1.52	2,670	09/21/10	96766
169	Res	PV	4.0	4.0	3.20	5,622	09/21/10	96746
170	Res	PV	2.8	3.0	2.24	3,935	09/22/10	96796
171	Res	PV	2.0	1.7	1.60	2,811	09/23/10	96747
172	Res	PV	1.9	1.9	1.52	2,670	09/24/10	96741
173	Res	PV	0.5	3.0	0.40	703	09/24/10	96722
174	Res	PV	5.6	5.9	4.50	7,913	09/29/10	96796
175	Res	PV	4.6	4.0	3.68	6,465	09/30/10	96754
176	Res	PV	14.0	11.4	11.20	19,676	10/04/10	96746
177	Res	PV	4.6	4.0	3.68	6,465	10/07/10	96741
178	Res	PV	2.1	2.1	1.68	2,951	10/14/10	96766
179	Res	PV	1.9	1.9	1.52	2,670	10/19/10	96766
180	Res	PV	2.5	2.5	2.00	3,514	10/19/10	96766
181	Res	PV	2.2	2.0	1.76	3,092	10/19/10	96746
182	Com	PV	5.4	5.0	4.32	7,589	10/21/10	96766
183	Res	PV	2.1	2.1	1.68	2,951	10/21/10	96716
184	Res	PV	4.2	4.2	3.36	5,903	10/22/10	96741
185	Res	PV	2.1	2.1	1.68	2,951	10/25/10	96716
186	Res	PV	2.3	2.3	1.84	3,233	10/25/10	96746
187	Res	PV	2.3	2.3	1.84	3,233	10/25/10	96746
188	Res	PV	4.6	4.6	3.68	6,465	10/25/10	96746
189	Res	PV	2.6	2.6	2.08	3,654	11/05/10	96756
190	Res	PV	1.9	1.9	1.52	2,670	11/05/10	96716
191	Res	PV	5.4	7.0	4.32	7,589	11/05/10	96754
192	Res	PV	3.2	3.2	2.56	4,497	11/09/10	96746
193	Com	PV	101.0	100.0	80.80	141,949	11/19/10	96746
194	Res	PV	5.6	10.8	4.45	7,814	11/22/10	96766
195	Res	PV	5.3	5.3	4.24	7,449	11/23/10	96766
196	Res	PV	1.9	1.9	1.52	2,670	11/23/10	96756
197	Res	PV	4.2	4.2	3.36	5,903	11/23/10	96741
198	Res	PV	1.7	1.7	1.36	2,389	11/23/10	96741
199	Res	PV	2.1	2.1	1.68	2,951	11/23/10	96741
200	Res	PV	3.8	3.8	3.04	5,341	11/23/10	96705
201	Res	PV	3.8	3.8	3.04	5,341	11/23/10	96716
202	Res	PV	4.2	4.2	3.36	5,903	11/23/10	96746
203	Res	PV	2.4	2.4	1.92	3,373	11/24/10	96766
204	Res	PV	1.4	3.0	1.12	1,968	11/30/10	96754
205	Res	PV	2.1	2.1	1.68	2,951	12/01/10	96746
206	Res	PV	3.4	3.4	2.72	4,778	12/02/10	96766
207	Res	PV	3.0	3.0	2.40	4,216	12/02/10	96741

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
208	Res	PV	5.5	4.8	4.40	7,730	12/02/10	96796
209	Res	PV	3.8	3.8	3.04	5,341	12/02/10	96752
210	Res	PV	5.4	4.9	4.30	7,554	12/02/10	96754
211	Res	PV	2.1	2.1	1.68	2,951	12/02/10	96722
212	Res	PV	1.9	1.9	1.52	2,670	12/06/10	96746
213	Res	PV	1.9	1.9	1.52	2,670	12/06/10	96746
214	Res	PV	2.3	1.9	1.84	3,233	12/06/10	96746
215	Res	PV	4.2	4.2	3.36	5,903	12/09/10	96741
216	Res	PV	6.3	10.0	5.01	8,798	12/09/10	96752
217	Com	PV	32.9	30.0	26.32	46,239	12/14/10	96766
218	Res	PV	6.4	3.0	3.00	5,270	12/14/10	96756
219	Res	PV	4.9	5.0	3.92	6,887	12/14/10	96765
220	Res	PV	7.9	8.6	6.33	11,117	12/14/10	96741
221	Res	PV	1.6	3.0	1.28	2,249	12/14/10	96752
222	Res	PV	2.1	2.1	1.68	2,951	12/14/10	96746
223	Res	PV	2.5	2.5	2.00	3,514	12/16/10	96741
224	Res	PV	2.7	2.7	2.16	3,795	12/20/10	96705
225	Com	PV	12.6	13.6	10.08	17,709	12/20/10	96746
226	Res	PV	4.6	4.0	3.68	6,465	12/21/10	96746
227	Res	PV	2.1	3.0	1.68	2,951	12/23/10	96766
228	Res	PV	5.3	7.0	4.24	7,449	12/23/10	96746
229	Res	PV	13.5	13.1	10.81	18,987	12/27/10	96765
230	Res	PV	5.8	4.9	4.64	8,152	12/29/10	96756
231	Res	PV	4.1	4.1	3.95	6,939	12/29/10	96741
232	Res	PV	3.8	3.8	3.04	5,341	12/29/10	96746
233	Res	PV	7.4	6.5	5.92	10,400	12/30/10	96756
234	Res	PV	4.6	4.6	3.68	6,465	12/30/10	96741
235	Res	PV	2.1	2.3	1.68	2,951	12/30/10	96705
236	Res	PV	3.2	3.2	2.56	4,497	12/30/10	96796
237	Res	PV	8.6	8.4	6.86	12,045	12/30/10	96752
238	Res	PV	3.8	3.8	3.04	5,341	12/30/10	96746
239	Res	PV	6.5	5.3	5.18	9,093	12/30/10	96746
240	Res	PV	4.0	4.0	3.20	5,622	12/30/10	96746
241	Res	PV	3.1	3.0	2.50	4,385	01/04/11	96722
242	Com	PV	7.7	7.0	6.16	10,822	01/10/11	96766
243	Res	PV	5.9	6.0	4.72	8,292	01/11/11	96741
244	Res	PV	2.2	2.2	1.76	3,092	01/11/11	96705
245	Res	PV	3.8	3.8	3.04	5,341	01/11/11	96746
246	Res	PV	4.6	4.6	3.68	6,465	01/12/11	96741
247	Res	PV	4.9	4.0	3.95	6,936	01/12/11	96766
248	Res	PV	1.7	1.7	1.36	2,389	01/13/11	96756
249	Res	PV	3.8	3.8	3.04	5,341	01/13/11	96741
250	Res	PV	3.8	3.8	3.04	5,341	01/13/11	96746
251	Res	PV	3.8	3.8	3.04	5,341	01/13/11	96746
252	Res	PV	2.8	2.4	2.24	3,935	01/25/11	96714
253	Res	PV	8.0	6.0	6.00	10,541	01/27/11	96746
254	Res	PV	3.5	6.0	2.77	4,863	01/27/11	96746
255	Res	PV	2.2	1.9	1.76	3,092	01/27/11	96746
256	Com	PV	98.7	79.8	78.96	138,717	01/31/11	96754
257	Res	PV	5.9	5.0	4.72	8,292	02/01/11	96752
258	Res	PV	3.5	3.0	2.80	4,919	02/01/11	96746
259	Res	PV	17.8	15.5	14.21	24,956	02/01/11	96754
260	Res	PV	3.2	2.6	2.56	4,497	02/01/11	96754

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
261	Res	PV	5.6	5.0	4.45	7,814	02/09/11	96766
262	Res	PV	2.4	1.9	1.90	3,338	02/09/11	96766
263	Res	PV	3.0	3.0	2.40	4,216	02/09/11	96714
264	Res	PV	2.2	1.9	1.76	3,092	02/17/11	96741
265	Res	PV	4.9	5.0	3.92	6,887	02/23/11	96741
266	Res	PV	4.1	3.8	3.28	5,762	02/25/11	96746
267	Res	PV	5.9	9.8	4.74	8,320	03/03/11	96765
268	Res	PV	2.1	2.1	1.68	2,951	03/03/11	96716
269	Res	PV	4.9	6.0	3.92	6,887	03/07/11	96754
270	Res	PV	2.3	2.5	1.84	3,233	03/09/11	96746
271	Res	PV	4.2	6.0	3.36	5,903	03/21/11	96746
272	Res	PV	6.8	6.6	5.44	9,557	03/22/11	96766
273	Res	PV	5.7	5.7	4.56	8,011	03/24/11	96756
274	Res	PV	5.8	5.9	4.64	8,152	03/24/11	96741
275	Res	PV	5.5	5.9	4.40	7,730	03/24/11	96752
276	Res	PV	7.7	7.8	6.16	10,822	03/25/11	96752
277	Res	PV	2.1	1.9	1.68	2,951	04/01/11	96746
278	Res	PV	8.0	8.0	6.40	11,244	04/06/11	96754
279	Res	PV	2.1	2.1	1.68	2,951	04/07/11	96746
280	Res	PV	6.0	6.0	4.80	8,433	04/13/11	96756
281	Res	PV	3.4	3.4	2.72	4,778	04/13/11	96741
282	Res	PV	3.4	3.4	2.72	4,778	04/13/11	96746
283	Res	PV	14.8	12.9	11.87	20,857	04/13/11	96714
284	Com	PV	5.6	5.0	4.48	7,870	04/14/11	96714
285	Res	PV	10.5	9.7	8.36	14,687	04/28/11	96752
286	Res	PV	5.5	5.5	4.40	7,730	04/28/11	96752
287	Res	PV	2.1	2.1	1.68	2,951	04/28/11	96752
288	Res	PV	3.1	2.7	2.48	4,357	05/03/11	96796
289	Res	PV	1.1	1.1	0.88	1,546	05/04/11	96746
290	Com	PV	9.4	7.6	7.52	13,211	05/05/11	96766
291	Res	PV	3.7	3.0	2.96	5,200	05/10/11	96754
292	Com	PV	85.0	75.0	68.00	119,462	05/11/11	96766
293	Res	PV	3.0	3.0	2.40	4,216	05/13/11	96756
294	Res	PV	2.6	2.6	2.08	3,654	05/13/11	96756
295	Res	PV	8.9	7.7	7.10	12,480	05/13/11	96756
296	Res	PV	7.7	7.6	6.16	10,822	05/13/11	96796
297	Res	PV	3.5	2.9	2.80	4,919	05/18/11	96756
298	Res	PV	2.1	1.9	1.68	2,951	05/19/11	96746
299	Com	PV	2.4	1.9	1.90	3,338	05/19/11	96722
300	Res	PV	2.4	1.9	1.90	3,338	05/19/11	96722
301	Res	PV	4.2	4.2	3.36	5,903	05/25/11	96722
302	Res	PV	1.8	1.8	1.44	2,530	05/31/11	96766
303	Res	PV	4.3	4.3	3.44	6,043	05/31/11	96722
304	Res	PV	4.3	4.3	3.44	6,043	05/31/11	96746
305	Res	PV	2.7	2.7	2.16	3,795	06/03/11	96746
306	Res	PV	4.6	3.8	3.68	6,465	06/06/11	96756
307	Res	PV	5.0	5.0	4.00	7,027	06/08/11	96741
308	Res	PV	3.8	3.6	3.00	5,270	06/09/11	96756
309	Res	PV	2.2	3.0	1.76	3,092	06/09/11	96796
310	Res	PV	2.9	2.9	2.32	4,076	06/09/11	96766
311	Res	PV	6.8	6.5	5.42	9,529	06/17/11	96741
312	Res	PV	6.8	6.8	5.44	9,557	06/17/11	96766
313	Res	PV	2.2	2.2	1.76	3,092	06/21/11	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
314	Res	PV	4.3	4.3	3.44	6,043	06/21/11	96746
315	Res	PV	5.0	4.0	4.00	7,027	06/22/11	96746
316	Res	PV	8.0	7.0	6.40	11,244	06/22/11	96754
317	Res	PV	11.3	9.7	9.00	15,811	06/23/11	96752
318	Res	PV	4.2	4.0	3.36	5,903	06/24/11	96756
319	Res	PV	2.6	2.6	2.08	3,654	06/24/11	96756
320	Res	PV	6.6	6.6	5.28	9,276	06/24/11	96741
321	Res	PV	2.3	2.2	1.87	3,289	06/24/11	96746
322	Com	PV	6.6	8.0	5.28	9,276	06/24/11	96754
323	Res	PV	8.5	8.8	6.80	11,946	06/28/11	96746
324	Res	PV	7.5	7.6	6.00	10,541	06/30/11	96746
325	Res	PV	3.0	2.9	2.40	4,216	07/06/11	96741
326	Res	PV	4.9	4.8	3.92	6,887	07/06/11	96741
327	Com	PV	3.4	3.4	2.72	4,778	07/06/11	96766
328	Res	PV	2.4	2.6	1.88	3,303	07/06/11	96754
329	Res	PV	3.4	3.4	2.72	4,778	07/07/11	96766
330	Res	PV	2.8	2.4	2.24	3,935	07/11/11	96756
331	Res	PV	2.3	3.0	1.84	3,233	07/11/11	96716
332	Res	PV	3.7	3.1	2.96	5,200	07/12/11	96765
333	Res	PV	3.7	3.1	2.96	5,200	07/12/11	96766
334	Res	PV	2.5	2.5	2.00	3,514	07/14/11	96705
335	Res	PV	3.4	3.3	2.72	4,778	07/14/11	96766
336	Res	PV	2.2	2.1	1.76	3,092	07/15/11	96796
337	Res	PV	5.0	5.0	4.00	7,027	07/22/11	96765
338	Res	PV	3.4	3.4	2.72	4,778	07/22/11	96741
339	Res	PV	2.1	2.1	1.68	2,951	07/22/11	96722
340	Res	PV	2.1	2.1	1.68	2,951	07/25/11	96746
341	Res	PV	2.2	2.1	1.76	3,092	07/25/11	96765
342	Res	PV	3.8	3.8	3.04	5,341	07/25/11	96746
343	Res	PV	4.3	4.2	3.44	6,043	07/26/11	96741
344	Res	PV	2.1	2.1	1.68	2,951	07/29/11	96766
345	Res	PV	5.8	5.2	4.67	8,208	08/09/11	96766
346	Res	PV	1.1	1.1	0.88	1,546	08/16/11	96746
347	Res	PV	1.9	2.1	1.52	2,670	08/16/11	96746
348	Res	PV	11.0	9.7	8.82	15,488	08/17/11	96766
349	Res	PV	2.8	2.3	2.24	3,935	08/29/11	96746
350	Res	PV	1.4	1.5	1.12	1,968	08/30/11	96766
351	Res	PV	7.0	6.7	5.60	9,838	08/30/11	96756
352	Res	PV	7.0	7.0	5.60	9,838	08/31/11	96746
353	Res	PV	4.2	4.3	3.36	5,903	09/06/11	96741
354	Res	PV	6.6	7.1	5.30	9,318	09/06/11	96752
355	Res	PV	7.2	5.7	5.74	10,084	09/06/11	96746
356	Res	PV	2.4	2.4	1.92	3,373	09/06/11	96746
357	Res	PV	9.7	8.0	7.73	13,577	09/08/11	96754
358	Res	PV	0.7	3.0	0.56	984	09/08/11	96714
359	Res	PV	1.5	1.3	1.20	2,108	09/09/11	96766
360	Res	PV	5.3	6.0	4.24	7,449	09/09/11	96716
361	Com	PV	38.5	39.0	30.79	54,095	09/09/11	96754
362	Res	PV	3.3	3.2	2.64	4,638	09/12/11	96766
363	Res	PV	2.5	2.5	2.00	3,514	09/13/11	96746
364	Res	PV	5.7	4.9	4.53	7,955	09/29/11	96746
365	Res	PV	3.1	3.0	2.48	4,357	09/30/11	96756
366	Res	PV	5.5	5.0	4.43	7,779	09/30/11	96756

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
367	Res	PV	2.8	3.1	2.24	3,935	09/30/11	96766
368	Res	PV	3.5	3.4	2.80	4,919	09/30/11	96754
369	Res	PV	4.4	4.2	3.52	6,184	10/03/11	96766
370	Res	PV	6.0	5.6	4.80	8,433	10/03/11	96766
371	Res	PV	3.2	3.8	2.56	4,497	10/03/11	96766
372	Res	PV	5.6	5.4	4.48	7,870	10/03/11	96746
373	Res	PV	6.8	5.8	5.45	9,571	10/03/11	96746
374	Res	PV	3.9	3.0	3.00	5,270	10/03/11	96746
375	Res	PV	3.1	3.0	2.48	4,357	10/04/11	96756
376	Res	PV	3.1	3.0	2.48	4,357	10/04/11	96796
377	Res	PV	1.6	1.5	1.28	2,249	10/04/11	96752
378	Com	PV	52.7	54.0	42.16	74,067	10/07/11	96766
379	Res	PV	2.9	2.9	2.32	4,076	10/11/11	96796
380	Res	PV	3.1	2.9	2.48	4,357	10/11/11	96752
381	Res	PV	4.0	4.0	3.20	5,622	10/11/11	96766
382	Res	PV	3.8	3.0	3.00	5,270	10/11/11	96766
383	Res	PV	3.2	4.0	2.56	4,497	10/11/11	96766
384	Res	PV	3.8	3.0	3.00	5,270	10/11/11	96754
385	Res	PV	2.5	2.2	2.00	3,514	10/11/11	96722
386	Res	PV	2.0	1.9	1.60	2,811	10/11/11	96722
387	Res	PV	2.8	2.5	2.24	3,935	10/24/11	96746
388	Res	PV	6.0	6.0	4.80	8,433	11/02/11	96741
389	Res	PV	6.0	5.7	4.80	8,433	11/02/11	96752
390	Res	PV	0.9	0.8	0.72	1,265	11/02/11	96746
391	Res	PV	2.6	2.2	2.08	3,654	11/02/11	96746
392	Res	PV	7.5	8.3	6.00	10,541	11/02/11	96746
393	Res	PV	2.5	2.4	2.00	3,514	11/02/11	96722
394	Res	PV	3.8	3.0	3.00	5,270	11/03/11	96756
395	Res	PV	6.0	6.0	4.80	8,433	11/03/11	96741
396	Res	PV	2.3	1.9	1.84	3,233	11/03/11	96766
397	Res	PV	2.8	2.3	2.24	3,935	11/03/11	96746
398	Res	PV	2.4	2.6	1.92	3,373	11/03/11	96722
399	Res	PV	1.3	1.1	1.04	1,827	11/08/11	96705
400	Res	PV	3.1	2.9	2.48	4,357	11/08/11	96766
401	Res	PV	8.1	6.8	6.48	11,384	11/08/11	96746
402	Res	PV	5.7	5.7	4.56	8,011	11/09/11	96754
403	Com	PV	52.9	60.0	42.32	74,348	11/10/11	96705
404	Res	PV	4.6	3.8	3.68	6,465	11/14/11	96746
405	Res	PV	3.3	3.0	2.64	4,638	11/15/11	96796
406	Res	PV	7.6	7.2	6.11	10,738	11/15/11	96722
407	Res	PV	2.1	3.0	1.68	2,951	11/17/11	96796
408	Res	PV	7.4	7.2	5.89	10,344	11/17/11	96746
409	Res	PV	2.8	2.6	2.24	3,935	11/18/11	96766
410	Res	PV	5.2	4.7	4.16	7,308	11/18/11	96746
411	Res	PV	38.4	38.0	30.72	53,969	11/18/11	96703
412	Res	PV	6.5	6.0	5.20	9,135	11/21/11	96766
413	Res	PV	11.7	11.0	9.36	16,444	11/21/11	96746
414	Res	PV	5.9	5.7	4.72	8,292	11/29/11	96741
415	Res	PV	4.8	6.0	3.84	6,746	11/30/11	96716
416	Res	PV	2.3	1.9	1.84	3,233	11/30/11	96766
417	Res	PV	5.3	5.0	4.24	7,449	11/30/11	96746
418	Res	PV	2.5	1.9	1.90	3,338	11/30/11	96754
419	Res	PV	7.3	7.4	5.84	10,260	12/01/11	96741

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
420	Res	PV	6.3	6.4	5.04	8,854	12/01/11	96741
421	Res	PV	2.4	2.4	1.92	3,373	12/01/11	96746
422	Res	PV	2.2	2.1	1.76	3,092	12/02/11	96766
423	Res	PV	4.5	4.5	3.60	6,324	12/02/11	96765
424	Res	PV	6.3	6.3	5.04	8,854	12/03/11	96765
425	Res	PV	4.3	4.3	3.44	6,043	12/06/11	96756
426	Res	PV	4.6	6.0	3.70	6,493	12/06/11	96741
427	Res	PV	7.7	7.0	6.14	10,794	12/07/11	96765
428	Res	PV	9.4	10.0	7.52	13,211	12/08/11	96741
429	Com	PV	81.8	66.1	65.45	114,979	12/08/11	96766
430	Res	PV	2.9	2.9	2.32	4,076	12/08/11	96722
431	Res	PV	6.0	6.0	4.80	8,433	12/09/11	96754
432	Res	PV	3.8	5.0	3.04	5,341	12/09/11	96722
433	Res	PV	3.5	3.0	2.80	4,919	12/12/11	96741
434	Res	PV	2.2	4.2	1.76	3,092	12/12/11	96746
435	Com	PV	24.7	25.0	19.76	34,714	12/12/11	96746
436	Res	PV	4.4	4.2	3.52	6,184	12/13/11	96766
437	Res	PV	4.0	4.0	3.20	5,622	12/13/11	96766
438	Res	PV	8.7	7.3	6.93	12,171	12/13/11	96741
439	Res	PV	7.1	7.1	5.68	9,979	12/13/11	96705
440	Res	PV	4.2	4.0	3.36	5,903	12/13/11	96716
441	Res	PV	6.8	6.7	5.41	9,508	12/13/11	96752
442	Res	PV	4.0	4.0	3.20	5,622	12/13/11	96766
443	Res	PV	4.0	6.0	3.20	5,622	12/13/11	96746
444	Res	PV	5.0	9.7	4.00	7,027	12/13/11	96746
445	Res	PV	6.0	6.0	4.80	8,433	12/13/11	96754
446	Res	PV	5.9	5.7	4.72	8,292	12/15/11	96766
447	Res	PV	7.8	7.4	6.26	10,991	12/15/11	96754
448	Res	PV	3.4	3.0	2.72	4,778	12/16/11	96746
449	Res	PV	9.8	9.8	7.84	13,773	12/16/11	96754
450	Res	PV	11.1	11.0	8.88	15,600	12/19/11	96765
451	Res	PV	2.2	3.0	1.76	3,092	12/19/11	96752
452	Res	PV	9.0	7.3	7.22	12,677	12/20/11	96741
453	Res	PV	4.1	3.4	3.28	5,762	12/20/11	96746
454	Res	PV	7.2	6.0	5.76	10,119	12/21/11	96752
455	Com	PV	8.2	8.0	6.56	11,525	12/21/11	96766
456	Res	PV	3.0	3.0	2.40	4,216	12/21/11	96766
457	Res	PV	3.4	3.0	2.72	4,778	12/21/11	96754
458	Res	PV	2.2	2.2	1.76	3,092	12/27/11	96756
459	Res	PV	1.9	1.9	1.52	2,670	12/28/11	96746
460	Res	PV	2.3	2.2	1.84	3,233	12/30/11	96741
461	Res	PV	6.4	7.6	5.12	8,995	01/04/12	96766
462	Res	PV	4.8	4.0	3.84	6,746	01/04/12	96716
463	Res	PV	3.8	3.0	3.00	5,270	01/04/12	96752
464	Res	PV	6.0	6.0	4.80	8,433	01/04/12	96766
465	Res	PV	3.8	3.0	3.00	5,270	01/05/12	96741
466	Res	PV	2.0	2.0	1.60	2,811	01/05/12	96765
467	Res	PV	2.3	2.3	1.84	3,233	01/05/12	96766
468	Res	PV	2.9	3.0	2.30	4,048	01/06/12	96741
469	Res	PV	2.4	2.2	1.92	3,373	01/06/12	96747
470	Res	PV	3.8	3.4	3.04	5,341	01/06/12	96746
471	Res	PV	6.2	5.9	4.96	8,714	01/09/12	96756
472	Com	PV	2.6	2.5	2.08	3,654	01/10/12	96756

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
473	Res	PV	6.3	5.9	5.04	8,854	01/10/12	96756
474	Res	PV	14.5	7.6	7.60	13,352	01/12/12	96766
475	Res	PV	5.9	5.6	4.72	8,292	01/12/12	96766
476	Res	PV	7.7	6.0	6.00	10,541	01/12/12	96766
477	Res	PV	3.8	3.0	3.00	5,270	01/12/12	96746
478	Res	PV	5.4	5.1	4.32	7,589	01/12/12	96722
479	Res	PV	4.0	4.0	3.20	5,622	01/16/12	96766
480	Res	PV	4.4	4.4	3.52	6,184	01/17/12	96741
481	Res	PV	5.5	5.2	4.40	7,730	01/17/12	96741
482	Res	PV	14.1	11.4	11.28	19,817	01/17/12	96714
483	Res	PV	5.7	5.8	4.54	7,983	01/19/12	96766
484	Res	PV	2.8	7.8	2.24	3,935	01/19/12	96741
485	Res	PV	4.4	4.2	3.52	6,184	01/20/12	96741
486	Res	PV	7.1	7.2	5.66	9,951	01/20/12	96796
487	Res	PV	3.7	3.7	2.96	5,200	01/26/12	96765
488	Res	PV	8.5	7.3	6.76	11,876	01/26/12	96746
489	Com	PV	9.9	9.9	7.92	13,914	01/26/12	96754
490	Res	PV	5.9	5.9	4.72	8,292	01/30/12	96756
491	Res	PV	3.9	3.4	3.12	5,481	01/30/12	96705
492	Res	PV	3.8	3.2	3.06	5,376	02/01/12	96766
493	Res	PV	3.4	3.4	2.72	4,778	02/01/12	96741
494	Res	PV	13.4	13.0	10.72	18,833	02/01/12	96766
495	Res	PV	5.2	6.3	4.16	7,308	02/01/12	96766
496	Res	PV	3.9	3.4	3.12	5,481	02/01/12	96722
497	Res	PV	3.5	3.0	2.80	4,919	02/01/12	96722
498	Com	PV	31.7	28.0	25.36	44,552	02/03/12	96746
499	Res	PV	4.8	4.8	3.84	6,746	02/07/12	96752
500	Res	PV	4.1	3.9	3.28	5,762	02/07/12	96766
501	Res	PV	1.5	1.5	1.20	2,108	02/07/12	96715
502	Res	PV	5.7	5.7	4.56	8,011	02/09/12	96766
503	Res	PV	2.8	2.8	2.24	3,935	02/09/12	96746
504	Res	PV	2.6	2.6	2.08	3,654	02/12/12	96756
505	Res	PV	3.0	3.0	2.40	4,216	02/14/12	96754
506	Res	PV	8.0	7.1	6.36	11,173	02/15/12	96756
507	Res	PV	4.2	4.2	3.36	5,903	02/21/12	96766
508	Res	PV	3.2	3.2	2.56	4,497	02/22/12	96722
509	Res	PV	3.8	3.2	3.04	5,341	02/22/12	96722
510	Res	PV	2.3	4.0	1.84	3,233	02/27/12	96741
511	Res	PV	5.2	4.7	4.14	7,266	02/27/12	96741
512	Res	PV	6.6	6.6	5.28	9,276	02/27/12	96796
513	Res	PV	9.2	9.2	7.36	12,930	02/27/12	96714
514	Res	PV	2.1	3.0	1.68	2,951	03/02/12	96756
515	Res	PV	4.2	4.0	3.36	5,903	03/02/12	96705
516	Res	PV	5.5	5.2	4.41	7,744	03/02/12	96752
517	Res	PV	1.3	1.3	1.04	1,827	03/02/12	96746
518	Res	PV	6.6	6.3	5.28	9,276	03/02/12	96722
519	Res	PV	8.6	8.5	6.84	12,017	03/02/12	96722
520	Res	PV	5.9	5.7	4.72	8,292	03/02/12	96722
521	Res	PV	7.9	7.6	6.32	11,103	03/02/12	96722
522	Res	PV	4.1	9.6	3.28	5,762	03/05/12	96766
523	Com	PV	37.0	30.0	29.57	51,945	03/06/12	96766
524	Res	PV	5.2	5.0	4.16	7,308	03/07/12	96756
525	Res	PV	2.8	3.0	2.24	3,935	03/07/12	96756

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
526	Com	PV	25.2	21.0	20.16	35,417	03/07/12	96796
527	Res	PV	8.6	8.2	6.88	12,087	03/08/12	96756
528	Res	PV	2.6	2.5	2.08	3,654	03/08/12	96746
529	Res	PV	2.0	4.0	1.63	2,867	03/08/12	96746
530	Res	PV	4.8	4.3	3.84	6,746	03/08/12	96746
531	Res	PV	2.4	2.2	1.92	3,373	03/12/12	96766
532	Res	PV	1.8	3.0	1.44	2,530	03/12/12	96741
533	Res	PV	5.6	7.0	4.48	7,870	03/12/12	96741
534	Res	PV	4.2	4.0	3.36	5,903	03/15/12	96746
535	Res	PV	3.5	3.2	2.80	4,919	03/15/12	96746
536	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
537	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
538	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
539	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
540	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
541	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
542	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
543	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
544	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
545	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
546	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
547	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
548	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
549	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
550	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
551	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
552	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
553	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
554	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
555	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
556	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
557	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
558	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
559	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
560	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
561	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
562	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
563	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
564	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
565	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
566	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
567	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
568	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
569	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
570	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
571	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
572	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
573	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
574	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
575	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
576	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
577	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
578	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
579	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
580	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
581	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
582	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
583	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
584	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
585	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
586	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
587	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
588	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
589	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
590	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
591	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
592	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
593	Res	PV	1.6	1.5	1.29	2,263	03/19/12	96766
594	Res	PV	6.6	6.3	5.28	9,276	03/20/12	96796
595	Res	PV	6.2	5.9	4.96	8,714	03/20/12	96722
596	Res	PV	3.0	3.0	2.40	4,216	03/21/12	96766
597	Res	PV	4.7	4.3	3.76	6,606	03/21/12	96746
598	Res	PV	5.9	5.7	4.72	8,292	03/21/12	96714
599	Res	PV	5.9	5.7	4.72	8,292	03/23/12	96766
600	Res	PV	5.2	4.7	4.16	7,308	03/26/12	96747
601	Res	PV	2.6	2.4	2.09	3,668	03/27/12	96746
602	Res	PV	2.3	2.2	1.80	3,162	03/28/12	96766
603	Res	PV	12.1	11.6	9.68	17,006	03/29/12	96766
604	Res	PV	3.3	3.2	2.64	4,638	03/29/12	96741
605	Com	PV	27.6	30.0	22.08	38,790	03/29/12	96746
606	Com	PV	38.8	35.5	31.02	54,503	04/02/12	96766
607	Res	PV	4.8	4.3	3.84	6,746	04/03/12	96766
608	Res	PV	2.4	2.2	1.92	3,373	04/03/12	96766
609	Res	PV	3.4	3.0	2.69	4,722	04/04/12	96766
610	Res	PV	4.7	4.3	3.76	6,606	04/04/12	96765
611	Com	PV	62.5	60.0	50.01	87,854	04/04/12	96796
612	Com	PV	20.2	21.0	16.13	28,334	04/04/12	96754
613	Res	PV	2.9	3.0	2.29	4,020	04/05/12	96741
614	Res	PV	4.6	4.3	3.68	6,465	04/05/12	96746
615	Res	PV	3.1	3.0	2.50	4,385	04/10/12	96716
616	Res	PV	2.9	2.6	2.30	4,048	04/10/12	96746
617	Res	PV	4.5	4.0	3.60	6,324	04/11/12	96741
618	Res	PV	4.1	3.0	3.00	5,270	04/11/12	96741
619	Res	PV	5.1	4.7	4.04	7,097	04/11/12	96746
620	Res	PV	4.6	3.9	3.67	6,451	04/11/12	96754
621	Res	PV	4.9	4.5	3.95	6,943	04/13/12	96752
622	Res	PV	4.8	4.3	3.84	6,746	04/16/12	96756
623	Res	PV	2.4	2.2	1.92	3,373	04/16/12	96756
624	Res	PV	2.9	2.7	2.35	4,132	04/18/12	96746
625	Res	PV	1.9	1.7	1.50	2,642	04/18/12	96746
626	Res	PV	4.2	4.0	3.36	5,903	04/19/12	96756
627	Res	PV	7.1	6.0	5.71	10,035	04/19/12	96722
628	Res	PV	3.8	3.4	3.01	5,284	04/19/12	96714
629	Res	PV	3.5	3.2	2.82	4,961	04/20/12	96756
630	Res	PV	2.9	3.0	2.29	4,020	04/24/12	96705
631	Res	PV	8.6	8.0	6.91	12,143	04/24/12	96754

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
632	Com	PV	10.6	9.5	8.45	14,841	04/30/12	96746
633	Com	PV	5.8	5.2	4.61	8,095	05/01/12	96716
634	Com	PV	12.6	12.0	10.08	17,709	05/02/12	96716
635	Res	PV	4.2	3.9	3.38	5,945	05/02/12	96722
636	Res	PV	5.5	6.0	4.40	7,730	05/03/12	96756
637	Res	PV	10.1	9.0	8.06	14,167	05/03/12	96746
638	Res	PV	11.3	10.5	9.00	15,811	05/03/12	96754
639	Res	PV	3.8	6.0	3.01	5,284	05/04/12	96756
640	Res	PV	12.1	11.6	9.68	17,006	05/07/12	96766
641	Res	PV	5.1	4.5	4.09	7,182	05/08/12	96741
642	Res	PV	4.2	3.9	3.38	5,945	05/08/12	96746
643	Res	PV	1.2	1.0	0.92	1,616	05/08/12	96746
644	Res	PV	3.5	3.2	2.82	4,961	05/08/12	96746
645	Res	PV	9.4	10.0	7.49	13,155	05/11/12	96741
646	Res	PV	7.7	6.9	6.14	10,794	05/16/12	96766
647	Res	PV	5.9	5.7	4.75	8,348	05/16/12	96714
648	Res	PV	4.7	4.3	3.76	6,606	05/17/12	96746
649	Res	PV	4.4	4.2	3.52	6,184	05/17/12	96754
650	Res	PV	14.1	13.4	11.26	19,789	05/18/12	96756
651	Res	PV	4.7	4.3	3.76	6,606	05/18/12	96746
652	Res	PV	6.2	6.0	4.99	8,770	05/22/12	96766
653	Res	PV	5.1	4.7	4.05	7,112	05/22/12	96716
654	Res	PV	5.6	5.0	4.51	7,927	05/22/12	96716
655	Res	PV	8.6	7.7	6.91	12,143	05/22/12	96766
656	Com	PV	9.4	10.0	7.49	13,155	05/22/12	96766
657	Res	PV	2.4	2.2	1.92	3,373	05/22/12	96746
658	Res	PV	5.0	4.0	3.96	6,957	05/22/12	96754
659	Com	PV	105.8	95.0	84.60	148,625	05/25/12	96766
660	Res	PV	5.9	5.6	4.73	8,306	05/30/12	96703
661	Res	PV	5.9	5.7	4.75	8,348	05/30/12	96754
662	Res	PV	3.1	3.0	2.50	4,385	06/01/12	96741
663	Res	PV	6.8	6.2	5.46	9,585	06/01/12	96754
664	Res	PV	5.3	4.7	4.22	7,421	06/04/12	96741
665	Res	PV	1.4	1.3	1.13	1,982	06/06/12	96716
666	Res	PV	6.5	5.9	5.16	9,065	06/06/12	96766
667	Res	PV	2.4	2.2	1.88	3,303	06/06/12	96703
668	Res	PV	4.2	3.9	3.38	5,945	06/07/12	96741
669	Res	PV	4.4	4.0	3.52	6,184	06/07/12	96746
670	Res	PV	5.4	5.0	4.33	7,603	06/07/12	96754
671	Res	PV	10.1	10.0	8.11	14,251	06/08/12	96752
672	Res	PV	4.7	5.0	3.76	6,606	06/14/12	96746
673	Res	PV	5.2	5.0	4.16	7,308	06/15/12	96766
674	Res	PV	4.9	3.0	3.00	5,270	06/15/12	96754
675	Com	PV	72.5	75.0	57.96	101,824	06/19/12	96766
676	Res	PV	2.4	2.2	1.88	3,303	06/19/12	96746
677	Res	PV	7.9	7.4	6.30	11,075	06/19/12	96703
678	Res	PV	4.2	3.9	3.38	5,945	06/25/12	96746
679	Res	PV	3.4	3.0	2.74	4,807	06/25/12	96746
680	Res	PV	5.4	5.0	4.32	7,589	06/25/12	96754
681	Com	PV	4.3	3.9	3.46	6,072	06/26/12	96752
682	Com	PV	2.2	2.0	1.79	3,148	06/26/12	96766
683	Com	PV	2.2	2.0	1.79	3,148	06/26/12	96766
684	Res	PV	4.8	4.0	3.84	6,746	06/26/12	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
685	Res	PV	7.2	6.5	5.76	10,119	06/27/12	96752
686	Res	PV	2.4	2.2	1.92	3,373	06/27/12	96752
687	Res	PV	5.7	6.0	4.58	8,039	07/02/12	96766
688	Res	PV	5.9	5.7	4.75	8,348	07/02/12	96746
689	Res	PV	3.8	3.4	3.07	5,397	07/02/12	96746
690	Res	PV	4.7	3.9	3.73	6,549	07/06/12	96746
691	Res	PV	1.9	4.5	1.50	2,642	07/09/12	96716
692	Res	PV	4.7	4.3	3.76	6,606	07/09/12	96716
693	Res	PV	2.8	2.6	2.26	3,963	07/09/12	96766
694	Res	PV	2.4	2.2	1.88	3,303	07/09/12	96766
695	Com	PV	4.2	3.9	3.38	5,945	07/11/12	96756
696	Res	PV	0.9	0.9	0.75	1,321	07/11/12	96716
697	Res	PV	3.8	3.4	3.01	5,284	07/11/12	96716
698	Res	PV	4.7	4.3	3.76	6,606	07/11/12	96716
699	Res	PV	2.4	2.2	1.88	3,303	07/11/12	96766
700	Res	PV	3.5	3.2	2.82	4,961	07/11/12	96746
701	Res	PV	8.2	7.5	6.58	11,567	07/12/12	96756
702	Res	PV	2.9	2.6	2.30	4,048	07/13/12	96705
703	Res	PV	3.4	3.0	2.69	4,722	07/13/12	96705
704	Res	PV	7.2	6.5	5.76	10,119	07/13/12	96746
705	Res	PV	4.2	4.0	3.33	5,847	07/16/12	96765
706	Res	PV	5.8	5.2	4.61	8,095	07/16/12	96746
707	Res	PV	4.7	4.3	3.76	6,606	07/17/12	96746
708	Res	PV	5.6	6.0	4.51	7,927	07/19/12	96765
709	Res	PV	4.2	3.9	3.38	5,945	07/19/12	96746
710	Res	PV	3.5	3.0	2.82	4,961	07/19/12	96754
711	Res	PV	4.5	4.0	3.60	6,324	07/23/12	96756
712	Res	PV	4.8	4.3	3.84	6,746	07/23/12	96765
713	Res	PV	6.0	5.4	4.80	8,433	07/23/12	96796
714	Res	PV	3.6	4.0	2.86	5,017	07/23/12	96746
715	Res	PV	3.8	3.4	3.01	5,284	07/24/12	96746
716	Res	PV	8.2	6.9	6.53	11,468	07/24/12	96754
717	Com	PV	6.0	5.4	4.80	8,433	07/30/12	96766
718	Res	PV	3.8	3.7	3.06	5,383	07/30/12	96752
719	Res	PV	5.8	5.2	4.61	8,095	07/30/12	96766
720	Res	PV	4.3	3.9	3.46	6,072	07/30/12	96746
721	Res	PV	5.8	5.2	4.61	8,095	08/01/12	96746
722	Res	PV	9.4	8.6	7.52	13,211	08/06/12	96756
723	Res	PV	5.4	4.7	4.32	7,589	08/06/12	96746
724	Res	PV	5.9	5.4	4.70	8,264	08/06/12	96754
725	Res	PV	2.9	3.0	2.29	4,020	08/10/12	96756
726	Res	PV	4.7	4.8	3.79	6,662	08/10/12	96765
727	Res	PV	5.2	5.0	4.16	7,308	08/10/12	96766
728	Res	PV	6.4	6.0	5.10	8,953	08/14/12	96756
729	Res	PV	2.5	2.2	2.00	3,514	08/14/12	96746
730	Res	PV	1.4	3.0	1.15	2,024	08/14/12	96703
731	Res	PV	7.6	6.5	6.06	10,653	08/16/12	96766
732	Res	PV	2.7	3.0	2.16	3,795	08/16/12	96741
733	Res	PV	10.0	9.1	7.98	14,026	08/20/12	96756
734	Res	PV	4.3	3.9	3.46	6,072	08/20/12	96746
735	Res	PV	5.8	5.2	4.61	8,095	08/21/12	96766
736	Res	PV	5.9	6.0	4.68	8,222	08/21/12	96766
737	Res	PV	4.7	4.3	3.76	6,606	08/21/12	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
738	Res	PV	8.4	7.5	6.72	11,806	08/21/12	96746
739	Res	PV	5.9	5.7	4.75	8,348	08/21/12	96722
740	Res	PV	6.2	5.9	4.93	8,658	08/22/12	96756
741	Res	PV	7.4	7.5	5.88	10,330	08/22/12	96765
742	Res	PV	2.8	2.5	2.26	3,963	08/22/12	96716
743	Res	PV	8.3	7.2	6.67	11,721	08/22/12	96716
744	Res	PV	5.2	4.7	4.14	7,266	08/22/12	96746
745	Res	PV	2.4	2.2	1.92	3,373	08/22/12	96754
746	Res	PV	6.0	6.0	4.80	8,433	08/23/12	96741
747	Res	PV	3.2	3.0	2.52	4,427	08/23/12	96705
748	Res	PV	20.3	18.3	16.26	28,559	08/28/12	96703
749	Res	PV	3.1	3.0	2.46	4,329	08/29/12	96752
750	Res	PV	5.3	4.7	4.22	7,421	08/30/12	96756
751	Res	PV	8.4	8.0	6.74	11,848	08/30/12	96756
752	Res	PV	5.8	4.9	4.63	8,137	08/30/12	96766
753	Res	PV	3.5	3.0	2.80	4,919	08/31/12	96766
754	Com	PV	85.8	71.0	68.64	120,587	09/04/12	96756
755	Res	PV	6.1	5.6	4.89	8,587	09/04/12	96756
756	Res	PV	5.4	5.0	4.32	7,589	09/04/12	96765
757	Res	PV	6.2	5.0	4.99	8,770	09/04/12	96766
758	Res	PV	3.8	3.0	3.00	5,270	09/04/12	96766
759	Res	PV	4.5	4.4	3.56	6,254	09/04/12	96766
760	Res	PV	4.7	4.3	3.76	6,606	09/04/12	96746
761	Res	PV	2.4	2.2	1.88	3,303	09/04/12	96746
762	Res	PV	2.6	2.4	2.07	3,640	09/04/12	96746
763	Res	PV	4.7	4.3	3.76	6,606	09/06/12	96746
764	Res	PV	2.9	2.6	2.30	4,048	09/06/12	96746
765	Res	PV	7.1	6.5	5.64	9,908	09/06/12	96746
766	Com	PV	25.2	21.0	20.16	35,417	09/07/12	96722
767	Res	PV	2.4	2.2	1.92	3,373	09/10/12	96756
768	Res	PV	5.2	4.7	4.14	7,266	09/10/12	96756
769	Res	PV	4.2	3.8	3.38	5,945	09/10/12	96741
770	Res	PV	5.2	4.7	4.14	7,266	09/12/12	96746
771	Res	PV	5.6	5.2	4.51	7,927	09/14/12	96756
772	Res	PV	9.8	8.8	7.87	13,830	09/14/12	96756
773	Res	PV	5.1	4.7	4.04	7,097	09/14/12	96741
774	Res	PV	6.6	6.0	5.28	9,276	09/17/12	96746
775	Res	PV	6.1	5.6	4.89	8,587	09/17/12	96746
776	Res	PV	3.8	3.2	3.06	5,383	09/17/12	96703
777	Com	PV	7.0	6.2	5.57	9,782	09/17/12	96754
778	Res	PV	2.9	2.6	2.30	4,048	09/17/12	96754
779	Res	PV	6.2	5.9	4.93	8,658	09/24/12	96756
780	Res	PV	9.8	8.8	7.87	13,830	09/24/12	96741
781	Res	PV	2.9	2.7	2.34	4,118	09/25/12	96796
782	Res	PV	7.1	6.5	5.64	9,908	09/25/12	96766
783	Res	PV	8.0	7.3	6.39	11,229	09/25/12	96746
784	Res	PV	4.9	5.0	3.92	6,887	09/26/12	96766
785	Res	PV	9.5	9.0	7.56	13,281	09/26/12	96766
786	Res	PV	10.1	9.0	8.06	14,167	09/26/12	96746
787	Res	PV	3.6	3.2	2.88	5,060	09/27/12	96746
788	Res	PV	7.8	7.1	6.21	10,906	09/27/12	96746
789	Res	PV	1.8	1.5	1.47	2,586	09/27/12	96746
790	Res	PV	6.0	5.4	4.80	8,433	10/01/12	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
791	Res	PV	6.6	6.0	5.26	9,248	10/01/12	96746
792	Res	PV	6.3	6.2	5.02	8,819	10/02/12	96752
793	Res	PV	4.1	3.4	3.26	5,734	10/02/12	96746
794	Res	PV	4.1	4.0	3.24	5,692	10/04/12	96716
795	Res	PV	1.9	2.0	1.54	2,698	10/04/12	96746
796	Res	PV	4.3	4.0	3.46	6,072	10/04/12	96746
797	Res	PV	7.4	7.5	5.88	10,330	10/04/12	96722
798	Res	PV	9.4	8.2	7.51	13,197	10/10/12	96766
799	Res	PV	4.7	4.3	3.76	6,606	10/10/12	96746
800	Res	PV	7.0	6.2	5.57	9,782	10/10/12	96754
801	Res	PV	8.2	7.5	6.58	11,567	10/10/12	96722
802	Res	PV	14.6	13.1	11.69	20,533	10/12/12	96766
803	Res	PV	3.8	3.4	3.07	5,397	10/12/12	96746
804	Res	PV	4.5	3.9	3.60	6,324	10/16/12	96766
805	Res	PV	4.3	3.9	3.46	6,072	10/18/12	96746
806	Res	PV	4.9	4.5	3.95	6,943	10/18/12	96703
807	Res	PV	7.9	8.0	6.34	11,131	10/23/12	96756
808	Res	PV	6.2	6.0	4.99	8,770	10/23/12	96741
809	Res	PV	6.6	6.3	5.28	9,276	10/24/12	96766
810	Res	PV	2.9	4.8	2.35	4,132	10/24/12	96756
811	Res	PV	8.4	7.5	6.72	11,806	10/24/12	96765
812	Res	PV	5.8	5.2	4.61	8,095	10/24/12	96796
813	Com	PV	16.8	14.0	13.46	23,654	10/25/12	96746
814	Res	PV	6.6	6.3	5.28	9,276	10/25/12	96754
815	Res	PV	4.8	4.3	3.84	6,746	10/26/12	96766
816	Res	PV	6.7	6.0	5.38	9,445	10/26/12	96766
817	Res	PV	4.3	4.1	3.42	6,015	10/26/12	96766
818	Com	PV	19.6	20.0	15.68	27,547	10/26/12	96766
819	Res	PV	3.2	3.0	2.52	4,427	10/29/12	96705
820	Res	PV	10.3	9.0	8.23	14,462	10/29/12	96746
821	Res	PV	9.8	8.9	7.82	13,731	10/29/12	96746
822	Res	PV	4.7	4.3	3.76	6,606	10/30/12	96746
823	Res	PV	4.4	4.0	3.53	6,198	11/02/12	96766
824	Res	PV	6.8	8.0	5.40	9,487	11/02/12	96765
825	Res	PV	5.6	5.9	4.46	7,842	11/02/12	96754
826	Res	PV	7.4	6.2	5.92	10,400	11/05/12	96756
827	Res	PV	2.3	3.0	1.80	3,162	11/05/12	96766
828	Res	PV	7.0	6.4	5.58	9,810	11/05/12	96746
829	Res	PV	7.5	6.8	6.00	10,541	11/05/12	96746
830	Res	PV	6.1	5.2	4.90	8,601	11/05/12	96703
831	Res	PV	2.9	2.6	2.30	4,048	11/05/12	96754
832	Res	PV	2.1	2.8	1.64	2,881	11/08/12	96766
833	Com	PV	6.0	5.4	4.80	8,433	11/08/12	96766
834	Res	PV	5.1	5.0	4.08	7,168	11/08/12	96765
835	Res	PV	4.4	4.0	3.53	6,198	11/08/12	96741
836	Res	PV	4.7	4.3	3.76	6,606	11/08/12	96746
837	Com	PV	11.5	11.4	9.22	16,191	11/13/12	96741
838	Res	PV	5.9	6.0	4.70	8,264	11/13/12	96741
839	Res	PV	4.6	3.8	3.71	6,521	11/13/12	96796
840	Res	PV	7.4	7.5	5.88	10,330	11/13/12	96746
841	Res	PV	4.3	3.9	3.46	6,072	11/13/12	96746
842	Res	PV	5.9	5.4	4.70	8,264	11/13/12	96746
843	Res	PV	7.7	5.9	5.89	10,348	11/13/12	96703

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
844	Res	PV	4.9	4.0	3.92	6,887	11/14/12	96765
845	Res	PV	9.1	8.2	7.30	12,818	11/14/12	96752
846	Res	PV	4.5	5.0	3.60	6,324	11/16/12	96766
847	Res	PV	8.3	8.7	6.62	11,637	11/16/12	96752
848	Res	PV	4.6	3.9	3.67	6,451	11/16/12	96746
849	Res	PV	3.0	3.0	2.40	4,216	11/16/12	96746
850	Res	PV	5.6	5.9	4.46	7,842	11/20/12	96766
851	Res	PV	3.0	3.0	2.40	4,216	11/20/12	96746
852	Res	PV	5.1	4.3	4.08	7,168	11/20/12	96746
853	Res	PV	4.7	4.3	3.76	6,606	11/23/12	96766
854	Res	PV	4.9	5.0	3.92	6,887	11/23/12	96766
855	Res	PV	6.2	5.4	4.94	8,686	11/23/12	96766
856	Res	PV	1.4	1.3	1.13	1,982	11/23/12	96746
857	Res	PV	2.8	2.6	2.26	3,963	11/26/12	96754
858	Res	PV	4.7	4.3	3.76	6,606	11/27/12	96765
859	Res	PV	5.9	5.4	4.70	8,264	11/27/12	96752
860	Res	PV	3.0	2.6	2.40	4,216	11/27/12	96746
861	Res	PV	4.7	4.3	3.76	6,606	11/27/12	96703
862	Res	PV	4.7	4.3	3.76	6,606	11/27/12	96754
863	Com	PV	55.0	42.0	42.00	73,786	11/28/12	96746
864	Com	PV	101.5	84.0	81.22	142,680	11/28/12	96746
865	Res	PV	6.3	6.7	5.04	8,854	11/29/12	96756
866	Res	PV	3.4	3.0	2.74	4,821	11/29/12	96741
867	Res	PV	11.4	8.7	8.74	15,354	11/29/12	96714
868	Res	PV	3.2	3.0	2.52	4,427	11/30/12	96766
869	Res	PV	5.0	5.0	4.00	7,027	11/30/12	96756
870	Res	PV	5.0	4.0	4.00	7,027	11/30/12	96741
871	Res	PV	3.2	2.9	2.52	4,427	11/30/12	96766
872	Res	PV	4.7	4.3	3.76	6,606	11/30/12	96766
873	Res	PV	4.8	4.3	3.84	6,746	11/30/12	96766
874	Res	PV	5.9	5.0	4.70	8,264	11/30/12	96746
875	Res	PV	5.0	5.0	4.00	7,027	12/04/12	96766
876	Res	PV	7.4	7.5	5.88	10,330	12/04/12	96741
877	Res	PV	9.9	8.0	7.90	13,872	12/04/12	96741
878	Res	PV	2.9	3.0	2.35	4,132	12/04/12	96741
879	Res	PV	4.9	4.0	3.92	6,887	12/07/12	96756
880	Res	PV	5.4	5.0	4.31	7,575	12/07/12	96741
881	Res	PV	4.7	4.3	3.76	6,606	12/07/12	96766
882	Res	PV	1.6	1.4	1.26	2,221	12/07/12	96746
883	Res	PV	4.7	4.3	3.76	6,606	12/07/12	96746
884	Res	PV	2.4	2.2	1.88	3,303	12/07/12	96746
885	Res	PV	11.4	10.4	9.13	16,036	12/07/12	96746
886	Res	PV	3.8	3.2	3.06	5,383	12/07/12	96754
887	Res	PV	5.0	4.3	4.00	7,027	12/12/12	96766
888	Com	PV	26.2	23.2	20.93	36,766	12/12/12	96766
889	Res	PV	4.3	4.0	3.46	6,072	12/12/12	96752
890	Res	PV	5.5	4.7	4.40	7,730	12/12/12	96746
891	Com	PV	2.4	2.2	1.88	3,303	12/12/12	96746
892	Res	PV	5.4	5.0	4.32	7,589	12/13/12	96716
893	Res	PV	6.0	6.0	4.80	8,433	12/14/12	96796
894	Res	PV	3.8	3.4	3.01	5,284	12/17/12	96766
895	Res	PV	4.1	3.0	3.00	5,270	12/17/12	96766
896	Res	PV	5.0	4.0	4.00	7,027	12/17/12	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
897	Res	PV	6.7	5.5	5.34	9,374	12/17/12	96746
898	Res	PV	9.2	7.7	7.34	12,902	12/17/12	96746
899	Res	PV	4.3	3.9	3.46	6,072	12/17/12	96746
900	Res	PV	9.4	8.0	7.49	13,155	12/17/12	96754
901	Res	PV	5.9	5.7	4.75	8,348	12/17/12	96722
902	Res	PV	3.8	4.0	3.01	5,284	12/17/12	96722
903	Res	PV	4.8	4.3	3.84	6,746	12/18/12	96765
904	Res	PV	3.0	2.6	2.40	4,216	12/18/12	96765
905	Res	PV	8.4	7.5	6.72	11,806	12/18/12	96765
906	Res	PV	5.5	5.0	4.42	7,758	12/18/12	96716
907	Res	PV	4.5	4.0	3.60	6,324	12/18/12	96715
908	Res	PV	5.7	5.5	4.54	7,969	12/18/12	96746
909	Res	PV	5.0	6.0	4.00	7,027	12/18/12	96746
910	Res	PV	6.1	5.2	4.90	8,601	12/18/12	96754
911	Res	PV	3.0	3.5	2.40	4,216	12/19/12	96746
912	Res	PV	5.0	6.0	4.00	7,027	12/19/12	96746
913	Res	PV	5.4	5.0	4.31	7,575	12/19/12	96746
914	Res	PV	4.7	4.3	3.76	6,606	12/20/12	96705
915	Res	PV	4.1	3.0	3.00	5,270	12/20/12	96746
916	Res	PV	3.5	3.1	2.77	4,863	12/20/12	96746
917	Res	PV	6.0	5.2	4.80	8,433	12/21/12	96741
918	Res	PV	13.5	12.8	10.82	19,016	12/21/12	96752
919	Res	PV	4.8	4.3	3.84	6,746	12/21/12	96766
920	Res	PV	2.4	2.1	1.88	3,303	12/21/12	96746
921	Res	PV	10.5	9.2	8.38	14,729	12/21/12	96703
922	Com	PV	13.9	12.5	11.14	19,564	12/26/12	96741
923	Res	PV	3.8	3.4	3.01	5,284	12/26/12	96766
924	Res	PV	3.5	3.0	2.80	4,919	12/26/12	96766
925	Res	PV	4.9	4.5	3.95	6,943	12/26/12	96766
926	Res	PV	2.5	2.2	1.96	3,443	12/26/12	96746
927	Res	PV	2.8	2.6	2.26	3,963	12/26/12	96746
928	Res	PV	2.5	2.2	1.97	3,457	12/26/12	96746
929	Res	PV	4.7	4.3	3.76	6,606	12/26/12	96746
930	Res	PV	9.7	8.0	7.73	13,577	12/26/12	96703
931	Res	PV	6.6	5.6	5.30	9,318	12/26/12	96703
932	Res	PV	9.2	7.7	7.34	12,902	12/26/12	96722
933	Res	PV	5.6	4.7	4.49	7,885	12/26/12	96714
934	Res	PV	18.8	16.1	15.00	26,352	12/26/12	96714
935	Res	PV	6.1	5.2	4.90	8,601	12/26/12	96714
936	Com	PV	114.5	94.0	91.58	160,895	12/28/12	96746
937	Res	PV	4.1	3.0	3.00	5,270	12/28/12	96746
938	Com	PV	106.6	91.6	85.27	149,806	01/01/13	96766
939	Res	PV	3.1	2.6	2.45	4,301	01/02/13	96766
940	Res	PV	4.9	4.1	3.88	6,816	01/02/13	96746
941	Res	PV	4.7	4.3	3.76	6,606	01/03/13	96746
942	Res	PV	7.7	6.9	6.14	10,794	01/04/13	96766
943	Res	PV	8.4	7.5	6.72	11,806	01/04/13	96766
944	Res	PV	5.6	5.2	4.51	7,927	01/04/13	96766
945	Res	PV	3.8	3.4	3.07	5,397	01/04/13	96716
946	Res	PV	4.3	3.9	3.46	6,072	01/04/13	96765
947	Res	PV	5.0	5.0	4.00	7,027	01/04/13	96714
948	Res	PV	4.3	3.9	3.46	6,072	01/04/13	96703
949	Res	PV	2.9	3.0	2.30	4,048	01/07/13	96703

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
950	Res	PV	8.8	7.5	7.00	12,298	01/07/13	96722
951	Res	PV	2.8	2.6	2.26	3,963	01/07/13	96714
952	Res	PV	9.7	8.4	7.72	13,562	01/07/13	96741
953	Res	PV	8.8	7.5	7.00	12,298	01/07/13	96765
954	Res	PV	4.5	3.9	3.60	6,324	01/07/13	96766
955	Res	PV	5.0	5.0	4.00	7,027	01/07/13	96746
956	Res	PV	4.6	4.0	3.68	6,465	01/08/13	96741
957	Res	PV	2.9	3.0	2.30	4,048	01/08/13	96752
958	Res	PV	6.0	5.2	4.80	8,433	01/08/13	96746
959	Res	PV	5.0	4.3	4.00	7,027	01/08/13	96756
960	Com	PV	49.4	40.4	39.48	69,358	01/10/13	96746
961	Com	PV	25.2	21.0	20.16	35,417	01/10/13	96746
962	Res	PV	4.5	3.9	3.60	6,324	01/14/13	96766
963	Res	PV	6.0	6.0	4.80	8,433	01/14/13	96741
964	Res	PV	6.0	5.4	4.80	8,433	01/14/13	96746
965	Res	PV	12.6	11.3	10.08	17,709	01/14/13	96766
966	Res	PV	2.6	2.2	2.04	3,584	01/18/13	96766
967	Res	PV	2.8	3.0	2.20	3,865	01/18/13	96756
968	Res	PV	4.9	6.0	3.92	6,887	01/18/13	96756
969	Res	PV	4.9	4.0	3.92	6,887	01/18/13	96765
970	Res	PV	4.5	3.0	3.00	5,270	01/18/13	96752
971	Res	PV	2.4	2.2	1.92	3,373	01/18/13	96796
972	Res	PV	6.6	6.0	5.26	9,248	01/18/13	96766
973	Res	PV	3.6	3.0	2.86	5,017	01/18/13	96714
974	Res	PV	6.5	6.5	5.17	9,079	01/18/13	96722
975	Res	PV	11.5	9.9	9.20	16,163	01/21/13	96766
976	Res	PV	8.3	6.5	6.50	11,419	01/21/13	96716
977	Res	PV	5.4	5.0	4.31	7,575	01/21/13	96766
978	Res	PV	4.5	3.9	3.60	6,324	01/21/13	96716
979	Res	PV	8.2	6.9	6.53	11,468	01/21/13	96722
980	Res	PV	5.9	5.4	4.70	8,264	01/21/13	96746
981	Res	PV	7.5	6.6	5.97	10,485	01/21/13	96746
982	Res	PV	2.5	5.0	2.02	3,542	01/21/13	96746
983	Res	PV	12.3	10.8	9.80	17,217	01/21/13	96746
984	Res	PV	2.9	2.6	2.30	4,048	01/21/13	96746
985	Res	PV	4.1	3.4	3.26	5,734	01/22/13	96766
986	Res	PV	6.0	5.2	4.80	8,433	01/22/13	96766
987	Res	PV	5.0	4.3	4.00	7,027	01/22/13	96766
988	Res	PV	7.9	6.8	6.32	11,103	01/22/13	96741
989	Res	PV	8.0	7.0	6.40	11,244	01/22/13	96741
990	Res	PV	4.3	3.7	3.47	6,100	01/22/13	96746
991	Res	PV	4.7	4.3	3.76	6,606	01/22/13	96715
992	Res	PV	6.0	5.2	4.80	8,433	01/22/13	96766
993	Res	PV	5.3	4.5	4.20	7,379	01/23/13	96746
994	Res	PV	4.6	3.9	3.67	6,451	01/23/13	96765
995	Res	PV	4.5	3.9	3.60	6,324	01/23/13	96746
996	Res	PV	4.6	3.9	3.67	6,451	01/23/13	96754
997	Res	PV	4.1	3.4	3.26	5,734	01/23/13	96741
998	Res	PV	5.0	4.3	4.00	7,027	01/23/13	96716
999	Res	PV	5.1	4.4	4.11	7,224	01/23/13	96722
1000	Res	PV	2.5	2.2	2.00	3,514	01/24/13	96765
1001	Res	PV	3.0	2.6	2.40	4,216	01/24/13	96765
1002	Res	PV	5.0	4.3	4.00	7,027	01/24/13	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
1003	Res	PV	9.4	9.9	7.49	13,155	01/24/13	96765
1004	Res	PV	6.4	5.7	5.08	8,925	01/24/13	96765
1005	Res	PV	11.3	9.7	9.00	15,811	01/24/13	96746
1006	Com	PV	24.3	20.0	19.41	34,096	01/25/13	96714
1007	Res	PV	9.4	8.6	7.52	13,211	01/25/13	96741
1008	Res	PV	6.7	7.0	5.33	9,360	01/25/13	96714
1009	Res	PV	2.4	2.2	1.88	3,303	01/25/13	96746
1010	Res	PV	5.0	4.3	4.00	7,027	01/25/13	96746
1011	Res	PV	7.0	6.0	5.60	9,838	01/25/13	96766
1012	Res	PV	8.8	7.5	7.00	12,298	01/25/13	96766
1013	Res	PV	6.3	5.4	5.00	8,784	01/25/13	96766
1014	Res	PV	9.8	7.9	7.82	13,731	01/28/13	96754
1015	Res	PV	6.5	5.6	5.20	9,135	01/28/13	96746
1016	Res	PV	3.0	2.6	2.40	4,216	01/28/13	96746
1017	Res	PV	4.5	3.9	3.60	6,324	01/28/13	96766
1018	Res	PV	4.6	3.9	3.67	6,451	01/28/13	96722
1019	Res	PV	11.5	8.7	8.74	15,354	01/29/13	96716
1020	Res	PV	5.8	5.0	4.60	8,081	01/29/13	96746
1021	Res	PV	5.0	4.3	4.00	7,027	01/29/13	96746
1022	Res	PV	8.2	7.5	6.58	11,567	01/30/13	96746
1023	Res	PV	7.5	6.5	6.00	10,541	01/30/13	96754
1024	Res	PV	6.0	5.2	4.80	8,433	01/30/13	96766
1025	Res	PV	2.6	2.2	2.04	3,584	01/31/13	96703
1026	Res	PV	2.0	2.0	1.60	2,811	01/31/13	96756
1027	Res	PV	8.2	6.9	6.53	11,468	02/04/13	96754
1028	Res	PV	2.6	2.2	2.04	3,584	02/04/13	96722
1029	Res	PV	5.0	5.0	4.00	7,027	02/04/13	96741
1030	Res	PV	3.8	4.0	3.00	5,270	02/04/13	96766
1031	Res	PV	5.0	4.3	4.00	7,027	02/04/13	96766
1032	Res	PV	4.7	4.3	3.76	6,606	02/04/13	96715
1033	Res	PV	2.6	2.2	2.04	3,584	02/07/13	96714
1034	Res	PV	6.0	6.0	4.80	8,433	02/07/13	96746
1035	Res	PV	5.1	4.3	4.08	7,168	02/07/13	96746
1036	Res	PV	12.0	11.9	9.63	16,921	02/07/13	96766
1037	Res	PV	4.5	3.0	3.00	5,270	02/07/13	96766
1038	Res	PV	3.3	3.0	2.63	4,624	02/07/13	96766
1039	Res	PV	9.6	9.8	7.67	13,478	02/07/13	96766
1040	Res	PV	4.7	4.3	3.76	6,606	02/07/13	96741
1041	Res	PV	4.7	4.3	3.76	6,606	02/07/13	96765
1042	Res	PV	5.5	4.0	4.00	7,027	02/08/13	96766
1043	Res	PV	2.6	2.2	2.04	3,584	02/12/13	96703
1044	Res	PV	17.9	15.1	14.28	25,087	02/12/13	96754
1045	Com	PV	66.1	51.0	51.00	89,597	02/14/13	96766
1046	Res	PV	18.8	14.4	14.44	25,368	02/14/13	96766
1047	Res	PV	21.1	18.9	16.90	29,683	02/15/13	96746
1048	Res	PV	12.5	11.2	9.98	17,540	02/15/13	96746
1049	Res	PV	4.3	4.7	3.44	6,043	02/19/13	96766
1050	Res	PV	2.5	3.0	2.00	3,514	02/19/13	96766
1051	Res	PV	7.5	6.5	6.00	10,541	02/19/13	96705
1052	Res	PV	3.0	2.7	2.39	4,202	02/19/13	96746
1053	Res	PV	2.6	2.2	2.04	3,584	02/20/13	96746
1054	Res	PV	4.8	4.1	3.80	6,676	02/20/13	96741
1055	Res	PV	6.8	6.6	5.47	9,613	02/21/13	96765

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
1056	Res	PV	2.4	1.9	1.90	3,338	02/22/13	96741
1057	Res	PV	5.0	4.3	4.00	7,027	02/22/13	96766
1058	Res	PV	4.1	3.4	3.26	5,734	02/22/13	96766
1059	Res	PV	3.6	8.6	2.88	5,060	02/22/13	96754
1060	Res	PV	6.4	5.4	5.10	8,967	02/22/13	96722
1061	Res	PV	6.5	6.5	5.17	9,079	02/22/13	96746
1062	Res	PV	10.5	8.8	8.37	14,701	02/22/13	96754
1063	Res	PV	3.1	2.6	2.45	4,301	02/22/13	96754
1064	Res	PV	4.8	4.1	3.80	6,676	02/25/13	96746
1065	Res	PV	4.5	3.9	3.60	6,324	02/25/13	96746
1066	Res	PV	4.6	3.9	3.67	6,451	02/26/13	96766
1067	Res	PV	5.0	4.3	4.00	7,027	02/27/13	96766
1068	Res	PV	4.7	4.2	3.76	6,606	02/27/13	96766
1069	Res	PV	3.6	3.0	2.86	5,017	02/27/13	96756
1070	Res	PV	5.0	4.3	4.00	7,027	02/27/13	96741
1071	Res	PV	5.0	5.0	3.96	6,957	02/27/13	96741
1072	Res	PV	2.2	2.3	1.73	3,036	02/27/13	96716
1073	Res	PV	9.0	8.2	7.23	12,705	02/27/13	96703
1074	Res	PV	7.1	6.5	5.64	9,908	02/27/13	96754
1075	Com	PV	2.0	2.0	1.60	2,811	02/28/13	96766
1076	Res	PV	6.1	5.2	4.90	8,601	03/01/13	96752
1077	Res	PV	3.1	2.6	2.45	4,301	03/01/13	96752
1078	Res	PV	4.7	4.3	3.76	6,606	03/01/13	96766
1079	Res	PV	6.9	5.8	5.51	9,683	03/01/13	96705
1080	Res	PV	3.5	4.0	2.80	4,919	03/01/13	96756
1081	Res	PV	3.0	3.5	2.40	4,216	03/01/13	96715
1082	Res	PV	3.8	4.0	3.00	5,270	03/01/13	96746
1083	Com	PV	2.4	2.2	1.88	3,303	03/05/13	96746
1084	Res	PV	10.0	10.0	8.00	14,054	03/05/13	96756
1085	Res	PV	2.4	2.2	1.92	3,373	03/05/13	96746
1086	Res	PV	4.7	4.3	3.76	6,606	03/05/13	96746
1087	Com	PV	37.6	40.0	30.08	52,845	03/06/13	96796
1088	Res	PV	6.6	5.6	5.30	9,318	03/07/13	96766
1089	Res	PV	2.5	2.2	2.00	3,514	03/07/13	96766
1090	Res	PV	3.6	3.0	2.86	5,017	03/07/13	96752
1091	Res	PV	6.4	5.5	5.14	9,023	03/07/13	96746
1092	Res	PV	2.7	3.0	2.16	3,795	03/07/13	96741
1093	Res	PV	3.0	3.0	2.40	4,216	03/07/13	96741
1094	Res	PV	4.7	4.3	3.76	6,606	03/08/13	96766
1095	Res	PV	3.5	3.0	2.80	4,919	03/08/13	96796
1096	Res	PV	7.5	6.0	6.00	10,541	03/08/13	96756
1097	Res	PV	4.8	4.3	3.84	6,746	03/08/13	96746
1098	Res	PV	5.5	5.0	4.40	7,730	03/08/13	96722
1099	Res	PV	12.2	11.4	9.76	17,146	03/13/13	96716
1100	Res	PV	4.1	3.4	3.26	5,734	03/13/13	96766
1101	Res	PV	3.0	3.0	2.40	4,216	03/14/13	96741
1102	Res	PV	3.0	3.0	2.40	4,216	03/14/13	96741
1103	Res	PV	2.9	2.6	2.35	4,132	03/15/13	96754
1104	Res	PV	3.7	3.2	2.94	5,172	03/15/13	96714
1105	Res	PV	4.7	4.3	3.76	6,606	03/15/13	96766
1106	Res	PV	5.0	6.0	3.96	6,957	03/15/13	96746
1107	Res	PV	4.4	4.6	3.53	6,198	03/20/13	96716
1108	Res	PV	3.6	3.2	2.88	5,060	03/20/13	96765

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
1109	Res	PV	4.1	3.4	3.26	5,734	03/20/13	96746
1110	Res	PV	-5.8	-5.2	-4.61	-8,095	03/22/13	96746
1111	Res	PV	-4.1	-3.4	-3.26	-5,734	03/22/13	96746
1112	Res	PV	-5.1	-4.3	-4.08	-7,168	03/22/13	96746
1113	Res	PV	5.5	4.7	4.40	7,730	03/22/13	96766
1114	Res	PV	4.7	4.3	3.76	6,606	03/25/13	96796
1115	Res	PV	2.5	2.0	2.00	3,514	03/25/13	96765
1116	Res	PV	-2.1	-2.1	-1.68	-2,951	03/26/13	96766
1117	Res	PV	-5.9	-5.0	-4.72	-8,292	03/26/13	96752
1118	Res	PV	3.6	3.0	2.86	5,017	03/26/13	96766
1119	Res	PV	7.1	7.0	5.71	10,035	03/26/13	96741
1120	Res	PV	2.8	2.6	2.26	3,963	03/26/13	96746
1121	Res	PV	5.0	4.3	4.00	7,027	03/28/13	96766
1122	Res	PV	3.0	3.0	2.40	4,216	03/28/13	96766
1123	Res	PV	4.5	5.0	3.60	6,324	03/28/13	96716
1124	Res	PV	8.2	6.9	6.53	11,468	04/01/13	96765
1125	Res	PV	12.1	12.0	9.68	17,013	04/01/13	96752
1126	Res	PV	3.5	4.0	2.80	4,919	04/01/13	96715
1127	Res	PV	21.3	16.2	16.15	28,372	04/03/13	96741
1128	Res	PV	7.7	8.2	6.12	10,752	04/03/13	96741
1129	Res	PV	4.5	3.0	3.00	5,270	04/03/13	96741
1130	Res	PV	8.2	6.9	6.53	11,468	04/05/13	96722
1131	Res	PV	6.1	5.2	4.90	8,601	04/05/13	96754
1132	Res	PV	4.7	4.3	3.76	6,606	04/05/13	96756
1133	Res	PV	-3.0	-3.0	-2.40	-4,216	04/08/13	96766
1134	Res	PV	2.3	3.0	1.80	3,162	04/08/13	96746
1135	Res	PV	11.1	9.9	8.88	15,600	04/09/13	96765
1136	Res	PV	5.1	4.2	4.08	7,168	04/09/13	96766
1137	Res	PV	5.8	5.4	4.61	8,095	04/09/13	96766
1138	Res	PV	6.1	5.0	4.90	8,601	04/09/13	96746
1139	Res	PV	7.7	7.6	6.12	10,752	04/15/13	96766
1140	Res	PV	4.1	3.4	3.26	5,734	04/15/13	96766
1141	Res	PV	5.0	4.3	4.00	7,027	04/15/13	96766
1142	Res	PV	5.0	5.0	4.00	7,027	04/15/13	96705
1143	Res	PV	4.3	3.7	3.47	6,100	04/16/13	96722
1144	Res	PV	14.3	12.0	11.42	20,070	04/16/13	96766
1145	Res	PV	6.6	5.8	5.30	9,304	04/16/13	96746
1146	Res	PV	6.3	6.0	5.04	8,854	04/18/13	96765
1147	Res	PV	3.8	4.0	3.00	5,270	04/18/13	96705
1148	Res	PV	6.1	5.0	4.90	8,601	04/18/13	96766
1149	Com	PV	75.2	68.8	60.16	105,689	04/19/13	96766
1150	Com	PV	50.1	45.8	40.05	70,356	04/19/13	96766
1151	Com	PV	50.1	45.8	40.05	70,356	04/19/13	96766
1152	Com	PV	50.1	45.9	40.05	70,356	04/19/13	96766
1153	Res	PV	10.0	8.0	8.00	14,054	04/19/13	96746
1154	Res	PV	-6.8	-6.2	-5.46	-9,585	04/22/13	96754
1155	Res	PV	2.6	2.2	2.04	3,584	04/22/13	96756
1156	Res	PV	3.6	3.0	2.86	5,017	04/23/13	96716
1157	Res	PV	-2.6	-2.5	-2.08	-3,654	04/24/13	96766
1158	Res	PV	-4.1	-3.4	-3.26	-5,734	04/24/13	96746
1159	Res	PV	2.5	2.2	2.00	3,514	04/24/13	96765
1160	Res	PV	6.1	5.0	4.90	8,601	04/25/13	96746
1161	Res	PV	2.8	3.0	2.25	3,949	04/25/13	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
1162	Res	PV	4.6	3.8	3.67	6,451	04/26/13	96741
1163	Res	PV	3.4	3.0	2.69	4,722	04/29/13	96741
1164	Res	PV	2.4	2.2	1.92	3,373	04/29/13	96741
1165	Res	PV	-2.3	-1.9	-1.84	-3,233	05/01/13	96766
1166	Res	PV	3.8	4.0	3.07	5,397	05/01/13	96766
1167	Res	PV	1.9	2.0	1.54	2,698	05/01/13	96766
1168	Res	PV	3.8	4.2	3.07	5,397	05/02/13	96766
1169	Res	PV	8.3	7.6	6.64	11,665	05/03/13	96766
1170	Res	PV	2.6	2.2	2.04	3,584	05/03/13	96746
1171	Res	PV	6.4	6.0	5.10	8,967	05/07/13	96766
1172	Res	PV	2.6	2.2	2.04	3,584	05/07/13	96752
1173	Res	PV	1.9	1.7	1.50	2,642	05/07/13	96766
1174	Res	PV	5.0	7.0	4.00	7,027	05/07/13	96766
1175	Com	PV	39.5	36.0	31.58	55,487	05/09/13	96766
1176	Com	PV	39.5	36.0	31.58	55,487	05/09/13	96766
1177	Com	PV	39.5	36.0	31.58	55,487	05/09/13	96766
1178	Res	PV	5.5	4.7	4.40	7,730	05/09/13	96756
1179	Res	PV	6.6	6.0	5.30	9,318	05/09/13	96722
1180	Res	PV	10.2	8.4	8.16	14,335	05/09/13	96722
1181	Res	PV	5.0	6.0	4.00	7,027	05/09/13	96714
1182	Res	PV	1.0	2.5	0.77	1,349	05/10/13	96746
1183	Res	PV	3.6	3.6	2.86	5,017	05/10/13	96754
1184	Res	PV	-3.8	-3.4	-3.07	-5,397	05/14/13	96746
1185	Res	PV	7.7	8.4	6.12	10,752	05/14/13	96756
1186	Res	PV	7.5	10.0	6.00	10,541	05/15/13	96746
1187	Res	PV	4.7	4.3	3.76	6,606	05/15/13	96766
1188	Res	PV	2.6	2.2	2.04	3,584	05/16/13	96714
1189	Res	PV	-2.8	-3.1	-2.24	-3,935	05/17/13	96766
1190	Com	PV	24.8	21.0	19.80	34,785	05/17/13	96796
1191	Res	PV	2.8	3.0	2.26	3,963	05/17/13	96766
1192	Res	PV	7.8	6.6	6.25	10,976	05/20/13	96746
1193	Res	PV	5.1	4.2	4.08	7,168	05/20/13	96715
1194	Res	PV	8.3	7.0	6.62	11,637	05/20/13	96722
1195	Res	PV	-3.5	-3.2	-2.82	-4,961	05/21/13	96746
1196	Res	PV	-6.8	-6.8	-5.44	-9,557	05/21/13	96766
1197	Res	PV	-5.7	-5.7	-4.56	-8,011	05/23/13	96766
1198	Res	PV	-4.2	-4.2	-3.36	-5,903	05/31/13	96722
1199	Res	PV	-4.9	-4.0	-3.92	-6,887	05/31/13	96756
1200	Res	PV	-4.5	-5.0	-3.60	-6,324	05/31/13	96766
1201	Res	PV	12.8	10.8	10.20	17,919	06/03/13	96765
1202	Com	PV	5.1	4.6	4.06	7,140	06/04/13	96716
1203	Res	PV	5.2	4.5	4.12	7,238	06/04/13	96705
1204	Res	PV	2.2	1.9	1.77	3,106	06/05/13	96766
1205	Res	PV	4.7	4.3	3.76	6,606	06/05/13	96741
1206	Res	PV	4.6	3.9	3.67	6,451	06/05/13	96756
1207	Res	PV	3.8	3.0	3.00	5,270	06/05/13	96756
1208	Res	PV	5.0	4.3	4.00	7,027	06/05/13	96765
1209	Res	PV	2.6	2.4	2.11	3,710	06/05/13	96756
1210	Res	PV	5.9	5.0	4.70	8,264	06/05/13	96741
1211	Res	PV	4.6	3.8	3.67	6,451	06/05/13	96741
1212	Res	PV	-6.6	-7.7	-5.26	-9,248	06/06/13	96796
1213	Res	PV	-2.1	-3.0	-1.68	-2,951	06/06/13	96766
1214	Res	PV	3.8	3.0	3.00	5,270	06/06/13	96714

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
1215	Res	PV	6.6	6.3	5.30	9,318	06/06/13	96714
1216	Res	PV	8.7	7.4	6.96	12,227	06/06/13	96754
1217	Res	PV	11.5	9.9	9.20	16,163	06/06/13	96754
1218	Res	PV	4.4	4.2	3.53	6,198	06/07/13	96752
1219	Res	PV	3.1	2.8	2.50	4,385	06/17/13	96756
1220	Res	PV	3.1	2.8	2.50	4,385	06/17/13	96756
1221	Res	PV	3.1	2.8	2.50	4,385	06/17/13	96756
1222	Res	PV	3.1	2.8	2.50	4,385	06/17/13	96756
1223	Res	PV	3.1	2.8	2.50	4,385	06/17/13	96756
1224	Res	PV	3.1	2.8	2.50	4,385	06/17/13	96756
1225	Res	PV	3.1	2.8	2.50	4,385	06/17/13	96756
1226	Res	PV	3.1	2.8	2.50	4,385	06/17/13	96756
1227	Res	PV	3.1	2.8	2.50	4,385	06/17/13	96756
1228	Res	PV	3.1	2.8	2.50	4,385	06/17/13	96756
1229	Res	PV	3.1	2.8	2.50	4,385	06/17/13	96756
1230	Res	PV	3.1	2.8	2.50	4,385	06/17/13	96756
1231	Res	PV	3.1	2.8	2.50	4,385	06/17/13	96756
1232	Res	PV	3.1	2.8	2.50	4,385	06/17/13	96756
1233	Res	PV	3.1	2.8	2.50	4,385	06/17/13	96756
1234	Res	PV	3.1	2.8	2.50	4,385	06/17/13	96756
1235	Res	PV	3.1	2.8	2.50	4,385	06/17/13	96756
1236	Res	PV	3.1	2.8	2.50	4,385	06/17/13	96756
1237	Res	PV	3.1	2.8	2.50	4,385	06/17/13	96756
1238	Res	PV	3.1	2.8	2.50	4,385	06/17/13	96756
1239	Res	PV	3.4	3.0	2.74	4,821	06/18/13	96746
1240	Res	PV	2.8	2.6	2.26	3,963	06/18/13	96746
1241	Res	PV	3.1	2.8	2.50	4,385	06/18/13	96756
1242	Res	PV	3.1	2.8	2.50	4,385	06/18/13	96756
1243	Res	PV	3.1	2.8	2.50	4,385	06/18/13	96756
1244	Res	PV	3.1	2.8	2.50	4,385	06/18/13	96756
1245	Res	PV	3.1	2.8	2.50	4,385	06/18/13	96756
1246	Res	PV	3.1	2.8	2.50	4,385	06/18/13	96756
1247	Res	PV	3.1	2.8	2.50	4,385	06/18/13	96756
1248	Res	PV	3.1	2.8	2.50	4,385	06/18/13	96756
1249	Res	PV	3.1	2.8	2.50	4,385	06/18/13	96756
1250	Res	PV	3.1	2.8	2.50	4,385	06/18/13	96756
1251	Res	PV	3.1	2.8	2.50	4,385	06/18/13	96756
1252	Res	PV	3.1	2.8	2.50	4,385	06/18/13	96756
1253	Res	PV	3.1	2.8	2.50	4,385	06/18/13	96756
1254	Res	PV	3.1	2.8	2.50	4,385	06/18/13	96756
1255	Res	PV	3.1	2.8	2.50	4,385	06/18/13	96756
1256	Res	PV	3.1	2.8	2.50	4,385	06/18/13	96756
1257	Res	PV	3.1	2.8	2.50	4,385	06/18/13	96756
1258	Res	PV	3.1	2.8	2.50	4,385	06/18/13	96756
1259	Res	PV	3.1	2.8	2.50	4,385	06/18/13	96756
1260	Res	PV	3.1	2.8	2.50	4,385	06/18/13	96756
1261	Res	PV	3.1	2.8	2.50	4,385	06/18/13	96756
1262	Res	PV	3.1	2.8	2.50	4,385	06/18/13	96756
1263	Res	PV	3.1	2.8	2.50	4,385	06/18/13	96756
1264	Res	PV	3.1	2.8	2.50	4,385	06/18/13	96756
1265	Res	PV	3.1	2.8	2.50	4,385	06/18/13	96756
1266	Res	PV	3.1	2.8	2.50	4,385	06/18/13	96756
1267	Res	PV	3.1	2.8	2.50	4,385	06/18/13	96756

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
1268	Res	PV	3.1	2.8	2.50	4,385	06/18/13	96756
1269	Res	PV	3.1	2.8	2.50	4,385	06/18/13	96756
1270	Res	PV	7.2	6.0	5.76	10,119	06/19/13	96796
1271	Res	PV	-9.2	-7.7	-7.34	-12,902	06/24/13	96722
1272	Res	PV	-1.9	-1.9	-1.52	-2,670	06/24/13	96705
1273	Res	PV	3.1	2.8	2.50	4,385	06/24/13	96756
1274	Res	PV	7.1	6.5	5.64	9,908	06/24/13	96765
1275	Res	PV	3.1	2.5	2.45	4,301	06/24/13	96746
1276	Res	PV	6.0	6.0	4.80	8,433	06/24/13	96703
1277	Res	PV	3.3	3.0	2.63	4,624	06/24/13	96746
1278	Res	PV	5.9	5.4	4.70	8,264	06/24/13	96746
1279	Res	PV	7.0	6.7	5.60	9,838	06/26/13	96722
1280	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1281	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1282	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1283	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1284	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1285	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1286	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1287	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1288	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1289	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1290	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1291	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1292	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1293	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1294	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1295	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1296	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1297	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1298	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1299	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1300	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1301	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1302	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1303	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1304	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1305	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1306	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1307	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1308	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1309	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1310	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1311	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1312	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1313	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1314	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1315	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1316	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1317	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1318	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1319	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1320	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
1321	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1322	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1323	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1324	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1325	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1326	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1327	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1328	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1329	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1330	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1331	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1332	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1333	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1334	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1335	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1336	Res	PV	2.4	2.2	1.88	3,303	06/27/13	96756
1337	Com	PV	5.0	6.0	4.00	7,027	06/28/13	96766
1338	Res	PV	3.5	4.0	2.80	4,919	06/28/13	96766
1339	Res	PV	4.6	3.8	3.67	6,451	06/28/13	96766
1340	Res	PV	3.0	2.6	2.40	4,216	06/28/13	96746
1341	Res	PV	3.9	4.5	3.12	5,481	07/01/13	96746
1342	Res	PV	6.0	5.2	4.80	8,433	07/01/13	96746
1343	Com	PV	48.0	42.0	38.40	67,461	07/02/13	96747
1344	Res	PV	7.4	6.5	5.88	10,330	07/03/13	96746
1345	Res	PV	8.8	7.5	7.00	12,298	07/03/13	96766
1346	Res	PV	3.3	2.8	2.66	4,666	07/03/13	96756
1347	Res	PV	5.1	4.2	4.08	7,168	07/03/13	96765
1348	Res	PV	4.1	3.6	3.26	5,734	07/03/13	96746
1349	Res	PV	6.4	6.0	5.10	8,967	07/03/13	96705
1350	Res	PV	6.4	6.0	5.10	8,967	07/03/13	96741
1351	Res	PV	6.1	5.0	4.90	8,601	07/03/13	96756
1352	Res	PV	2.6	2.2	2.04	3,584	07/03/13	96754
1353	Res	PV	1.9	1.7	1.50	2,642	07/08/13	96714
1354	Com	PV	20.9	18.7	16.70	29,346	07/10/13	96746
1355	Res	PV	3.9	4.5	3.08	5,411	07/11/13	96741
1356	Res	PV	6.1	5.2	4.90	8,601	07/11/13	96766
1357	Res	PV	5.0	6.0	4.00	7,027	07/12/13	96766
1358	Res	PV	5.0	4.0	4.00	7,027	07/12/13	96746
1359	Res	PV	2.4	3.0	1.92	3,373	07/12/13	96715
1360	Res	PV	-9.7	-8.0	-7.73	-13,577	07/15/13	96703
1361	Res	PV	-4.9	-5.0	-3.92	-6,887	07/15/13	96766
1362	Res	PV	-3.8	-3.0	-3.00	-5,270	07/15/13	96741
1363	Com	PV	10.8	9.7	8.64	15,179	07/15/13	96746
1364	Res	PV	5.4	4.5	4.29	7,533	07/15/13	96746
1365	Com	PV	10.6	9.7	8.46	14,870	07/16/13	96766
1366	Res	PV	2.6	3.0	2.04	3,584	07/16/13	96705
1367	Res	PV	5.1	5.2	4.08	7,168	07/16/13	96741
1368	Res	PV	6.2	5.2	4.99	8,770	07/16/13	96722
1369	Res	PV	4.9	4.0	3.92	6,887	07/16/13	96746
1370	Res	PV	23.3	20.0	18.60	32,676	07/16/13	96754
1371	Res	PV	11.8	10.1	9.40	16,514	07/16/13	96754
1372	Res	PV	5.8	5.0	4.61	8,095	07/17/13	96796
1373	Res	PV	-4.5	-3.8	-3.60	-6,324	07/18/13	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) = $D \times .8, E$	Energy Produced (kWh) (G) = $F \times .2 \times 8784$	Connection Date (H)	Zip Code (I)
1374	Res	PV	-2.8	-2.3	-2.24	-3,935	07/18/13	96746
1375	Res	PV	-4.2	-3.9	-3.38	-5,945	07/18/13	96746
1376	Res	PV	-5.8	-6.0	-4.64	-8,152	07/18/13	96766
1377	Res	PV	9.8	9.0	7.80	13,703	07/18/13	96716
1378	Res	PV	8.9	7.6	7.14	12,551	07/18/13	96752
1379	Com	PV	36.0	30.0	28.80	50,596	07/23/13	96766
1380	Res	PV	4.6	3.8	3.67	6,451	07/23/13	96766
1381	Res	PV	3.0	2.6	2.40	4,216	07/23/13	96756
1382	Res	PV	3.8	3.6	3.06	5,383	07/23/13	96705
1383	Res	PV	7.4	7.2	5.95	10,456	07/23/13	96716
1384	Com	PV	15.9	14.0	12.74	22,389	07/25/13	96746
1385	Res	PV	5.0	5.0	4.00	7,027	07/25/13	96746
1386	Res	PV	24.5	19.4	19.44	34,152	07/25/13	96756
1387	Res	PV	3.8	3.6	3.06	5,383	07/25/13	96705
1388	Res	PV	11.2	9.6	8.98	15,769	07/26/13	96756
1389	Res	PV	5.8	4.7	4.66	8,194	07/26/13	96746
1390	Res	PV	3.4	3.6	2.74	4,821	07/29/13	96746
1391	Res	PV	4.5	4.1	3.60	6,324	07/29/13	96766
1392	Res	PV	-8.0	-7.0	-6.40	-11,244	07/30/13	96754
1393	Res	PV	12.5	10.0	10.00	17,568	07/30/13	96754
1394	Res	PV	2.6	2.2	2.04	3,584	07/30/13	96714
1395	Res	PV	6.0	5.2	4.80	8,433	07/31/13	96705
1396	Res	PV	7.0	7.0	5.60	9,838	07/31/13	96752
1397	Res	PV	3.7	3.0	2.94	5,172	07/31/13	96766
1398	Res	PV	10.4	8.6	8.32	14,617	07/31/13	96765
1399	Res	PV	4.4	3.9	3.53	6,198	08/05/13	96796
1400	Res	PV	10.6	9.1	8.46	14,870	08/05/13	96754
1401	Com	PV	23.0	20.6	18.43	32,381	08/06/13	96766
1402	Res	PV	4.5	5.0	3.60	6,324	08/06/13	96766
1403	Res	PV	4.5	5.0	3.60	6,324	08/08/13	96752
1404	Res	PV	10.0	10.0	8.00	14,054	08/08/13	96752
1405	Res	PV	7.5	6.5	6.00	10,541	08/08/13	96741
1406	Res	PV	6.0	5.0	4.80	8,433	08/08/13	96765
1407	Res	PV	6.9	6.0	5.49	9,641	08/08/13	96766
1408	Com	PV	7.7	6.9	6.14	10,794	08/09/13	96766
1409	Com	PV	16.4	14.6	13.10	23,021	08/09/13	96766
1410	Com	PV	2.0	1.7	1.60	2,811	08/09/13	96746
1411	Res	PV	4.1	3.5	3.28	5,762	08/09/13	96746
1412	Res	PV	5.0	5.0	4.00	7,027	08/12/13	96746
1413	Res	PV	5.9	5.2	4.70	8,264	08/12/13	96705
1414	Res	PV	5.4	6.0	4.29	7,533	08/12/13	96741
1415	Res	PV	4.0	3.4	3.20	5,622	08/12/13	96746
1416	Res	PV	4.4	3.9	3.53	6,198	08/12/13	96765
1417	Res	PV	4.7	4.2	3.73	6,549	08/12/13	96741
1418	Res	PV	4.4	3.7	3.54	6,212	08/13/13	96703
1419	Res	PV	6.1	5.4	4.91	8,629	08/15/13	96754
1420	Res	PV	5.0	4.0	4.00	7,027	08/15/13	96715
1421	Res	PV	9.7	9.0	7.76	13,626	08/15/13	96752
1422	Res	PV	6.6	6.0	5.30	9,318	08/15/13	96746
1423	Res	W	-1.8	-1.8	-1.44	-2,530	08/19/13	96741
1424	Com	PV	-2.4	-2.2	-1.88	-3,303	08/20/13	96746
1425	Res	PV	-4.7	-4.3	-3.76	-6,606	08/20/13	96746
1426	Res	PV	3.0	2.6	2.40	4,216	08/21/13	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
1427	Res	PV	3.3	3.0	2.63	4,624	08/21/13	96746
1428	Res	PV	11.0	10.0	8.83	15,516	08/22/13	96756
1429	Res	PV	8.9	9.0	7.14	12,544	08/22/13	96752
1430	Res	PV	9.7	7.6	7.60	13,352	08/22/13	96765
1431	Res	PV	10.5	10.0	8.42	14,799	08/22/13	96752
1432	Res	PV	5.8	5.3	4.61	8,102	08/22/13	96756
1433	Res	PV	5.1	4.2	4.08	7,168	08/22/13	96796
1434	Res	PV	5.9	5.0	4.70	8,250	08/27/13	96746
1435	Res	PV	4.7	4.3	3.76	6,606	08/27/13	96746
1436	Res	PV	8.9	9.0	7.14	12,544	08/27/13	96752
1437	Res	PV	4.2	3.4	3.39	5,959	08/27/13	96765
1438	Res	PV	7.4	6.0	5.88	10,330	08/27/13	96756
1439	Res	PV	3.0	3.0	2.40	4,216	08/27/13	96752
1440	Res	PV	7.7	7.2	6.12	10,752	08/28/13	96722
1441	Com	PV	5.2	5.0	4.19	7,365	08/30/13	96766
1442	Com	PV	7.3	6.7	5.83	10,246	08/30/13	96715
1443	Com	PV	5.3	4.7	4.24	7,449	08/30/13	96766
1444	Res	PV	4.5	3.9	3.60	6,324	08/30/13	96746
1445	Res	PV	7.7	13.0	6.19	10,878	08/30/13	96716
1446	Res	PV	3.1	3.0	2.45	4,301	09/03/13	96766
1447	Res	PV	1.4	1.3	1.13	1,982	09/03/13	96746
1448	Res	PV	3.3	3.0	2.60	4,568	09/03/13	96752
1449	Res	PV	2.5	3.0	1.96	3,443	09/04/13	96796
1450	Res	PV	8.9	7.8	7.14	12,551	09/06/13	96741
1451	Res	PV	2.6	2.2	2.11	3,710	09/09/13	96746
1452	Res	PV	5.0	5.0	4.00	7,027	09/12/13	96705
1453	Res	PV	6.0	5.2	4.80	8,433	09/12/13	96741
1454	Res	PV	2.4	2.2	1.88	3,303	09/12/13	96756
1455	Res	PV	5.6	5.0	4.49	7,885	09/13/13	96716
1456	Res	PV	2.2	2.2	1.72	3,022	09/16/13	96756
1457	Res	PV	2.4	2.2	1.88	3,303	09/16/13	96756
1458	Com	PV	33.0	31.4	26.40	46,380	09/18/13	96741
1459	Res	PV	11.2	10.0	8.98	15,776	09/18/13	96752
1460	Res	PV	17.3	14.6	13.87	24,370	09/20/13	96703
1461	Res	PV	4.2	3.4	3.39	5,959	09/23/13	96754
1462	Res	PV	6.0	5.2	4.80	8,433	09/23/13	96722
1463	Res	PV	8.9	7.6	7.14	12,551	09/23/13	96765
1464	Res	PV	5.4	5.0	4.32	7,589	09/24/13	96766
1465	Res	PV	3.0	2.6	2.40	4,216	09/24/13	96746
1466	Res	PV	8.3	9.8	6.66	11,707	09/24/13	96716
1467	Res	PV	3.8	3.6	3.00	5,270	09/24/13	96796
1468	Res	PV	2.0	1.7	1.60	2,811	09/24/13	96705
1469	Res	PV	4.1	8.4	3.26	5,734	09/24/13	96746
1470	Res	PV	5.8	5.0	4.61	8,095	09/24/13	96766
1471	Res	PV	6.1	5.6	4.89	8,587	09/26/13	96746
1472	Res	PV	2.7	3.0	2.16	3,795	09/30/13	96741
1473	Res	PV	6.0	5.2	4.80	8,433	09/30/13	96746
1474	Res	PV	13.5	11.4	10.82	19,002	09/30/13	96766
1475	Res	PV	6.5	6.0	5.18	9,107	09/30/13	96746
1476	Res	PV	8.9	7.4	7.14	12,551	10/02/13	96722
1477	Res	PV	4.6	4.0	3.68	6,465	10/04/13	96765
1478	Res	PV	2.1	1.7	1.70	2,980	10/04/13	96741
1479	Res	PV	6.6	6.0	5.26	9,248	10/04/13	96714

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
1480	Res	PV	3.1	3.0	2.45	4,301	10/09/13	96722
1481	Res	PV	3.5	3.4	2.82	4,947	10/09/13	96722
1482	Res	PV	4.5	3.8	3.63	6,381	10/09/13	96746
1483	Res	PV	3.4	4.0	2.70	4,750	10/09/13	96746
1484	Res	PV	6.0	5.6	4.80	8,433	10/10/13	96756
1485	Res	PV	8.6	7.0	6.91	12,143	10/10/13	96765
1486	Res	PV	9.4	8.0	7.55	13,267	10/10/13	96741
1487	Res	PV	12.5	12.8	10.00	17,561	10/10/13	96752
1488	Res	PV	8.4	8.8	6.74	11,834	10/10/13	96752
1489	Res	PV	5.6	4.8	4.46	7,842	10/10/13	96766
1490	Res	PV	4.7	4.3	3.76	6,606	10/10/13	96766
1491	Res	PV	4.5	4.0	3.60	6,324	10/10/13	96766
1492	Res	PV	13.5	12.0	10.82	19,002	10/10/13	96766
1493	Res	PV	10.2	8.4	8.16	14,335	10/11/13	96766
1494	Res	PV	5.0	4.3	4.00	7,027	10/11/13	96766
1495	Res	PV	3.2	2.6	2.54	4,469	10/11/13	96722
1496	Res	PV	6.3	5.0	5.00	8,784	10/11/13	96746
1497	Res	PV	8.9	9.0	7.14	12,544	10/11/13	96752
1498	Res	PV	7.0	8.0	5.60	9,838	10/11/13	96756
1499	Res	PV	7.7	8.0	6.12	10,752	10/17/13	96756
1500	Res	PV	3.6	4.0	2.88	5,060	10/17/13	96746
1501	Res	PV	6.0	5.2	4.80	8,433	10/21/13	96703
1502	Res	PV	3.8	8.0	3.00	5,270	10/23/13	96766
1503	Res	PV	7.9	8.0	6.33	11,117	10/25/13	96756
1504	Res	PV	3.0	2.6	2.40	4,216	10/25/13	96741
1505	Res	PV	6.0	5.2	4.80	8,433	10/25/13	96756
1506	Res	PV	5.1	4.4	4.10	7,196	10/25/13	96746
1507	Res	PV	9.2	8.3	7.34	12,888	10/25/13	96766
1508	Res	PV	3.3	3.8	2.60	4,568	10/25/13	96766
1509	Res	PV	3.3	3.6	2.66	4,666	10/25/13	96705
1510	Res	PV	5.5	4.5	4.37	7,674	10/28/13	96714
1511	Res	PV	10.6	9.5	8.45	14,841	10/29/13	96756
1512	Res	PV	10.2	8.6	8.16	14,335	10/29/13	96746
1513	Res	PV	5.0	6.0	4.03	7,083	10/31/13	96765
1514	Res	PV	6.6	6.0	5.26	9,248	10/31/13	96714
1515	Res	PV	5.2	4.5	4.12	7,238	10/31/13	96722
1516	Res	PV	-11.4	-10.0	-9.10	-15,994	11/01/13	96714
1517	Com	PV	9.4	8.6	7.52	13,211	11/01/13	96756
1518	Res	PV	5.6	5.2	4.51	7,927	11/01/13	96714
1519	Res	PV	4.6	5.0	3.67	6,451	11/01/13	96752
1520	Res	PV	3.0	2.6	2.40	4,216	11/01/13	96746
1521	Res	PV	7.7	6.0	6.00	10,541	11/01/13	96746
1522	Res	PV	4.5	6.0	3.58	6,296	11/04/13	96746
1523	Res	PV	8.2	7.6	6.53	11,468	11/06/13	96752
1524	Res	PV	7.1	6.0	5.71	10,035	11/06/13	96796
1525	Res	PV	4.1	3.6	3.26	5,734	11/06/13	96705
1526	Res	PV	6.6	6.0	5.30	9,318	11/06/13	96796
1527	Res	PV	7.0	7.0	5.60	9,838	11/06/13	96752
1528	Res	PV	3.0	3.8	2.40	4,216	11/06/13	96746
1529	Res	PV	10.2	9.2	8.16	14,335	11/06/13	96746
1530	Res	PV	7.5	6.5	6.00	10,541	11/06/13	96741
1531	Res	PV	3.1	3.8	2.45	4,301	11/07/13	96796
1532	Res	PV	6.0	5.2	4.80	8,433	11/07/13	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
1533	Res	PV	6.5	5.6	5.16	9,065	11/08/13	96703
1534	Res	PV	4.5	5.0	3.60	6,324	11/08/13	96741
1535	Res	PV	4.6	3.7	3.66	6,430	11/08/13	96746
1536	Res	PV	6.0	5.2	4.80	8,433	11/08/13	96746
1537	Res	PV	5.0	4.3	4.00	7,027	11/08/13	96754
1538	Res	PV	2.9	3.0	2.34	4,118	11/12/13	96716
1539	Res	PV	3.2	3.0	2.52	4,427	11/12/13	96741
1540	Res	PV	4.6	5.0	3.71	6,521	11/12/13	96766
1541	Res	PV	5.2	4.6	4.19	7,365	11/13/13	96746
1542	Res	PV	4.7	4.0	3.76	6,606	11/13/13	96746
1543	Com	PV	56.4	45.6	45.12	79,267	11/15/13	96766
1544	Res	PV	5.4	5.0	4.32	7,589	11/15/13	96746
1545	Res	PV	2.0	1.7	1.60	2,811	11/15/13	96741
1546	Res	PV	3.8	3.8	3.06	5,383	11/15/13	96716
1547	Res	PV	7.0	6.0	5.60	9,838	11/15/13	96741
1548	Res	PV	4.3	5.0	3.47	6,100	11/15/13	96746
1549	Res	PV	4.5	3.9	3.60	6,324	11/15/13	96746
1550	Res	PV	3.0	3.0	2.40	4,216	11/20/13	96714
1551	Res	PV	8.0	8.0	6.40	11,244	11/20/13	96714
1552	Res	PV	3.0	2.6	2.40	4,216	11/20/13	96746
1553	Res	PV	3.0	2.6	2.40	4,216	11/20/13	96741
1554	Res	PV	4.0	3.8	3.20	5,622	11/20/13	96746
1555	Res	PV	4.1	4.0	3.24	5,692	11/21/13	96741
1556	Res	PV	5.1	5.0	4.08	7,168	11/25/13	96766
1557	Res	PV	6.1	6.0	4.90	8,601	11/25/13	96796
1558	Res	PV	10.0	8.6	8.00	14,054	12/02/13	96756
1559	Res	PV	5.0	4.3	4.00	7,027	12/02/13	96756
1560	Res	PV	4.3	3.7	3.40	5,973	12/02/13	96752
1561	Res	PV	5.6	6.0	4.49	7,885	12/02/13	96796
1562	Res	PV	10.0	8.8	7.96	13,984	12/02/13	96756
1563	Res	PV	4.3	3.4	3.44	6,043	12/02/13	96746
1564	Res	PV	2.6	3.0	2.04	3,584	12/02/13	96766
1565	Res	PV	8.2	7.2	6.53	11,468	12/02/13	96746
1566	Com	PV	30.4	26.9	24.30	42,690	12/03/13	96766
1567	Res	PV	5.1	5.0	4.08	7,168	12/03/13	96752
1568	Res	PV	3.6	4.0	2.88	5,060	12/03/13	96746
1569	Res	PV	4.5	6.0	3.63	6,381	12/03/13	96746
1570	Res	PV	3.1	3.0	2.45	4,301	12/06/13	96746
1571	Res	PV	13.0	12.8	10.40	18,278	12/06/13	96752
1572	Res	PV	5.6	6.0	4.51	7,927	12/06/13	96756
1573	Res	PV	4.3	3.8	3.40	5,973	12/06/13	96766
1574	Res	PV	4.7	3.9	3.74	6,577	12/06/13	96722
1575	Res	PV	6.0	5.2	4.80	8,433	12/10/13	96756
1576	Res	PV	4.1	6.0	3.25	5,706	12/10/13	96746
1577	Res	PV	6.0	5.2	4.80	8,433	12/10/13	96766
1578	Res	PV	3.0	2.6	2.40	4,216	12/11/13	96752
1579	Res	PV	12.8	12.8	10.20	17,919	12/11/13	96752
1580	Res	PV	5.3	4.5	4.20	7,379	12/11/13	96765
1581	Res	PV	2.5	2.2	2.00	3,514	12/11/13	96746
1582	Res	PV	5.5	6.0	4.40	7,730	12/12/13	96746
1583	Res	PV	4.1	3.4	3.26	5,734	12/13/13	96746
1584	Res	PV	3.0	2.6	2.40	4,216	12/13/13	96703
1585	Res	PV	3.0	2.6	2.40	4,216	12/16/13	96703

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
1586	Res	PV	5.2	5.0	4.16	7,308	12/16/13	96741
1587	Res	PV	10.5	9.8	8.37	14,701	12/16/13	96765
1588	Res	PV	4.1	6.0	3.25	5,706	12/16/13	96746
1589	Res	PV	3.1	3.0	2.45	4,301	12/16/13	96746
1590	Com	PV	9.8	10.0	7.80	13,703	12/17/13	96766
1591	Res	PV	10.0	8.6	8.00	14,054	12/17/13	96765
1592	Res	PV	3.0	2.6	2.40	4,216	12/17/13	96746
1593	Res	PV	9.9	10.0	7.92	13,914	12/17/13	96741
1594	Res	PV	11.0	10.0	8.80	15,460	12/17/13	96765
1595	Res	PV	5.5	4.7	4.40	7,730	12/17/13	96756
1596	Res	PV	4.5	4.1	3.58	6,282	12/18/13	96754
1597	Res	PV	5.4	4.7	4.31	7,575	12/18/13	96703
1598	Res	PV	4.6	4.2	3.67	6,451	12/18/13	96746
1599	Res	PV	6.6	6.0	5.30	9,318	12/18/13	96746
1600	Res	PV	6.9	6.0	5.51	9,683	12/18/13	96741
1601	Res	PV	4.5	4.0	3.58	6,296	12/18/13	96754
1602	Res	PV	4.5	3.9	3.60	6,324	12/18/13	96746
1603	Res	PV	6.1	6.0	4.90	8,601	12/18/13	96766
1604	Res	PV	4.5	3.9	3.60	6,324	12/18/13	96754
1605	Res	PV	6.1	6.0	4.90	8,601	12/19/13	96746
1606	Com	PV	23.0	19.8	18.40	32,325	12/23/13	96703
1607	Res	PV	12.2	12.0	9.79	17,203	12/23/13	96754
1608	Res	PV	18.4	16.0	14.72	25,860	12/23/13	96703
1609	Res	PV	8.2	5.6	5.64	9,908	12/23/13	96722
1610	Res	PV	3.0	2.6	2.40	4,216	12/23/13	96746
1611	Res	PV	5.6	9.8	4.48	7,870	12/23/13	96746
1612	Res	PV	-3.1	-2.8	-2.50	-4,385	12/24/13	96756
1613	Res	PV	-3.1	-2.8	-2.50	-4,385	12/24/13	96756
1614	Res	PV	-3.1	-2.8	-2.50	-4,385	12/24/13	96756
1615	Res	PV	-3.1	-2.8	-2.50	-4,385	12/24/13	96756
1616	Res	PV	-3.1	-2.8	-2.50	-4,385	12/24/13	96756
1617	Res	PV	-3.1	-2.8	-2.50	-4,385	12/24/13	96756
1618	Com	PV	25.0	22.1	19.98	35,094	12/24/13	96756
1619	Com	PV	19.5	16.0	15.60	27,406	12/26/13	96766
1620	Res	PV	3.5	3.0	2.80	4,919	12/26/13	96746
1621	Res	PV	6.0	5.2	4.80	8,433	12/26/13	96754
1622	Res	PV	7.2	8.0	5.76	10,119	12/26/13	96765
1623	Res	PV	3.9	3.4	3.14	5,509	12/26/13	96756
1624	Res	PV	2.9	2.6	2.35	4,132	12/26/13	96756
1625	Res	PV	5.9	5.0	4.68	8,222	12/31/13	96752
1626	Res	PV	5.4	5.0	4.32	7,589	12/31/13	96716
1627	Res	PV	5.0	4.3	4.00	7,027	01/03/14	96752
1628	Res	PV	4.0	3.4	3.20	5,622	01/03/14	96741
1629	Res	PV	4.1	5.0	3.24	5,692	01/03/14	96796
1630	Res	PV	3.3	2.8	2.60	4,568	01/07/14	96715
1631	Res	PV	6.0	5.1	4.80	8,433	01/07/14	96746
1632	Res	PV	8.4	8.0	6.74	11,834	01/07/14	96746
1633	Res	PV	8.5	7.2	6.78	11,918	01/07/14	96746
1634	Res	PV	10.1	9.2	8.06	14,153	01/07/14	96746
1635	Res	PV	7.7	6.0	6.00	10,541	01/07/14	96746
1636	Res	PV	9.6	8.6	7.68	13,492	01/07/14	96746
1637	Res	PV	3.0	2.6	2.40	4,216	01/07/14	96766
1638	Res	PV	6.0	5.2	4.80	8,433	01/07/14	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
1639	Res	PV	6.7	7.0	5.38	9,445	01/07/14	96766
1640	Res	PV	4.5	5.0	3.60	6,324	01/07/14	96766
1641	Res	PV	6.0	5.2	4.80	8,433	01/07/14	96766
1642	Res	PV	1.4	3.0	1.08	1,897	01/07/14	96766
1643	Res	PV	7.8	8.0	6.27	11,019	01/07/14	96766
1644	Com	PV	6.5	5.6	5.20	9,135	01/08/14	96716
1645	Com	PV	15.0	22.8	12.00	21,082	01/08/14	96752
1646	Res	PV	5.4	4.3	4.30	7,554	01/08/14	96703
1647	Res	PV	3.4	3.0	2.70	4,750	01/08/14	96716
1648	Res	PV	3.4	3.1	2.72	4,778	01/08/14	96756
1649	Res	PV	4.5	3.9	3.60	6,324	01/08/14	96756
1650	Res	PV	6.5	5.6	5.20	9,135	01/08/14	96765
1651	Res	PV	9.0	12.0	7.20	12,649	01/08/14	96765
1652	Res	PV	9.0	7.7	7.20	12,649	01/08/14	96741
1653	Res	PV	6.3	6.0	5.00	8,784	01/08/14	96741
1654	Res	PV	6.1	5.0	4.90	8,601	01/08/14	96741
1655	Res	PV	5.1	5.0	4.08	7,168	01/08/14	96796
1656	Com	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1657	Com	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1658	Com	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1659	Com	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1660	Com	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1661	Com	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1662	Com	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1663	Res	PV	6.0	6.0	4.80	8,433	01/09/14	96754
1664	Res	PV	5.5	4.7	4.40	7,730	01/09/14	96766
1665	Res	PV	4.3	3.4	3.44	6,043	01/09/14	96722
1666	Res	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1667	Res	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1668	Res	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1669	Res	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1670	Res	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1671	Res	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1672	Res	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1673	Res	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1674	Res	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1675	Res	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1676	Res	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1677	Res	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1678	Res	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1679	Res	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1680	Res	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1681	Res	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1682	Res	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1683	Res	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1684	Res	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1685	Res	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1686	Res	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1687	Res	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1688	Res	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1689	Res	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1690	Res	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1691	Res	PV	9.0	7.7	7.20	12,649	01/09/14	96756

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
1692	Res	PV	9.0	7.7	7.20	12,649	01/09/14	96756
1693	Com	PV	5.7	4.5	4.52	7,941	01/10/14	96766
1694	Com	PV	20.4	20.0	16.32	28,671	01/10/14	96766
1695	Com	PV	37.4	30.0	29.95	52,620	01/10/14	96766
1696	Res	PV	12.0	12.0	9.59	16,851	01/10/14	96746
1697	Res	PV	4.2	3.4	3.39	5,959	01/10/14	96714
1698	Com	PV	9.8	8.4	7.80	13,703	01/13/14	96756
1699	Com	PV	11.0	9.5	8.80	15,460	01/13/14	96766
1700	Com	PV	6.0	5.2	4.80	8,433	01/13/14	96766
1701	Res	PV	6.3	5.0	5.00	8,784	01/13/14	96752
1702	Res	PV	7.8	8.0	6.24	10,962	01/13/14	96716
1703	Res	PV	7.1	6.0	5.71	10,035	01/13/14	96705
1704	Res	PV	4.3	3.7	3.47	6,100	01/13/14	96741
1705	Res	PV	18.2	16.4	14.54	25,551	01/13/14	96756
1706	Res	PV	7.1	6.0	5.71	10,035	01/13/14	96766
1707	Res	PV	16.8	16.0	13.46	23,654	01/13/14	96746
1708	Res	PV	9.5	8.2	7.60	13,352	01/13/14	96746
1709	Res	PV	6.6	5.6	5.30	9,318	01/13/14	96746
1710	Res	PV	6.6	5.6	5.30	9,318	01/13/14	96746
1711	Res	PV	5.5	8.0	4.40	7,730	01/13/14	96746
1712	Res	PV	4.1	4.0	3.24	5,692	01/14/14	96752
1713	Res	PV	3.5	5.0	2.78	4,891	01/14/14	96714
1714	Res	PV	3.1	3.0	2.45	4,301	01/14/14	96746
1715	Res	PV	10.0	8.6	8.00	14,054	01/14/14	96746
1716	Res	PV	4.3	3.4	3.44	6,043	01/14/14	96722
1717	Res	PV	5.2	4.7	4.16	7,308	01/14/14	96754
1718	Res	PV	3.5	6.0	2.78	4,891	01/14/14	96754
1719	Res	PV	5.7	4.5	4.52	7,941	01/14/14	96754
1720	Res	PV	3.2	3.0	2.59	4,554	01/14/14	96746
1721	Res	PV	6.0	5.6	4.80	8,433	01/14/14	96766
1722	Res	PV	5.0	4.3	4.00	7,027	01/14/14	96746
1723	Res	PV	3.2	3.0	2.59	4,554	01/14/14	96746
1724	Res	PV	3.2	3.0	2.59	4,554	01/15/14	96746
1725	Res	PV	5.3	4.6	4.22	7,407	01/15/14	96766
1726	Res	PV	4.6	5.0	3.67	6,451	01/15/14	96715
1727	Res	PV	6.9	6.0	5.51	9,683	01/15/14	96796
1728	Com	PV	45.9	38.7	36.72	64,510	01/16/14	96766
1729	Com	PV	32.4	27.0	25.92	45,536	01/16/14	96766
1730	Res	PV	3.5	3.0	2.80	4,919	01/16/14	96741
1731	Res	PV	6.0	5.2	4.80	8,433	01/16/14	96746
1732	Res	PV	5.4	8.0	4.32	7,589	01/16/14	96705
1733	Res	PV	9.5	10.0	7.56	13,281	01/16/14	96756
1734	Res	PV	2.2	2.0	1.73	3,036	01/16/14	96746
1735	Res	PV	6.6	6.0	5.30	9,318	01/21/14	96752
1736	Res	PV	17.9	14.8	14.28	25,087	01/22/14	96766
1737	Com	PV	24.8	21.0	19.87	34,911	01/24/14	96766
1738	Com	PV	11.5	10.0	9.22	16,191	01/24/14	96766
1739	Res	PV	8.2	6.8	6.53	11,468	01/24/14	96752
1740	Res	PV	3.6	3.0	2.88	5,060	01/24/14	96766
1741	Res	PV	13.4	11.4	10.75	18,889	01/24/14	96766
1742	Res	PV	5.3	5.0	4.22	7,421	01/24/14	96766
1743	Com	PV	10.6	9.7	8.46	14,870	01/27/14	96766
1744	Res	PV	5.0	4.3	4.00	7,027	01/27/14	96722

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
1745	Res	PV	7.0	7.0	5.60	9,838	01/27/14	96746
1746	Res	PV	6.6	6.0	5.30	9,318	01/27/14	96746
1747	Res	PV	2.4	2.2	1.92	3,373	01/27/14	96703
1748	Res	PV	7.7	7.6	6.12	10,752	01/28/14	96766
1749	Res	PV	7.7	7.6	6.12	10,752	01/28/14	96752
1750	Res	PV	8.3	7.0	6.60	11,595	01/29/14	96746
1751	Com	PV	33.0	28.4	26.40	46,380	01/30/14	96756
1752	Res	PV	4.6	4.2	3.67	6,451	01/30/14	96746
1753	Res	PV	3.0	2.6	2.40	4,216	01/30/14	96705
1754	Res	PV	5.6	5.0	4.49	7,885	01/30/14	96765
1755	Res	PV	5.4	5.0	4.32	7,589	02/04/14	96752
1756	Com	PV	173.2	100.0	100.00	175,680	02/06/14	96756
1757	Res	PV	8.4	7.6	6.72	11,806	02/06/14	96756
1758	Res	PV	6.4	6.0	5.10	8,953	02/07/14	96756
1759	Res	PV	5.8	5.0	4.61	8,095	02/07/14	96722
1760	Res	PV	8.8	8.4	7.04	12,368	02/07/14	96703
1761	Res	PV	12.5	12.0	9.98	17,540	02/11/14	96722
1762	Res	PV	4.2	5.0	3.36	5,903	02/13/14	96746
1763	Res	PV	2.4	2.5	1.92	3,373	02/20/14	96703
1764	Res	PV	8.3	7.5	6.60	11,595	02/20/14	96746
1765	Res	PV	3.1	3.0	2.45	4,301	02/20/14	96746
1766	Res	PV	4.8	4.2	3.87	6,802	02/20/14	96765
1767	Res	PV	9.4	8.8	7.55	13,267	02/25/14	96705
1768	Res	PV	5.0	5.0	4.00	7,027	02/26/14	96746
1769	Res	PV	4.6	5.0	3.67	6,451	02/26/14	96766
1770	Res	PV	7.7	7.6	6.12	10,752	02/26/14	96716
1771	Res	PV	3.4	3.0	2.69	4,722	02/26/14	96746
1772	Res	PV	8.8	8.0	7.04	12,368	02/27/14	96752
1773	Res	PV	4.2	5.0	3.36	5,903	02/27/14	96746
1774	Res	PV	9.8	8.8	7.87	13,830	02/27/14	96766
1775	Res	PV	9.8	8.8	7.87	13,830	02/27/14	96766
1776	Res	PV	8.2	8.4	6.53	11,468	02/27/14	96746
1777	Res	PV	9.0	8.8	7.17	12,593	02/28/14	96714
1778	Res	PV	2.3	1.9	1.84	3,233	02/28/14	96703
1779	Res	PV	2.2	3.0	1.79	3,148	03/03/14	96765
1780	Res	PV	8.4	8.0	6.72	11,806	03/03/14	96766
1781	Res	PV	8.4	7.6	6.72	11,806	03/03/14	96741
1782	Res	PV	8.2	8.8	6.59	11,581	03/04/14	96752
1783	Res	PV	9.0	10.0	7.20	12,649	03/05/14	96741
1784	Res	PV	12.9	11.0	10.30	18,102	03/10/14	96766
1785	Res	PV	3.6	3.8	2.86	5,017	03/10/14	96716
1786	Res	PV	11.7	11.0	9.38	16,486	03/10/14	96752
1787	Res	PV	7.0	6.0	5.62	9,866	03/10/14	96756
1788	Res	PV	5.6	5.0	4.49	7,885	03/11/14	96746
1789	Res	PV	8.7	8.8	6.94	12,199	03/11/14	96766
1790	Res	PV	6.4	6.0	5.15	9,051	03/12/14	96746
1791	Res	PV	2.3	1.9	1.84	3,233	03/12/14	96766
1792	Res	PV	11.7	9.9	9.38	16,486	03/13/14	96766
1793	Res	PV	6.5	8.0	5.18	9,107	03/13/14	96752
1794	Com	PV	4.4	3.4	3.44	6,043	03/14/14	96754
1795	Res	PV	12.1	11.0	9.66	16,978	03/14/14	96746
1796	Res	PV	8.4	7.6	6.72	11,806	03/18/14	96756
1797	Res	PV	9.1	8.8	7.30	12,818	03/18/14	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
1798	Res	PV	5.9	6.0	4.70	8,264	03/18/14	96722
1799	Res	PV	6.6	5.6	5.30	9,318	03/18/14	96765
1800	Res	PV	9.0	8.8	7.20	12,649	03/18/14	96752
1801	Res	PV	7.1	7.6	5.71	10,035	03/18/14	96705
1802	Res	PV	8.1	8.0	6.48	11,384	03/18/14	96752
1803	Res	PV	8.3	7.0	6.62	11,637	03/18/14	96746
1804	Res	PV	9.5	9.0	7.61	13,366	03/19/14	96752
1805	Res	PV	6.0	6.0	4.80	8,433	03/24/14	96756
1806	Res	PV	24.8	20.0	19.87	34,911	03/25/14	96741
1807	Res	PV	6.0	6.0	4.80	8,433	03/27/14	96746
1808	Res	PV	3.2	4.0	2.52	4,427	03/28/14	96766
1809	Res	PV	6.1	5.0	4.90	8,601	03/28/14	96752
1810	Res	PV	7.2	6.5	5.72	10,049	03/28/14	96746
1811	Res	PV	1.8	3.0	1.44	2,530	03/28/14	96752
1812	Res	PV	7.0	6.0	5.60	9,838	03/31/14	96716
1813	Res	PV	8.8	8.0	7.07	12,424	03/31/14	96746
1814	Res	PV	6.1	4.7	4.73	8,310	04/01/14	96754
1815	Res	PV	6.0	5.2	4.80	8,433	04/01/14	96746
1816	Res	PV	6.3	6.0	5.00	8,784	04/04/14	96754
1817	Res	PV	2.8	2.5	2.24	3,935	04/04/14	96746
1818	Res	PV	8.9	7.6	7.14	12,551	04/04/14	96741
1819	Res	PV	4.0	3.8	3.19	5,608	04/04/14	96766
1820	Res	PV	4.0	3.6	3.17	5,566	04/07/14	96756
1821	Res	PV	3.9	3.8	3.14	5,509	04/07/14	96766
1822	Res	PV	4.8	4.5	3.84	6,746	04/07/14	96705
1823	Res	PV	3.5	3.0	2.80	4,919	04/08/14	96746
1824	Res	PV	6.4	6.0	5.10	8,967	04/08/14	96752
1825	Res	PV	8.0	6.8	6.38	11,215	04/08/14	96756
1826	Res	PV	5.6	5.0	4.48	7,870	04/11/14	96746
1827	Res	PV	5.6	5.0	4.48	7,870	04/13/14	96766
1828	Res	PV	6.9	6.0	5.51	9,683	04/14/14	96705
1829	Res	PV	6.4	6.0	5.10	8,967	04/17/14	96752
1830	Res	PV	8.9	7.6	7.14	12,551	04/17/14	96796
1831	Res	PV	4.0	3.8	3.19	5,608	04/21/14	96766
1832	Res	PV	10.1	8.8	8.11	14,251	04/22/14	96756
1833	Res	PV	10.8	8.8	8.66	15,221	04/22/14	96746
1834	Res	PV	4.8	5.0	3.82	6,704	04/22/14	96746
1835	Res	PV	5.3	5.0	4.26	7,477	04/23/14	96766
1836	Res	PV	4.1	3.0	3.00	5,270	04/24/14	96754
1837	Res	PV	6.1	5.5	4.84	8,503	04/24/14	96754
1838	Res	PV	6.3	6.0	5.04	8,854	04/25/14	96705
1839	Res	PV	4.7	4.3	3.76	6,606	04/25/14	96766
1840	Res	PV	8.0	8.0	6.38	11,215	04/25/14	96722
1841	Res	PV	8.1	7.6	6.50	11,412	04/28/14	96752
1842	Res	PV	5.7	5.0	4.56	8,011	04/30/14	96752
1843	Res	PV	10.5	8.8	8.37	14,701	04/30/14	96796
1844	Res	PV	6.9	6.0	5.51	9,683	04/30/14	96705
1845	Res	PV	7.0	7.6	5.60	9,838	04/30/14	96796
1846	Res	PV	4.5	4.5	3.60	6,324	04/30/14	96705
1847	Res	PV	4.3	3.8	3.40	5,973	04/30/14	96756
1848	Res	PV	4.1	5.0	3.24	5,692	04/30/14	96746
1849	Res	PV	5.3	5.0	4.24	7,449	04/30/14	96766
1850	Res	PV	3.0	5.0	2.40	4,216	04/30/14	96741

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
1851	Res	PV	4.7	3.7	3.66	6,430	05/01/14	96722
1852	Res	PV	7.1	6.0	5.70	10,021	05/02/14	96756
1853	Res	PV	4.5	3.8	3.61	6,339	05/02/14	96705
1854	Res	PV	4.0	3.8	3.18	5,594	05/02/14	96796
1855	Res	PV	3.6	2.8	2.80	4,919	05/02/14	96754
1856	Com	PV	171.4	100.0	100.00	175,680	05/06/14	96756
1857	Com	PV	85.2	50.0	50.00	87,840	05/06/14	96756
1858	Res	PV	5.0	5.0	4.00	7,027	05/06/14	96746
1859	Res	PV	5.8	5.0	4.66	8,194	05/06/14	96765
1860	Res	PV	4.0	3.7	3.20	5,622	05/07/14	96746
1861	Res	PV	4.7	4.3	3.76	6,606	05/12/14	96756
1862	Res	PV	2.0	1.7	1.63	2,867	05/20/14	96796
1863	Res	PV	6.0	6.0	4.80	8,433	05/20/14	96766
1864	Res	PV	2.8	2.5	2.20	3,865	05/21/14	96746
1865	Res	PV	6.8	6.0	5.40	9,487	05/22/14	96754
1866	Res	PV	2.3	1.9	1.84	3,233	05/22/14	96796
1867	Res	PV	5.5	5.3	4.37	7,674	05/23/14	96766
1868	Res	PV	4.2	5.0	3.36	5,903	05/23/14	96746
1869	Res	PV	5.0	4.3	4.00	7,027	05/23/14	96716
1870	Res	PV	4.7	4.3	3.76	6,606	05/23/14	96746
1871	Res	PV	7.5	6.0	6.00	10,541	05/27/14	96766
1872	Res	PV	6.6	6.0	5.25	9,220	05/28/14	96754
1873	Res	PV	6.8	6.0	5.40	9,487	05/29/14	96716
1874	Res	PV	6.9	6.0	5.51	9,683	05/29/14	96796
1875	Res	PV	9.8	8.8	7.85	13,787	05/29/14	96756
1876	Com	PV	2.7	2.5	2.16	3,795	06/02/14	96714
1877	Res	PV	5.0	5.0	4.00	7,027	06/03/14	96741
1878	Res	PV	4.3	3.8	3.40	5,973	06/03/14	96741
1879	Res	PV	4.5	5.0	3.60	6,324	06/03/14	96796
1880	Res	PV	6.5	5.2	5.16	9,065	06/04/14	96722
1881	Res	PV	4.5	4.3	3.60	6,324	06/04/14	96766
1882	Res	PV	8.6	9.6	6.85	12,031	06/05/14	96746
1883	Res	PV	3.2	3.0	2.59	4,554	06/05/14	96754
1884	Res	PV	5.1	4.0	4.00	7,027	06/06/14	96752
1885	Res	PV	2.3	3.0	1.83	3,218	06/06/14	96746
1886	Res	PV	11.4	9.8	9.12	16,022	06/06/14	96752
1887	Com	PV	11.3	9.9	9.02	15,839	06/10/14	96754
1888	Res	PV	3.2	3.0	2.52	4,427	06/10/14	96756
1889	Res	PV	12.2	10.0	9.79	17,203	06/10/14	96746
1890	Res	PV	4.5	9.4	3.62	6,353	06/12/14	96746
1891	Res	PV	5.9	5.0	4.71	8,278	06/16/14	96756
1892	Res	PV	5.9	5.0	4.71	8,278	06/16/14	96703
1893	Res	PV	5.2	5.0	4.18	7,350	06/16/14	96716
1894	Res	PV	6.0	6.0	4.80	8,433	06/16/14	96765
1895	Res	PV	2.8	2.6	2.26	3,963	06/16/14	96766
1896	Res	PV	6.7	6.0	5.38	9,445	06/18/14	96756
1897	Res	PV	3.3	3.0	2.64	4,638	06/24/14	96752
1898	Res	PV	5.4	5.0	4.32	7,589	06/25/14	96754
1899	Res	PV	7.8	7.1	6.21	10,906	06/25/14	96746
1900	Res	PV	5.5	5.0	4.40	7,730	06/26/14	96752
1901	Res	PV	6.9	6.0	5.49	9,641	06/26/14	96741
1902	Com	PV	46.4	38.5	37.14	65,255	06/27/14	96766
1903	Res	PV	7.2	5.6	5.59	9,821	07/01/14	96722

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
1904	Res	PV	3.5	3.0	2.83	4,975	07/03/14	96705
1905	Res	PV	7.2	6.0	5.73	10,063	07/07/14	96752
1906	Res	PV	12.8	11.6	10.27	18,039	07/08/14	96741
1907	Res	PV	7.8	7.6	6.27	11,019	07/08/14	96796
1908	Res	PV	7.8	7.6	6.27	11,019	07/08/14	96796
1909	Res	PV	7.2	6.0	5.75	10,105	07/08/14	96741
1910	Res	PV	4.0	3.4	3.20	5,622	07/08/14	96766
1911	Res	PV	9.1	8.8	7.30	12,825	07/08/14	96752
1912	Res	PV	3.2	3.0	2.59	4,554	07/09/14	96722
1913	Res	PV	5.8	5.0	4.66	8,194	07/10/14	96716
1914	Res	PV	4.3	4.0	3.46	6,072	07/14/14	96766
1915	Res	PV	8.1	7.5	6.48	11,384	07/14/14	96756
1916	Res	PV	3.0	2.6	2.40	4,216	07/14/14	96766
1917	Res	PV	12.3	12.6	9.86	17,315	07/15/14	96756
1918	Res	PV	5.8	6.0	4.64	8,152	07/15/14	96746
1919	Com	PV	10.1	9.5	8.06	14,153	07/17/14	96766
1920	Com	PV	36.0	31.0	28.80	50,596	07/17/14	96752
1921	Res	PV	3.2	3.0	2.59	4,554	07/17/14	96765
1922	Res	PV	-2.0	-1.7	-1.60	-2,811	07/18/14	96747
1923	Res	PV	9.0	8.0	7.18	12,607	07/21/14	96756
1924	Res	PV	4.3	4.0	3.46	6,072	07/21/14	96746
1925	Res	PV	3.2	3.0	2.59	4,554	07/21/14	96746
1926	Res	PV	5.6	5.0	4.46	7,828	07/22/14	96741
1927	Res	PV	3.8	3.5	3.02	5,313	07/22/14	96766
1928	Res	PV	8.5	8.0	6.80	11,946	07/22/14	96722
1929	Res	PV	2.7	2.5	2.16	3,795	07/24/14	96705
1930	Res	PV	9.8	9.0	7.85	13,787	07/24/14	96746
1931	Com	PV	6.9	6.0	5.49	9,641	07/28/14	96765
1932	Res	PV	6.9	6.0	5.49	9,641	07/28/14	96766
1933	Res	PV	8.1	7.5	6.48	11,384	07/28/14	96746
1934	Res	PV	6.3	5.5	5.02	8,812	07/28/14	96746
1935	Res	PV	7.6	7.0	6.05	10,625	07/30/14	96746
1936	Res	PV	6.5	6.0	5.18	9,107	07/30/14	96756
1937	Res	PV	3.0	2.6	2.40	4,216	07/30/14	96746
1938	Res	PV	3.2	3.0	2.52	4,427	07/30/14	96752
1939	Res	PV	3.2	3.0	2.52	4,427	07/30/14	96796
1940	Res	PV	2.7	3.0	2.16	3,795	07/30/14	96752
1941	Res	PV	5.9	5.0	4.71	8,278	07/30/14	96752
1942	Res	PV	5.4	5.0	4.35	7,646	07/31/14	96766
1943	Res	PV	8.7	8.0	6.96	12,227	07/31/14	96746
1944	Res	PV	3.2	3.0	2.59	4,554	07/31/14	96746
1945	Res	PV	6.8	6.3	5.40	9,487	07/31/14	96741
1946	Res	PV	6.5	6.0	5.23	9,192	08/01/14	96741
1947	Res	PV	6.8	6.0	5.42	9,529	08/01/14	96741
1948	Res	PV	4.3	3.8	3.40	5,973	08/06/14	96766
1949	Res	PV	4.9	5.0	3.93	6,901	08/06/14	96765
1950	Res	PV	4.7	5.0	3.76	6,606	08/06/14	96756
1951	Res	PV	4.9	4.5	3.89	6,830	08/06/14	96746
1952	Com	PV	14.1	14.0	11.31	19,873	08/07/14	96741
1953	Res	PV	5.6	5.0	4.51	7,927	08/07/14	96756
1954	Res	PV	13.7	11.4	10.98	19,297	08/07/14	96756
1955	Res	PV	4.9	4.3	3.92	6,887	08/11/14	96766
1956	Res	PV	5.9	5.3	4.70	8,264	08/11/14	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
1957	Res	PV	4.5	3.9	3.60	6,324	08/11/14	96754
1958	Res	PV	3.2	3.0	2.59	4,554	08/11/14	96746
1959	Res	PV	5.9	6.0	4.68	8,222	08/12/14	96796
1960	Res	PV	5.0	5.0	3.96	6,957	08/12/14	96741
1961	Res	PV	5.3	5.0	4.24	7,449	08/12/14	96746
1962	Com	PV	22.1	20.0	17.66	31,032	08/13/14	96766
1963	Res	PV	4.6	3.7	3.66	6,430	08/13/14	96746
1964	Res	PV	3.2	3.0	2.59	4,554	08/19/14	96746
1965	Res	PV	5.0	5.0	3.96	6,957	08/21/14	96752
1966	Res	PV	7.8	7.0	6.27	11,019	08/21/14	96756
1967	Res	PV	16.2	13.2	12.94	22,740	08/21/14	96703
1968	Res	PV	8.6	8.0	6.91	12,143	08/21/14	96756
1969	Res	PV	3.2	3.0	2.59	4,554	08/21/14	96765
1970	Res	PV	5.0	5.0	3.96	6,957	08/25/14	96741
1971	Res	PV	10.8	9.5	8.62	15,151	08/25/14	96754
1972	Res	PV	8.1	7.5	6.48	11,384	08/26/14	96741
1973	Res	PV	5.0	5.0	4.00	7,027	08/26/14	96752
1974	Res	PV	5.0	4.5	4.03	7,083	08/26/14	96796
1975	Res	PV	3.7	3.2	2.94	5,172	08/26/14	96746
1976	Res	PV	4.6	3.8	3.66	6,437	08/26/14	96722
1977	Com	PV	13.8	10.8	10.75	18,886	08/27/14	96754
1978	Com	PV	23.0	21.0	18.43	32,381	08/28/14	96796
1979	Res	PV	7.5	8.0	6.00	10,541	08/28/14	96752
1980	Res	PV	8.6	8.0	6.91	12,143	09/02/14	96716
1981	Res	PV	6.8	6.0	5.41	9,501	09/03/14	96746
1982	Res	PV	5.0	4.3	4.00	7,027	09/03/14	96766
1983	Res	PV	7.3	6.0	5.86	10,288	09/03/14	96746
1984	Res	PV	4.6	5.0	3.66	6,437	09/03/14	96756
1985	Res	PV	8.6	7.6	6.84	12,017	09/03/14	96766
1986	Res	PV	3.8	4.0	3.06	5,383	09/03/14	96716
1987	Res	PV	3.8	3.8	3.00	5,270	09/03/14	96752
1988	Res	PV	3.8	4.0	3.06	5,383	09/03/14	96752
1989	Res	PV	3.8	4.0	3.06	5,383	09/04/14	96752
1990	Res	PV	2.7	2.5	2.16	3,795	09/05/14	96752
1991	Res	PV	3.3	3.0	2.64	4,638	09/05/14	96765
1992	Res	PV	5.5	4.7	4.40	7,730	09/08/14	96746
1993	Res	PV	8.4	8.8	6.72	11,806	09/08/14	96752
1994	Res	PV	9.0	8.0	7.17	12,593	09/08/14	96766
1995	Res	PV	6.4	5.0	5.00	8,784	09/08/14	96714
1996	Com	PV	176.1	100.0	100.00	175,680	09/11/14	96756
1997	Com	PV	176.1	100.0	100.00	175,680	09/11/14	96756
1998	Res	PV	3.2	3.0	2.59	4,554	09/11/14	96766
1999	Res	PV	3.9	3.8	3.14	5,509	09/11/14	96796
2000	Res	PV	11.7	10.2	9.34	16,416	09/11/14	96746
2001	Res	PV	6.2	4.7	4.73	8,310	09/11/14	96722
2002	Res	PV	3.8	3.0	3.00	5,270	09/11/14	96746
2003	Res	PV	2.4	3.8	1.92	3,373	09/12/14	96766
2004	Res	PV	4.0	4.0	3.20	5,622	09/18/14	96741
2005	Res	PV	6.0	6.0	4.80	8,433	09/18/14	96756
2006	Res	PV	3.7	3.0	2.97	5,214	09/18/14	96752
2007	Res	PV	3.8	4.0	3.06	5,383	09/18/14	96752
2008	Res	PV	5.3	5.0	4.24	7,449	09/18/14	96752
2009	Res	PV	5.5	5.0	4.40	7,730	09/18/14	96752

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
2010	Res	PV	3.8	4.0	3.06	5,383	09/18/14	96752
2011	Res	PV	7.5	8.0	6.00	10,541	09/18/14	96752
2012	Res	PV	3.8	4.0	3.06	5,383	09/18/14	96752
2013	Res	PV	4.3	4.0	3.46	6,072	09/19/14	96746
2014	Com	PV	36.0	31.0	28.80	50,596	09/22/14	96766
2015	Res	PV	2.0	1.7	1.60	2,811	09/22/14	96756
2016	Res	PV	5.0	4.3	4.00	7,027	09/22/14	96766
2017	Res	PV	4.3	3.8	3.40	5,973	09/22/14	96741
2018	Res	PV	11.5	10.0	9.18	16,120	09/23/14	96752
2019	Res	PV	8.4	7.6	6.74	11,834	09/23/14	96746
2020	Res	PV	7.7	8.0	6.12	10,752	09/23/14	96746
2021	Res	PV	6.1	5.6	4.86	8,545	09/24/14	96741
2022	Res	PV	5.0	4.3	4.00	7,027	09/24/14	96746
2023	Res	PV	3.8	4.0	3.06	5,383	09/24/14	96716
2024	Res	PV	4.3	4.0	3.46	6,072	09/24/14	96752
2025	Res	PV	6.9	6.0	5.50	9,655	09/24/14	96746
2026	Res	PV	6.9	6.0	5.50	9,655	09/24/14	96746
2027	Res	PV	4.9	5.0	3.93	6,901	09/25/14	96746
2028	Res	PV	3.8	3.8	3.06	5,383	09/26/14	96752
2029	Res	PV	4.9	5.0	3.93	6,901	09/26/14	96752
2030	Res	PV	3.8	3.2	3.00	5,270	09/26/14	96752
2031	Res	PV	8.1	6.7	6.48	11,377	09/29/14	96722
2032	Res	PV	3.2	3.0	2.59	4,554	09/30/14	96746
2033	Res	PV	4.0	3.4	3.20	5,622	09/30/14	96766
2034	Res	PV	6.6	6.0	5.28	9,276	09/30/14	96746
2035	Res	PV	10.1	9.0	8.06	14,167	09/30/14	96741
2036	Res	PV	11.3	10.5	9.07	15,938	10/02/14	96766
2037	Res	PV	4.1	4.0	3.26	5,734	10/02/14	96796
2038	Res	PV	7.9	6.8	6.28	11,033	10/02/14	96754
2039	Res	PV	3.8	4.0	3.06	5,383	10/07/14	96752
2040	Res	PV	11.8	9.8	9.41	16,528	10/07/14	96756
2041	Com	PV	10.8	10.0	8.64	15,179	10/14/14	96766
2042	Com	PV	16.0	15.0	12.80	22,487	10/14/14	96766
2043	Res	PV	3.4	3.0	2.69	4,722	10/14/14	96705
2044	Res	PV	8.8	8.0	7.04	12,368	10/14/14	96741
2045	Res	PV	7.7	8.0	6.12	10,752	10/14/14	96796
2046	Res	PV	3.8	3.2	3.00	5,270	10/14/14	96752
2047	Res	PV	2.6	6.0	2.11	3,710	10/14/14	96752
2048	Res	PV	4.5	4.0	3.58	6,296	10/14/14	96766
2049	Res	PV	7.7	7.8	6.12	10,752	10/14/14	96746
2050	Res	PV	1.6	1.5	1.25	2,192	10/14/14	96746
2051	Res	PV	3.5	3.5	2.80	4,919	10/15/14	96746
2052	Res	PV	5.0	4.3	4.00	7,027	10/15/14	96766
2053	Res	PV	8.7	8.8	6.94	12,185	10/16/14	96746
2054	Res	PV	3.4	3.0	2.69	4,722	10/16/14	96714
2055	Res	PV	5.0	4.5	4.03	7,083	10/16/14	96714
2056	Res	PV	3.3	3.0	2.62	4,596	10/17/14	96796
2057	Com	PV	21.6	18.0	17.28	30,358	10/17/14	96766
2058	Res	PV	5.0	4.3	4.00	7,027	10/17/14	96766
2059	Res	PV	7.7	7.0	6.12	10,752	10/17/14	96798
2060	Res	PV	4.6	4.6	3.65	6,409	10/17/14	96746
2061	Res	PV	7.7	7.6	6.12	10,752	10/20/14	96766
2062	Res	PV	6.8	6.8	5.47	9,613	10/20/14	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
2063	Res	PV	3.2	3.0	2.59	4,554	10/20/14	96746
2064	Res	PV	6.1	6.0	4.90	8,601	10/20/14	96746
2065	Res	PV	3.6	4.0	2.88	5,060	10/21/14	96746
2066	Res	PV	7.1	6.5	5.65	9,922	10/21/14	96766
2067	Res	PV	3.8	4.0	3.06	5,383	10/21/14	96752
2068	Res	PV	3.8	4.0	3.06	5,383	10/21/14	96752
2069	Res	PV	7.7	8.0	6.12	10,752	10/21/14	96752
2070	Res	PV	8.1	7.5	6.48	11,384	10/22/14	96756
2071	Res	PV	5.1	5.0	4.08	7,168	10/22/14	96796
2072	Res	PV	6.5	7.0	5.21	9,149	10/22/14	96752
2073	Res	PV	2.8	3.0	2.25	3,949	10/22/14	96752
2074	Res	PV	6.0	5.0	4.79	8,419	10/22/14	96752
2075	Res	PV	2.8	2.8	2.20	3,865	10/22/14	96752
2076	Res	PV	5.2	5.0	4.16	7,308	10/23/14	96752
2077	Res	PV	6.1	5.0	4.86	8,545	10/23/14	96756
2078	Res	PV	4.5	3.9	3.60	6,324	10/23/14	96741
2079	Res	PV	3.8	4.0	3.06	5,383	10/24/14	96752
2080	Res	PV	3.0	2.3	2.25	3,953	10/27/14	96746
2081	Res	PV	2.7	2.5	2.16	3,795	10/27/14	96746
2082	Res	PV	3.4	3.0	2.74	4,821	10/28/14	96746
2083	Res	PV	4.4	4.0	3.49	6,128	10/28/14	96766
2084	Res	PV	13.2	11.0	10.58	18,594	10/29/14	96756
2085	Res	PV	3.8	4.0	3.06	5,383	10/29/14	96752
2086	Res	PV	3.8	4.0	3.06	5,383	10/29/14	96716
2087	Res	PV	7.7	6.0	6.02	10,576	10/30/14	96754
2088	Res	PV	4.0	3.4	3.23	5,678	10/31/14	96752
2089	Res	PV	6.8	6.0	5.47	9,613	11/03/14	96746
2090	Res	PV	4.0	3.4	3.20	5,622	11/05/14	96766
2091	Res	PV	5.1	5.0	4.08	7,168	11/05/14	96752
2092	Res	PV	3.6	3.8	2.88	5,060	11/06/14	96756
2093	Res	PV	5.1	5.0	4.08	7,168	11/06/14	96752
2094	Res	PV	3.8	3.8	3.06	5,383	11/06/14	96766
2095	Res	PV	8.4	7.5	6.72	11,806	11/06/14	96766
2096	Res	PV	2.7	2.5	2.16	3,795	11/06/14	96746
2097	Res	PV	2.0	1.7	1.60	2,811	11/10/14	96752
2098	Res	PV	3.8	4.0	3.06	5,383	11/10/14	96752
2099	Res	PV	3.8	4.0	3.06	5,383	11/10/14	96752
2100	Res	PV	6.4	7.0	5.10	8,967	11/10/14	96752
2101	Res	PV	3.8	4.0	3.06	5,383	11/10/14	96752
2102	Res	PV	3.8	4.0	3.06	5,383	11/10/14	96746
2103	Res	PV	3.2	3.0	2.59	4,554	11/10/14	96746
2104	Res	PV	5.4	5.0	4.29	7,533	11/10/14	96752
2105	Res	PV	3.9	3.0	3.00	5,270	11/12/14	96741
2106	Res	PV	5.0	5.0	4.00	7,027	11/13/14	96756
2107	Res	PV	7.7	8.0	6.12	10,752	11/14/14	96752
2108	Res	PV	6.9	6.2	5.50	9,655	11/14/14	96705
2109	Res	PV	10.8	10.0	8.64	15,179	11/17/14	96756
2110	Res	PV	8.7	8.1	6.96	12,227	11/17/14	96766
2111	Res	PV	3.0	2.6	2.40	4,216	11/18/14	96746
2112	Res	PV	3.1	2.6	2.50	4,385	11/18/14	96766
2113	Res	PV	4.9	4.0	3.90	6,859	11/18/14	96766
2114	Res	PV	3.8	3.2	3.00	5,270	11/18/14	96752
2115	Res	PV	3.8	3.2	3.00	5,270	11/18/14	96752

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
2116	Res	PV	3.8	3.0	3.01	5,288	11/19/14	96746
2117	Res	PV	8.1	7.0	6.48	11,384	11/19/14	96741
2118	Res	PV	8.5	9.0	6.80	11,946	11/19/14	96746
2119	Res	PV	7.7	6.5	6.12	10,752	11/20/14	96746
2120	Res	PV	3.8	3.5	3.02	5,313	11/20/14	96746
2121	Res	PV	6.1	5.2	4.90	8,601	11/20/14	96746
2122	Res	PV	6.5	6.0	5.18	9,107	11/20/14	96746
2123	Res	PV	3.8	4.0	3.06	5,383	11/20/14	96752
2124	Res	PV	3.8	4.0	3.06	5,383	11/20/14	96752
2125	Res	PV	3.8	4.0	3.06	5,383	11/20/14	96752
2126	Com	PV	7.8	7.0	6.27	11,019	11/21/14	96714
2127	Res	PV	3.8	4.0	3.06	5,383	11/21/14	96752
2128	Res	PV	7.3	6.8	5.83	10,246	11/21/14	96756
2129	Res	PV	3.8	4.0	3.06	5,383	11/24/14	96752
2130	Res	PV	3.8	4.0	3.06	5,383	11/24/14	96752
2131	Res	PV	6.0	5.2	4.80	8,433	11/25/14	96752
2132	Res	PV	3.2	3.0	2.59	4,554	11/25/14	96752
2133	Res	PV	3.8	4.0	3.06	5,383	11/26/14	96752
2134	Res	PV	3.8	4.0	3.06	5,383	11/26/14	96752
2135	Res	PV	12.3	10.0	9.81	17,231	11/26/14	96722
2136	Res	PV	3.8	4.0	3.06	5,383	11/28/14	96752
2137	Res	PV	2.9	3.0	2.35	4,132	11/28/14	96716
2138	Res	PV	6.5	6.0	5.18	9,107	11/28/14	96746
2139	Com	PV	11.3	10.3	9.02	15,853	12/03/14	96766
2140	Res	PV	2.8	2.5	2.24	3,935	12/03/14	96754
2141	Res	PV	4.7	4.0	3.78	6,648	12/03/14	96746
2142	Res	PV	4.5	5.0	3.60	6,324	12/03/14	96752
2143	Res	PV	3.8	4.0	3.06	5,383	12/04/14	96752
2144	Res	PV	3.8	4.0	3.06	5,383	12/04/14	96752
2145	Res	PV	3.8	4.0	3.06	5,383	12/04/14	96752
2146	Res	PV	3.8	4.0	3.06	5,383	12/04/14	96752
2147	Res	PV	3.8	3.2	3.00	5,270	12/04/14	96752
2148	Res	PV	3.8	4.0	3.06	5,383	12/04/14	96752
2149	Res	PV	6.5	6.0	5.18	9,107	12/04/14	96741
2150	Res	PV	7.7	8.0	6.12	10,752	12/04/14	96766
2151	Res	PV	5.4	6.0	4.32	7,589	12/05/14	96766
2152	Res	PV	3.8	4.0	3.06	5,383	12/05/14	96752
2153	Res	PV	3.8	4.0	3.06	5,383	12/05/14	96752
2154	Res	PV	3.8	4.0	3.06	5,383	12/08/14	96752
2155	Res	PV	6.5	6.0	5.23	9,192	12/09/14	96766
2156	Res	PV	3.8	4.0	3.06	5,383	12/09/14	96752
2157	Res	PV	3.8	4.0	3.06	5,383	12/09/14	96752
2158	Res	PV	5.0	4.5	3.96	6,957	12/09/14	96766
2159	Res	PV	3.8	4.0	3.06	5,383	12/09/14	96752
2160	Res	PV	8.1	7.3	6.50	11,412	12/10/14	96722
2161	Res	PV	7.7	8.0	6.12	10,752	12/10/14	96752
2162	Res	PV	3.8	4.0	3.06	5,383	12/10/14	96752
2163	Res	PV	5.1	5.0	4.08	7,168	12/10/14	96752
2164	Res	PV	3.8	4.0	3.06	5,383	12/11/14	96752
2165	Res	PV	3.8	4.0	3.06	5,383	12/11/14	96752
2166	Res	PV	10.2	10.6	8.19	14,392	12/11/14	96766
2167	Res	PV	3.8	4.0	3.06	5,383	12/12/14	96752
2168	Res	PV	3.8	4.0	3.06	5,383	12/12/14	96752

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
2169	Res	PV	3.8	4.0	3.06	5,383	12/15/14	96752
2170	Res	PV	3.8	4.0	3.06	5,383	12/15/14	96752
2171	Res	PV	7.7	8.0	6.12	10,752	12/15/14	96752
2172	Res	PV	3.8	4.0	3.06	5,383	12/15/14	96752
2173	Res	PV	3.8	4.0	3.06	5,383	12/15/14	96752
2174	Res	PV	4.7	4.0	3.78	6,634	12/16/14	96722
2175	Res	PV	1.9	1.5	1.49	2,614	12/16/14	96746
2176	Res	PV	11.2	10.0	8.96	15,741	12/16/14	96754
2177	Res	PV	3.2	3.0	2.59	4,554	12/16/14	96722
2178	Res	PV	22.5	19.9	18.00	31,622	12/16/14	96754
2179	Res	PV	15.6	13.6	12.48	21,925	12/17/14	96756
2180	Res	PV	6.1	5.0	4.90	8,601	12/18/14	96752
2181	Res	PV	3.8	4.0	3.06	5,383	12/18/14	96752
2182	Res	PV	3.8	4.0	3.06	5,383	12/18/14	96752
2183	Res	PV	3.8	4.0	3.06	5,383	12/18/14	96752
2184	Res	PV	3.8	4.0	3.06	5,383	12/18/14	96752
2185	Res	PV	2.0	1.7	1.60	2,811	12/18/14	96752
2186	Res	PV	1.5	1.3	1.20	2,108	12/18/14	96752
2187	Res	PV	10.9	9.8	8.74	15,347	12/18/14	96746
2188	Res	PV	5.0	5.0	4.03	7,083	12/18/14	96746
2189	Res	PV	3.6	4.0	2.88	5,060	12/18/14	96766
2190	Res	PV	2.0	1.7	1.60	2,811	12/18/14	96752
2191	Res	PV	7.6	8.0	6.05	10,625	12/18/14	96756
2192	Res	PV	3.8	4.0	3.06	5,383	12/19/14	96752
2193	Res	PV	2.9	3.0	2.35	4,132	12/23/14	96716
2194	Res	PV	3.1	2.5	2.48	4,357	12/23/14	96746
2195	Res	PV	13.2	12.0	10.58	18,594	12/23/14	96766
2196	Res	PV	3.8	4.0	3.06	5,383	12/23/14	96752
2197	Com	PV	29.0	24.9	23.20	40,758	12/26/14	96746
2198	Com	PV	31.5	27.0	25.20	44,271	12/26/14	96746
2199	Com	PV	36.5	30.0	29.16	51,228	12/26/14	96766
2200	Com	PV	26.7	24.0	21.38	37,567	12/26/14	96766
2201	Res	PV	2.0	1.7	1.60	2,811	12/26/14	96752
2202	Res	PV	3.1	2.6	2.50	4,385	12/29/14	96756
2203	Res	PV	2.8	3.0	2.24	3,935	12/29/14	96766
2204	Res	PV	5.6	4.5	4.46	7,842	12/30/14	96703
2205	Res	PV	3.2	3.0	2.59	4,554	12/30/14	96754
2206	Res	PV	8.1	6.2	6.24	10,962	12/30/14	96722
2207	Res	PV	6.5	6.0	5.18	9,107	12/31/14	96716
2208	Res	PV	5.0	4.3	4.00	7,027	12/31/14	96741
2209	Com	PV	68.0	60.0	54.43	95,626	01/07/15	96766
2210	Res	PV	13.4	12.0	10.75	18,889	01/07/15	96765
2211	Res	PV	8.4	8.0	6.74	11,834	01/07/15	96716
2212	Res	PV	6.5	6.0	5.23	9,192	01/07/15	96765
2213	Res	PV	7.3	6.0	5.82	10,232	01/07/15	96756
2214	Res	PV	8.3	6.8	6.62	11,637	01/07/15	96766
2215	Com	PV	58.5	54.0	46.80	82,218	01/08/15	96746
2216	Res	PV	3.8	4.0	3.06	5,383	01/08/15	96752
2217	Res	PV	3.1	3.0	2.45	4,301	01/08/15	96716
2218	Res	PV	10.6	10.0	8.50	14,926	01/08/15	96752
2219	Res	PV	3.8	4.0	3.06	5,383	01/08/15	96752
2220	Res	PV	3.8	4.0	3.06	5,383	01/08/15	96752
2221	Res	PV	3.8	3.5	3.02	5,313	01/08/15	96741

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
2222	Res	PV	3.6	3.3	2.91	5,116	01/08/15	96766
2223	Res	PV	9.5	8.8	7.56	13,281	01/08/15	96766
2224	Res	PV	7.4	7.0	5.94	10,442	01/08/15	96703
2225	Res	PV	5.2	4.3	4.16	7,308	01/08/15	96746
2226	Res	PV	2.7	2.5	2.16	3,795	01/08/15	96746
2227	Com	PV	-21.6	-18.0	-17.28	-30,358	01/08/15	96766
2228	Res	PV	6.5	6.0	5.23	9,192	01/09/15	96746
2229	Res	PV	6.0	6.0	4.80	8,433	01/09/15	96741
2230	Res	PV	4.8	9.3	3.84	6,746	01/09/15	96741
2231	Res	PV	3.8	4.0	3.06	5,383	01/09/15	96752
2232	Res	PV	7.5	8.0	6.00	10,541	01/09/15	96746
2233	Res	PV	25.3	20.0	20.00	35,136	01/12/15	96751
2234	Res	PV	6.0	6.0	4.80	8,433	01/12/15	96766
2235	Com	PV	19.2	22.0	15.36	26,984	01/13/15	96714
2236	Res	PV	7.1	7.0	5.71	10,035	01/14/15	96752
2237	Res	PV	3.8	4.0	3.06	5,383	01/14/15	96752
2238	Res	PV	3.8	4.0	3.06	5,383	01/14/15	96752
2239	Res	PV	5.1	4.5	4.05	7,112	01/14/15	96722
2240	Res	PV	6.7	6.0	5.38	9,445	01/14/15	96703
2241	Res	PV	3.0	2.6	2.40	4,216	01/14/15	96766
2242	Res	PV	8.4	7.5	6.72	11,806	01/14/15	96766
2243	Res	PV	3.8	4.0	3.06	5,383	01/15/15	96752
2244	Res	PV	5.1	5.0	4.08	7,168	01/15/15	96752
2245	Res	PV	3.8	4.0	3.06	5,383	01/15/15	96752
2246	Res	PV	3.8	4.0	3.06	5,383	01/15/15	96752
2247	Res	PV	5.0	4.5	4.03	7,083	01/15/15	96746
2248	Res	PV	4.5	4.0	3.58	6,296	01/15/15	96714
2249	Res	PV	5.4	5.0	4.32	7,589	01/15/15	96746
2250	Res	PV	3.8	4.0	3.06	5,383	01/15/15	96752
2251	Res	PV	3.8	4.0	3.06	5,383	01/15/15	96752
2252	Res	PV	7.7	8.0	6.12	10,752	01/15/15	96752
2253	Res	PV	12.4	12.0	9.94	17,470	01/19/15	96722
2254	Res	PV	3.3	2.8	2.60	4,568	01/20/15	96766
2255	Res	PV	2.5	4.0	2.00	3,514	01/20/15	96741
2256	Res	PV	6.4	6.0	5.10	8,953	01/20/15	96752
2257	Res	PV	8.0	6.8	6.38	11,201	01/20/15	96766
2258	Res	PV	7.7	8.0	6.12	10,752	01/20/15	96766
2259	Res	PV	2.5	3.0	2.00	3,514	01/20/15	96765
2260	Res	PV	4.0	4.0	3.20	5,622	01/21/15	96746
2261	Com	PV	2.4	2.0	1.95	3,429	01/22/15	96766
2262	Res	PV	1.2	1.0	0.98	1,715	01/22/15	96766
2263	Res	PV	3.1	2.5	2.44	4,287	01/22/15	96766
2264	Res	PV	4.3	3.5	3.42	6,001	01/22/15	96766
2265	Res	PV	4.9	4.0	3.90	6,859	01/22/15	96766
2266	Res	PV	1.2	1.0	0.98	1,715	01/22/15	96766
2267	Res	PV	2.4	2.0	1.95	3,429	01/22/15	96766
2268	Res	PV	3.7	3.0	2.93	5,144	01/22/15	96766
2269	Res	PV	6.1	5.0	4.88	8,573	01/22/15	96766
2270	Res	PV	3.1	2.5	2.44	4,287	01/22/15	96766
2271	Res	PV	1.8	1.5	1.46	2,572	01/22/15	96766
2272	Res	PV	8.0	8.0	6.40	11,244	01/22/15	96746
2273	Res	PV	8.2	7.4	6.53	11,468	01/23/15	96766
2274	Res	PV	4.5	4.0	3.58	6,296	01/23/15	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
2275	Res	PV	5.0	4.6	3.97	6,971	01/23/15	96746
2276	Res	PV	4.6	5.0	3.67	6,451	01/23/15	96766
2277	Res	PV	5.2	4.3	4.16	7,308	01/23/15	96766
2278	Com	PV	1.8	1.5	1.44	2,530	01/26/15	96766
2279	Com	PV	1.8	1.5	1.44	2,530	01/26/15	96766
2280	Res	PV	1.8	1.5	1.44	2,530	01/26/15	96766
2281	Res	PV	1.2	1.0	0.96	1,687	01/26/15	96766
2282	Res	PV	2.4	2.0	1.92	3,373	01/26/15	96766
2283	Res	PV	1.8	1.5	1.44	2,530	01/26/15	96766
2284	Res	PV	3.0	2.5	2.40	4,216	01/26/15	96766
2285	Res	PV	3.0	2.5	2.40	4,216	01/26/15	96766
2286	Res	PV	3.0	2.5	2.40	4,216	01/26/15	96766
2287	Res	PV	1.8	1.5	1.44	2,530	01/26/15	96766
2288	Res	PV	4.8	4.0	3.84	6,746	01/26/15	96766
2289	Res	PV	1.2	1.0	0.96	1,687	01/26/15	96766
2290	Res	PV	6.0	5.0	4.80	8,433	01/26/15	96766
2291	Res	PV	1.2	1.0	0.96	1,687	01/26/15	96766
2292	Res	PV	1.2	1.0	0.96	1,687	01/26/15	96766
2293	Res	PV	1.2	1.0	0.96	1,687	01/26/15	96766
2294	Res	PV	4.8	4.0	3.84	6,746	01/26/15	96766
2295	Res	PV	4.8	4.0	3.84	6,746	01/26/15	96766
2296	Res	PV	1.2	1.0	0.96	1,687	01/26/15	96766
2297	Res	PV	5.4	4.5	4.32	7,589	01/26/15	96766
2298	Res	PV	4.8	4.0	3.84	6,746	01/26/15	96766
2299	Res	PV	5.2	4.3	4.16	7,308	01/26/15	96741
2300	Res	PV	6.6	6.0	5.28	9,276	01/26/15	96741
2301	Res	PV	3.6	3.0	2.91	5,116	01/26/15	96705
2302	Res	PV	3.5	3.0	2.80	4,919	01/26/15	96741
2303	Res	PV	3.8	4.0	3.06	5,383	01/26/15	96752
2304	Res	PV	1.2	1.0	0.96	1,687	01/26/15	96766
2305	Res	PV	3.8	4.0	3.06	5,383	01/26/15	96752
2306	Res	PV	3.6	3.0	2.88	5,060	01/26/15	96766
2307	Res	PV	5.4	4.5	4.32	7,589	01/26/15	96766
2308	Res	PV	3.8	4.0	3.06	5,383	01/26/15	96752
2309	Res	PV	3.0	2.5	2.40	4,216	01/26/15	96766
2310	Res	PV	2.5	3.0	2.00	3,514	01/27/15	96766
2311	Com	PV	5.4	5.0	4.32	7,589	01/28/15	96752
2312	Res	PV	3.2	3.0	2.59	4,554	01/29/15	96766
2313	Res	PV	7.7	7.0	6.12	10,752	01/29/15	96716
2314	Res	PV	3.5	3.0	2.80	4,919	01/29/15	96746
2315	Res	PV	7.8	7.0	6.27	11,019	01/29/15	96746
2316	Res	PV	3.8	4.0	3.06	5,383	01/29/15	96752
2317	Com	PV	0.9	0.8	0.72	1,265	02/02/15	96766
2318	Res	PV	9.2	8.5	7.34	12,902	02/02/15	96756
2319	Res	PV	4.2	3.5	3.36	5,903	02/02/15	96766
2320	Res	PV	1.7	3.0	1.34	2,361	02/02/15	96752
2321	Res	PV	4.2	3.5	3.36	5,903	02/02/15	96766
2322	Res	PV	4.2	3.5	3.36	5,903	02/02/15	96766
2323	Res	PV	4.2	3.5	3.36	5,903	02/02/15	96766
2324	Res	PV	4.2	3.5	3.36	5,903	02/02/15	96766
2325	Res	PV	4.2	3.5	3.36	5,903	02/02/15	96766
2326	Res	PV	4.2	3.5	3.36	5,903	02/02/15	96766
2327	Res	PV	4.2	3.5	3.36	5,903	02/02/15	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
2328	Res	PV	2.7	2.3	2.13	3,738	02/02/15	96746
2329	Res	PV	0.9	0.8	0.72	1,265	02/02/15	96766
2330	Res	PV	4.2	3.5	3.36	5,903	02/02/15	96766
2331	Com	PV	7.0	6.0	5.60	9,838	02/03/15	96746
2332	Res	PV	11.4	12.0	9.11	16,008	02/03/15	96765
2333	Res	PV	4.0	4.0	3.20	5,622	02/03/15	96741
2334	Com	PV	1.2	1.0	0.98	1,715	02/04/15	96766
2335	Com	PV	4.2	3.5	3.36	5,903	02/04/15	96766
2336	Res	PV	1.2	1.0	0.96	1,687	02/04/15	96766
2337	Res	PV	2.4	2.0	1.95	3,429	02/04/15	96766
2338	Res	PV	3.1	2.5	2.44	4,287	02/04/15	96766
2339	Res	PV	5.5	4.5	4.39	7,716	02/04/15	96766
2340	Res	PV	2.4	2.0	1.95	3,429	02/04/15	96766
2341	Res	PV	2.4	2.0	1.95	3,429	02/04/15	96766
2342	Res	PV	3.1	2.5	2.44	4,287	02/04/15	96766
2343	Res	PV	2.4	2.0	1.95	3,429	02/04/15	96766
2344	Res	PV	4.3	3.5	3.42	6,001	02/04/15	96766
2345	Res	PV	4.3	3.5	3.42	6,001	02/04/15	96766
2346	Res	PV	4.9	4.0	3.90	6,859	02/04/15	96766
2347	Res	PV	4.9	4.0	3.90	6,859	02/04/15	96766
2348	Res	PV	4.3	3.5	3.42	6,001	02/04/15	96766
2349	Res	PV	1.8	1.5	1.44	2,530	02/04/15	96766
2350	Res	PV	3.0	2.5	2.40	4,216	02/04/15	96766
2351	Res	PV	4.8	4.0	3.84	6,746	02/04/15	96766
2352	Res	PV	1.2	1.0	0.96	1,687	02/04/15	96766
2353	Res	PV	1.8	1.5	1.44	2,530	02/04/15	96766
2354	Res	PV	3.6	3.0	2.88	5,060	02/04/15	96766
2355	Res	PV	4.2	3.5	3.36	5,903	02/04/15	96766
2356	Res	PV	4.2	3.5	3.36	5,903	02/04/15	96766
2357	Res	PV	3.3	3.0	2.64	4,638	02/04/15	96746
2358	Com	PV	24.3	20.9	19.40	34,082	02/05/15	96746
2359	Com	PV	25.3	21.7	20.20	35,487	02/05/15	96746
2360	Com	PV	4.0	3.4	3.20	5,622	02/05/15	96746
2361	Res	PV	9.9	9.0	7.92	13,914	02/05/15	96754
2362	Res	PV	7.1	6.0	5.66	9,951	02/09/15	96766
2363	Res	PV	7.7	8.0	6.12	10,752	02/09/15	96752
2364	Res	PV	7.7	8.0	6.12	10,752	02/09/15	96754
2365	Res	PV	3.6	3.0	2.88	5,060	02/09/15	96765
2366	Com	PV	11.6	10.8	9.29	16,317	02/10/15	96766
2367	Res	PV	3.1	2.5	2.44	4,287	02/10/15	96766
2368	Res	PV	3.8	4.0	3.06	5,369	02/11/15	96796
2369	Res	PV	5.2	5.0	4.16	7,308	02/11/15	96752
2370	Res	PV	3.8	4.0	3.06	5,369	02/11/15	96752
2371	Res	PV	8.9	7.5	7.08	12,438	02/11/15	96766
2372	Res	PV	2.4	2.0	1.92	3,373	02/11/15	96766
2373	Res	PV	3.2	3.0	2.59	4,554	02/11/15	96766
2374	Res	PV	3.8	3.5	3.02	5,313	02/11/15	96766
2375	Com	PV	24.8	21.3	19.80	34,785	02/12/15	96746
2376	Res	PV	14.3	13.3	11.45	20,112	02/12/15	96746
2377	Com	PV	1.8	1.5	1.44	2,530	02/13/15	96766
2378	Res	PV	5.4	4.5	4.32	7,589	02/13/15	96766
2379	Res	PV	5.4	4.5	4.32	7,589	02/13/15	96766
2380	Res	PV	1.8	1.5	1.44	2,530	02/13/15	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
2381	Res	PV	4.8	4.0	3.84	6,746	02/13/15	96766
2382	Res	PV	4.8	4.0	3.84	6,746	02/13/15	96766
2383	Res	PV	3.6	3.0	2.88	5,060	02/13/15	96766
2384	Res	PV	3.6	3.0	2.88	5,060	02/13/15	96766
2385	Res	PV	2.4	2.0	1.92	3,373	02/13/15	96766
2386	Res	PV	6.6	5.5	5.28	9,276	02/13/15	96766
2387	Res	PV	2.4	2.0	1.92	3,373	02/13/15	96766
2388	Res	PV	7.5	7.6	6.02	10,569	02/17/15	96766
2389	Res	PV	3.8	3.8	3.06	5,369	02/17/15	96766
2390	Res	PV	3.8	4.0	3.06	5,369	02/17/15	96752
2391	Res	PV	10.2	9.0	8.16	14,335	02/17/15	96754
2392	Res	PV	8.6	8.8	6.86	12,045	02/17/15	96722
2393	Res	PV	4.7	3.9	3.74	6,577	02/17/15	96746
2394	Res	PV	10.3	11.0	8.21	14,420	02/17/15	96705
2395	Res	PV	4.0	4.0	3.20	5,622	02/17/15	96752
2396	Res	PV	9.7	9.5	7.75	13,619	02/17/15	96746
2397	Res	PV	7.7	8.0	6.12	10,752	02/18/15	96796
2398	Res	PV	2.8	2.5	2.24	3,935	02/18/15	96752
2399	Res	PV	6.5	6.0	5.18	9,107	02/18/15	96766
2400	Res	PV	7.3	6.5	5.82	10,232	02/19/15	96756
2401	Res	PV	3.8	4.0	3.06	5,369	02/19/15	96716
2402	Res	PV	8.3	7.5	6.60	11,595	02/19/15	96766
2403	Res	PV	3.8	4.0	3.06	5,369	02/20/15	96752
2404	Res	PV	7.1	6.0	5.66	9,951	02/23/15	96766
2405	Res	PV	6.5	7.0	5.20	9,135	02/23/15	96703
2406	Res	PV	6.1	5.5	4.84	8,503	02/25/15	96741
2407	Res	PV	5.1	5.0	4.08	7,168	02/25/15	96752
2408	Res	PV	3.8	4.0	3.06	5,369	02/25/15	96752
2409	Res	PV	3.2	3.0	2.59	4,554	02/25/15	96766
2410	Res	PV	3.3	3.0	2.64	4,638	02/25/15	96746
2411	Res	PV	7.1	6.5	5.66	9,951	02/25/15	96766
2412	Res	PV	7.7	8.0	6.12	10,752	02/25/15	96752
2413	Res	PV	3.8	4.0	3.06	5,369	02/25/15	96796
2414	Com	PV	1.2	1.0	0.96	1,687	02/26/15	96766
2415	Res	PV	1.2	1.0	0.96	1,687	02/26/15	96766
2416	Res	PV	1.2	1.0	0.96	1,687	02/26/15	96766
2417	Res	PV	3.0	2.5	2.40	4,216	02/26/15	96766
2418	Res	PV	4.8	4.0	3.84	6,746	02/26/15	96766
2419	Res	PV	1.2	1.0	0.96	1,687	02/26/15	96766
2420	Res	PV	3.0	2.5	2.40	4,216	02/26/15	96766
2421	Res	PV	3.6	3.0	2.88	5,060	02/26/15	96766
2422	Res	PV	3.8	3.3	3.06	5,383	02/26/15	96754
2423	Res	PV	4.2	3.5	3.36	5,903	02/26/15	96766
2424	Res	PV	4.8	4.0	3.84	6,746	02/26/15	96766
2425	Res	PV	4.8	4.0	3.84	6,746	02/26/15	96766
2426	Res	PV	3.0	2.5	2.40	4,216	02/26/15	96766
2427	Res	PV	4.8	4.0	3.84	6,746	02/26/15	96766
2428	Res	PV	4.2	3.5	3.36	5,903	02/26/15	96766
2429	Com	PV	18.0	15.5	14.40	25,298	02/27/15	96746
2430	Com	PV	37.0	31.8	29.60	52,001	02/27/15	96746
2431	Res	PV	7.7	8.0	6.12	10,752	02/27/15	96716
2432	Res	PV	3.8	4.0	3.06	5,369	02/27/15	96752
2433	Res	PV	3.8	3.8	3.06	5,369	02/27/15	96752

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
2434	Res	PV	3.8	4.0	3.06	5,369	02/27/15	96756
2435	Res	PV	5.0	5.0	4.00	7,027	02/27/15	96705
2436	Res	PV	4.1	3.8	3.26	5,734	02/27/15	96705
2437	Res	PV	7.7	8.0	6.12	10,752	02/27/15	96746
2438	Res	PV	7.7	6.5	6.14	10,780	03/02/15	96746
2439	Com	PV	49.5	42.6	39.60	69,569	03/03/15	96746
2440	Com	PV	115.8	99.6	92.60	162,680	03/03/15	96746
2441	Res	PV	4.2	3.5	3.36	5,903	03/04/15	96766
2442	Com	PV	9.8	8.0	7.81	13,717	03/06/15	96766
2443	Res	PV	20.7	17.0	16.59	29,149	03/06/15	96766
2444	Res	PV	1.8	1.5	1.44	2,530	03/09/15	96766
2445	Res	PV	2.8	2.5	2.24	3,935	03/10/15	96752
2446	Res	PV	3.8	4.0	3.06	5,369	03/10/15	96752
2447	Res	PV	5.6	4.8	4.48	7,870	03/10/15	96766
2448	Res	PV	5.3	4.5	4.25	7,463	03/10/15	96746
2449	Res	PV	7.7	6.5	6.14	10,780	03/10/15	96746
2450	Res	PV	5.6	5.0	4.49	7,885	03/10/15	96746
2451	Res	PV	10.6	9.0	8.50	14,926	03/10/15	96746
2452	Res	PV	4.4	4.0	3.52	6,184	03/10/15	96766
2453	Com	PV	5.6	5.0	4.48	7,870	03/11/15	96722
2454	Res	PV	3.8	4.0	3.06	5,369	03/12/15	96796
2455	Res	PV	3.8	4.0	3.06	5,369	03/12/15	96752
2456	Com	PV	6.1	4.5	4.50	7,906	03/13/15	96766
2457	Res	PV	10.1	9.0	8.06	14,167	03/13/15	96746
2458	Res	PV	4.5	4.0	3.58	6,296	03/13/15	96746
2459	Res	PV	8.3	6.5	6.45	11,331	03/13/15	96754
2460	Res	PV	4.1	5.0	3.24	5,692	03/13/15	96754
2461	Com	PV	1.2	1.0	0.98	1,715	03/17/15	96766
2462	Com	PV	1.8	1.5	1.46	2,572	03/17/15	96766
2463	Res	PV	7.7	7.6	6.12	10,752	03/17/15	96746
2464	Res	PV	6.5	6.0	5.18	9,107	03/17/15	96746
2465	Res	PV	4.2	3.5	3.36	5,903	03/17/15	96766
2466	Res	PV	4.3	3.5	3.42	6,001	03/17/15	96766
2467	Res	PV	3.7	3.0	2.93	5,144	03/17/15	96766
2468	Res	PV	1.2	1.0	0.98	1,715	03/17/15	96766
2469	Res	PV	2.4	2.0	1.95	3,429	03/17/15	96766
2470	Res	PV	1.2	1.0	0.98	1,715	03/17/15	96766
2471	Res	PV	4.3	3.5	3.42	6,001	03/17/15	96766
2472	Res	PV	4.9	4.0	3.90	6,859	03/17/15	96766
2473	Res	PV	4.9	4.0	3.90	6,859	03/17/15	96766
2474	Res	PV	4.9	4.0	3.90	6,859	03/17/15	96766
2475	Res	PV	3.7	3.0	2.93	5,144	03/17/15	96766
2476	Res	PV	4.9	4.0	3.90	6,859	03/17/15	96766
2477	Res	PV	3.7	3.0	2.93	5,144	03/17/15	96766
2478	Res	PV	3.1	2.5	2.44	4,287	03/17/15	96766
2479	Res	PV	3.7	3.0	2.93	5,144	03/17/15	96766
2480	Res	PV	3.1	2.5	2.44	4,287	03/17/15	96766
2481	Res	PV	1.2	1.0	0.98	1,715	03/17/15	96766
2482	Res	PV	3.1	2.5	2.44	4,287	03/17/15	96766
2483	Res	PV	3.7	3.0	2.93	5,144	03/17/15	96766
2484	Res	PV	4.3	3.5	3.42	6,001	03/17/15	96766
2485	Res	PV	1.2	1.0	0.98	1,715	03/17/15	96766
2486	Res	PV	1.2	1.0	0.98	1,715	03/17/15	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
2487	Res	PV	4.3	3.5	3.42	6,001	03/17/15	96766
2488	Res	PV	2.4	2.0	1.95	3,429	03/17/15	96766
2489	Res	PV	2.4	2.0	1.95	3,429	03/17/15	96766
2490	Res	PV	2.6	3.0	2.04	3,584	03/18/15	96746
2491	Res	PV	2.7	2.3	2.12	3,724	03/18/15	96746
2492	Res	PV	8.8	9.0	7.00	12,298	03/18/15	96746
2493	Res	PV	9.4	8.8	7.54	13,253	03/18/15	96766
2494	Res	PV	3.8	4.0	3.06	5,369	03/18/15	96741
2495	Res	PV	3.8	3.8	3.06	5,369	03/18/15	96741
2496	Res	PV	7.7	8.0	6.12	10,752	03/19/15	96796
2497	Res	PV	20.3	19.0	16.23	28,516	03/19/15	96741
2498	Res	PV	9.4	8.0	7.54	13,253	03/23/15	96705
2499	Res	PV	8.5	7.6	6.78	11,918	03/23/15	96752
2500	Res	PV	3.8	4.0	3.06	5,369	03/23/15	96752
2501	Res	PV	4.8	4.0	3.82	6,704	03/23/15	96716
2502	Res	PV	6.2	5.3	4.95	8,700	03/23/15	96746
2503	Res	PV	3.2	3.0	2.59	4,554	03/23/15	96754
2504	Res	PV	3.9	3.8	3.14	5,509	03/23/15	96746
2505	Res	PV	7.8	7.0	6.27	11,019	03/24/15	96752
2506	Res	PV	3.6	3.3	2.91	5,116	03/24/15	96741
2507	Res	PV	3.2	3.0	2.59	4,554	03/24/15	96746
2508	Res	PV	5.0	4.5	3.96	6,957	03/24/15	96746
2509	Res	PV	5.2	4.8	4.18	7,336	03/24/15	96705
2510	Res	PV	5.0	4.5	3.96	6,957	03/25/15	96766
2511	Res	PV	7.3	6.5	5.82	10,232	03/26/15	96746
2512	Res	PV	5.5	4.5	4.39	7,716	03/26/15	96746
2513	Res	PV	3.3	3.0	2.62	4,596	03/26/15	96705
2514	Res	PV	5.9	5.0	4.70	8,264	03/26/15	96716
2515	Res	PV	7.7	8.0	6.12	10,752	03/26/15	96716
2516	Res	PV	3.8	4.0	3.06	5,369	03/26/15	96752
2517	Res	PV	3.8	4.0	3.06	5,369	03/26/15	96796
2518	Res	PV	7.7	8.0	6.12	10,752	03/26/15	96716
2519	Res	PV	3.1	3.0	2.48	4,357	03/26/15	96705
2520	Res	PV	2.7	2.5	2.16	3,795	03/30/15	96746
2521	Com	PV	11.3	10.5	9.07	15,938	04/01/15	96716
2522	Com	PV	118.8	79.8	79.80	140,193	04/01/15	96766
2523	Res	PV	2.4	2.0	1.92	3,373	04/01/15	96766
2524	Res	PV	6.0	5.0	4.80	8,433	04/01/15	96766
2525	Res	PV	2.7	2.5	2.16	3,795	04/01/15	96746
2526	Res	PV	8.1	7.5	6.48	11,384	04/01/15	96746
2527	Res	PV	2.4	2.0	1.95	3,429	04/01/15	96766
2528	Res	PV	3.6	3.0	2.88	5,060	04/01/15	96766
2529	Res	PV	15.3	13.0	12.24	21,503	04/01/15	96716
2530	Res	PV	15.3	14.0	12.24	21,503	04/01/15	96756
2531	Res	PV	6.9	6.0	5.49	9,641	04/02/15	96766
2532	Res	PV	6.6	5.5	5.28	9,276	04/02/15	96766
2533	Res	PV	4.4	4.0	3.52	6,184	04/02/15	96752
2534	Res	PV	3.8	4.0	3.06	5,369	04/02/15	96752
2535	Res	PV	3.0	2.5	2.40	4,216	04/02/15	96766
2536	Res	PV	8.8	8.0	7.04	12,368	04/02/15	96746
2537	Res	PV	5.0	4.5	3.96	6,957	04/02/15	96796
2538	Com	PV	10.1	9.0	8.06	14,167	04/07/15	96714
2539	Res	PV	7.7	8.0	6.12	10,752	04/07/15	96705

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
2540	Res	PV	5.6	5.0	4.48	7,870	04/07/15	96796
2541	Res	PV	6.1	5.0	4.90	8,601	04/07/15	96746
2542	Res	PV	12.7	11.5	10.12	17,779	04/07/15	96746
2543	Res	PV	12.2	12.0	9.79	17,203	04/07/15	96754
2544	Res	PV	14.9	15.0	11.88	20,871	04/07/15	96754
2545	Com	PV	4.6	9.0	3.65	6,409	04/08/15	96766
2546	Res	PV	9.5	8.0	7.58	13,324	04/08/15	96766
2547	Res	PV	7.2	6.0	5.76	10,119	04/09/15	96756
2548	Res	PV	2.6	3.0	2.09	3,668	04/10/15	96766
2549	Res	PV	2.9	3.0	2.35	4,132	04/10/15	96746
2550	Com	PV	3.6	3.8	2.88	5,060	04/13/15	96741
2551	Res	PV	7.7	8.0	6.12	10,752	04/13/15	96752
2552	Res	PV	1.8	1.5	1.44	2,530	04/13/15	96766
2553	Res	PV	3.8	4.0	3.06	5,369	04/13/15	96716
2554	Com	PV	20.2	15.4	15.40	27,055	04/15/15	96716
2555	Res	PV	4.6	5.0	3.67	6,451	04/15/15	96756
2556	Res	PV	3.3	3.0	2.62	4,596	04/15/15	96741
2557	Res	PV	11.5	12.0	9.18	16,120	04/15/15	96741
2558	Res	PV	7.7	7.0	6.12	10,752	04/15/15	96705
2559	Res	PV	17.0	17.5	13.60	23,892	04/15/15	96752
2560	Res	PV	7.8	6.8	6.27	11,019	04/15/15	96766
2561	Res	PV	3.3	3.0	2.64	4,638	04/15/15	96766
2562	Com	PV	18.6	16.0	14.90	26,169	04/16/15	96716
2563	Res	PV	7.7	8.0	6.12	10,752	04/16/15	96746
2564	Res	PV	4.5	4.0	3.58	6,296	04/16/15	96796
2565	Res	PV	4.5	4.6	3.58	6,296	04/17/15	96722
2566	Res	PV	3.8	4.0	3.06	5,369	04/17/15	96754
2567	Com	PV	22.7	18.0	18.00	31,622	04/20/15	96766
2568	Res	PV	3.1	2.6	2.50	4,385	04/21/15	96766
2569	Res	PV	3.6	3.0	2.87	5,046	04/21/15	96746
2570	Res	PV	3.8	3.5	3.02	5,313	04/21/15	96752
2571	Res	PV	2.8	3.0	2.21	3,879	04/21/15	96746
2572	Res	PV	11.4	9.8	9.15	16,078	04/22/15	96756
2573	Res	PV	3.8	4.0	3.02	5,313	04/22/15	96741
2574	Com	PV	19.4	18.0	15.55	27,322	04/23/15	96766
2575	Res	PV	10.2	9.0	8.16	14,335	04/23/15	96741
2576	Res	PV	3.8	4.0	3.06	5,369	04/23/15	96752
2577	Res	PV	3.6	3.8	2.88	5,060	04/23/15	96741
2578	Res	PV	6.9	6.3	5.50	9,655	04/23/15	96796
2579	Res	PV	4.2	3.4	3.33	5,847	04/23/15	96752
2580	Res	PV	2.6	2.2	2.08	3,654	04/23/15	96752
2581	Res	PV	7.4	6.8	5.94	10,428	04/23/15	96746
2582	Res	PV	6.8	5.8	5.42	9,529	04/23/15	96746
2583	Res	PV	5.9	5.0	4.70	8,264	04/23/15	96766
2584	Res	PV	3.2	2.8	2.59	4,554	04/23/15	96746
2585	Res	PV	4.7	4.0	3.78	6,634	04/24/15	96705
2586	Res	PV	9.1	7.8	7.31	12,846	04/24/15	96746
2587	Res	PV	5.1	5.0	4.08	7,168	04/24/15	96754
2588	Com	PV	22.8	22.8	18.24	32,044	04/28/15	96766
2589	Res	PV	5.0	5.0	4.00	7,027	04/28/15	96766
2590	Res	PV	7.7	8.0	6.12	10,752	04/28/15	96766
2591	Res	PV	7.7	7.0	6.16	10,822	04/29/15	96766
2592	Res	PV	10.1	9.0	8.06	14,167	04/29/15	96716

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
2593	Res	PV	3.8	4.0	3.06	5,369	04/29/15	96752
2594	Res	PV	4.5	5.0	3.60	6,324	04/29/15	96756
2595	Res	PV	5.2	5.0	4.16	7,308	04/29/15	96752
2596	Res	PV	7.7	8.0	6.12	10,752	04/29/15	96766
2597	Res	PV	8.2	7.6	6.58	11,567	04/29/15	96746
2598	Res	PV	6.3	5.3	5.04	8,854	04/29/15	96703
2599	Res	PV	6.1	5.5	4.84	8,503	04/29/15	96746
2600	Res	PV	3.6	3.0	2.91	5,116	04/30/15	96741
2601	Res	PV	5.6	5.0	4.49	7,885	04/30/15	96716
2602	Res	PV	6.6	6.0	5.30	9,318	04/30/15	96766
2603	Res	PV	6.6	6.0	5.28	9,276	04/30/15	96716
2604	Res	PV	3.8	4.0	3.06	5,369	04/30/15	96796
2605	Com	PV	33.7	28.4	26.93	47,307	05/04/15	96766
2606	Com	PV	25.5	21.5	20.40	35,839	05/04/15	96766
2607	Res	PV	4.2	3.4	3.33	5,847	05/04/15	96741
2608	Res	PV	20.5	19.8	16.40	28,812	05/04/15	96766
2609	Res	PV	5.0	4.3	4.01	7,041	05/04/15	96746
2610	Res	PV	8.3	7.6	6.62	11,637	05/05/15	96722
2611	Com	PV	1.4	3.0	1.12	1,968	05/06/15	96796
2612	Com	PV	7.0	7.0	5.60	9,838	05/06/15	96752
2613	Res	PV	4.2	4.0	3.36	5,903	05/06/15	96796
2614	Res	PV	7.1	6.6	5.70	10,007	05/06/15	96746
2615	Res	PV	3.0	3.0	2.40	4,216	05/06/15	96746
2616	Res	PV	3.9	3.8	3.14	5,509	05/06/15	96746
2617	Res	PV	4.5	5.0	3.60	6,324	05/11/15	96754
2618	Com	PV	13.8	11.6	11.02	19,353	05/12/15	96746
2619	Res	PV	6.1	5.0	4.90	8,601	05/12/15	96766
2620	Res	PV	9.1	7.8	7.31	12,846	05/12/15	96766
2621	Res	PV	4.3	4.0	3.46	6,072	05/12/15	96746
2622	Res	PV	4.1	3.5	3.30	5,804	05/12/15	96766
2623	Res	PV	13.8	12.6	11.07	19,451	05/12/15	96746
2624	Res	PV	6.8	5.8	5.42	9,529	05/12/15	96746
2625	Res	PV	7.8	8.0	6.24	10,962	05/12/15	96746
2626	Res	PV	8.6	8.0	6.86	12,059	05/14/15	96705
2627	Res	PV	7.7	7.8	6.12	10,752	05/14/15	96716
2628	Res	PV	8.6	7.3	6.84	12,017	05/14/15	96746
2629	Res	PV	3.9	3.5	3.08	5,411	05/14/15	96746
2630	Res	PV	7.7	8.0	6.12	10,752	05/15/15	96796
2631	Res	PV	3.9	4.0	3.12	5,481	05/15/15	96752
2632	Res	PV	3.9	4.0	3.12	5,481	05/18/15	96741
2633	Res	PV	7.7	8.0	6.12	10,752	05/18/15	96752
2634	Res	PV	9.4	8.0	7.55	13,267	05/19/15	96746
2635	Res	PV	6.0	5.0	4.80	8,433	05/19/15	96716
2636	Res	PV	7.0	6.0	5.60	9,838	05/19/15	96746
2637	Res	PV	3.3	3.0	2.64	4,638	05/20/15	96754
2638	Res	PV	8.6	7.3	6.84	12,017	05/22/15	96766
2639	Res	PV	7.7	6.8	6.15	10,808	05/22/15	96746
2640	Com	PV	7.8	8.0	6.24	10,962	05/26/15	96703
2641	Res	PV	2.7	2.3	2.12	3,724	05/26/15	96766
2642	Res	PV	5.3	4.5	4.25	7,463	05/26/15	96703
2643	Res	PV	7.8	8.0	6.24	10,962	05/26/15	96703
2644	Res	PV	9.0	7.6	7.18	12,607	05/26/15	96714
2645	Res	PV	7.8	8.0	6.24	10,962	05/27/15	96752

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
2646	Res	PV	11.2	9.5	8.97	15,755	05/27/15	96746
2647	Res	PV	5.0	4.3	4.01	7,041	05/27/15	96746
2648	Res	PV	3.8	4.0	3.06	5,369	05/27/15	96752
2649	Res	PV	8.3	7.0	6.61	11,609	05/27/15	96746
2650	Res	PV	3.5	3.0	2.83	4,975	05/27/15	96746
2651	Res	PV	3.9	4.0	3.12	5,481	05/28/15	96703
2652	Res	PV	5.5	5.0	4.40	7,730	05/28/15	96746
2653	Res	PV	6.6	6.0	5.28	9,276	05/29/15	96766
2654	Res	PV	7.5	6.5	6.00	10,541	05/29/15	96766
2655	Res	PV	8.8	8.0	7.04	12,368	05/29/15	96766
2656	Com	PV	35.2	35.0	28.12	49,401	06/02/15	96766
2657	Res	PV	6.2	5.5	4.93	8,658	06/03/15	96766
2658	Res	PV	3.9	3.8	3.12	5,481	06/03/15	96705
2659	Res	PV	6.2	5.3	4.95	8,700	06/03/15	96746
2660	Res	PV	6.0	5.0	4.80	8,433	06/03/15	96765
2661	Res	PV	3.2	3.0	2.59	4,554	06/03/15	96746
2662	Res	PV	3.2	2.8	2.59	4,554	06/03/15	96746
2663	Res	PV	4.3	4.0	3.40	5,973	06/03/15	96796
2664	Com	PV	22.4	18.9	17.95	31,538	06/04/15	96746
2665	Res	PV	9.6	8.8	7.70	13,520	06/04/15	96715
2666	Res	PV	3.9	3.5	3.08	5,411	06/04/15	96746
2667	Res	PV	3.5	3.8	2.81	4,933	06/04/15	96746
2668	Res	PV	3.9	4.0	3.12	5,481	06/04/15	96703
2669	Res	PV	7.8	8.0	6.24	10,962	06/05/15	96705
2670	Res	PV	6.8	7.0	5.41	9,501	06/05/15	96766
2671	Res	PV	4.1	3.5	3.30	5,804	06/05/15	96746
2672	Res	PV	4.6	5.0	3.66	6,423	06/05/15	96705
2673	Res	PV	10.1	9.0	8.06	14,167	06/05/15	96746
2674	Res	PV	3.0	4.0	2.40	4,216	06/08/15	96766
2675	Res	PV	6.5	7.0	5.20	9,135	06/08/15	96796
2676	Res	PV	3.6	3.0	2.88	5,060	06/09/15	96766
2677	Res	PV	3.0	2.5	2.40	4,216	06/09/15	96766
2678	Res	PV	1.2	1.0	0.96	1,687	06/09/15	96766
2679	Res	PV	1.2	1.0	0.96	1,687	06/09/15	96766
2680	Res	PV	3.0	2.5	2.40	4,216	06/09/15	96766
2681	Res	PV	3.0	2.5	2.40	4,216	06/09/15	96766
2682	Res	PV	1.2	1.0	0.96	1,687	06/09/15	96766
2683	Res	PV	3.0	2.5	2.40	4,216	06/09/15	96766
2684	Res	PV	3.0	2.5	2.40	4,216	06/09/15	96766
2685	Res	PV	3.0	2.5	2.40	4,216	06/09/15	96766
2686	Res	PV	6.1	5.5	4.84	8,503	06/09/15	96766
2687	Res	PV	4.5	5.0	3.60	6,324	06/10/15	96796
2688	Res	PV	3.9	3.8	3.12	5,481	06/10/15	96752
2689	Res	PV	7.1	6.0	5.66	9,951	06/10/15	96746
2690	Res	PV	5.0	4.5	3.96	6,957	06/10/15	96766
2691	Res	PV	7.7	8.0	6.12	10,752	06/12/15	96705
2692	Res	PV	5.2	5.0	4.18	7,350	06/15/15	96765
2693	Res	PV	0.9	0.9	0.75	1,321	06/15/15	96716
2694	Res	PV	3.9	4.0	3.12	5,481	06/15/15	96705
2695	Com	PV	1.8	1.5	1.44	2,530	06/17/15	96766
2696	Res	PV	3.9	4.0	3.12	5,481	06/17/15	96705
2697	Res	PV	4.8	4.0	3.84	6,746	06/17/15	96766
2698	Res	PV	4.8	4.0	3.84	6,746	06/17/15	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
2699	Res	PV	4.2	3.5	3.36	5,903	06/17/15	96766
2700	Res	PV	3.6	3.0	2.88	5,060	06/17/15	96766
2701	Res	PV	15.6	13.0	12.48	21,925	06/17/15	96766
2702	Res	PV	3.0	2.5	2.40	4,216	06/17/15	96766
2703	Res	PV	1.8	1.5	1.44	2,530	06/17/15	96766
2704	Res	PV	1.8	1.5	1.44	2,530	06/17/15	96766
2705	Res	PV	4.2	3.5	3.36	5,903	06/17/15	96766
2706	Res	PV	2.8	2.5	2.22	3,907	06/17/15	96752
2707	Res	PV	1.8	1.5	1.44	2,530	06/18/15	96766
2708	Res	PV	3.6	3.0	2.88	5,060	06/18/15	96766
2709	Res	PV	2.4	2.0	1.92	3,373	06/18/15	96766
2710	Res	PV	1.2	1.0	0.96	1,687	06/18/15	96766
2711	Res	PV	3.8	4.0	3.06	5,369	06/18/15	96754
2712	Res	PV	11.2	10.0	8.96	15,741	06/18/15	96722
2713	Res	PV	16.0	14.0	12.77	22,431	06/18/15	96722
2714	Res	PV	3.6	3.0	2.91	5,116	06/19/15	96746
2715	Res	PV	3.9	3.8	3.12	5,481	06/22/15	96705
2716	Res	PV	3.8	4.0	3.06	5,369	06/22/15	96752
2717	Res	PV	5.6	5.0	4.49	7,885	06/22/15	96746
2718	Res	PV	4.2	3.8	3.33	5,847	06/22/15	96705
2719	Res	PV	11.5	10.0	9.18	16,120	06/22/15	96752
2720	Res	PV	4.2	4.0	3.33	5,847	06/22/15	96746
2721	Res	PV	8.2	8.0	6.53	11,468	06/23/15	96754
2722	Res	PV	7.3	6.5	5.82	10,232	06/24/15	96752
2723	Res	PV	2.5	3.0	1.98	3,471	06/25/15	96765
2724	Res	PV	8.6	7.3	6.84	12,017	06/25/15	96703
2725	Res	PV	10.9	9.8	8.74	15,347	06/29/15	96746
2726	Res	PV	5.3	4.5	4.25	7,463	06/29/15	96714
2727	Res	PV	7.8	7.8	6.24	10,962	06/30/15	96705
2728	Res	PV	3.9	4.0	3.12	5,481	06/30/15	96716
2729	Res	PV	3.9	3.8	3.12	5,481	06/30/15	96752
2730	Res	PV	4.2	4.0	3.33	5,847	06/30/15	96705
2731	Res	PV	3.9	4.0	3.12	5,481	06/30/15	96752
2732	Res	PV	6.0	5.0	4.80	8,433	07/02/15	96766
2733	Res	PV	3.9	4.0	3.12	5,481	07/07/15	96766
2734	Res	PV	6.3	5.5	5.02	8,812	07/07/15	96756
2735	Res	PV	3.9	4.0	3.12	5,481	07/07/15	96752
2736	Res	PV	4.6	4.0	3.65	6,409	07/08/15	96746
2737	Res	PV	3.9	4.0	3.12	5,481	07/09/15	96703
2738	Res	PV	3.9	4.0	3.12	5,481	07/13/15	96752
2739	Res	PV	7.7	8.0	6.12	10,752	07/13/15	96752
2740	Res	PV	3.9	4.0	3.12	5,481	07/13/15	96752
2741	Res	PV	4.4	3.8	3.54	6,212	07/13/15	96766
2742	Res	PV	9.7	8.3	7.78	13,675	07/13/15	96756
2743	Res	PV	3.9	4.0	3.12	5,481	07/14/15	96716
2744	Res	PV	5.9	5.0	4.72	8,292	07/14/15	96746
2745	Res	PV	6.7	6.0	5.38	9,445	07/14/15	96754
2746	Res	PV	3.9	3.8	3.12	5,481	07/14/15	96752
2747	Res	PV	7.1	6.0	5.66	9,951	07/14/15	96746
2748	Res	PV	14.6	13.0	11.65	20,463	07/14/15	96722
2749	Res	PV	4.8	5.0	3.86	6,788	07/15/15	96741
2750	Res	PV	3.1	3.0	2.50	4,385	07/20/15	96716
2751	Res	PV	3.9	3.8	3.12	5,481	07/20/15	96752

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
2752	Res	PV	7.8	7.6	6.24	10,962	07/20/15	96765
2753	Res	PV	6.7	6.0	5.38	9,445	07/20/15	96746
2754	Res	PV	5.9	5.3	4.70	8,264	07/20/15	96746
2755	Res	PV	7.4	6.1	5.94	10,428	07/20/15	96722
2756	Com	PV	5.0	4.5	4.03	7,083	07/22/15	96703
2757	Res	PV	6.2	5.6	4.94	8,672	07/22/15	96766
2758	Res	PV	2.6	2.2	2.08	3,654	07/22/15	96741
2759	Res	PV	7.5	6.3	6.00	10,541	07/22/15	96766
2760	Res	PV	5.8	6.0	4.60	8,081	07/22/15	96746
2761	Res	PV	5.5	5.0	4.40	7,730	07/22/15	96746
2762	Res	PV	11.7	9.8	9.36	16,444	07/22/15	96766
2763	Res	PV	5.0	4.5	3.96	6,957	07/22/15	96741
2764	Com	PV	22.4	20.0	17.92	31,482	07/23/15	96766
2765	Res	PV	5.0	4.5	3.96	6,957	07/23/15	96765
2766	Res	PV	7.8	8.0	6.24	10,962	07/24/15	96752
2767	Res	PV	6.2	6.1	4.99	8,770	07/28/15	96756
2768	Res	PV	3.9	4.0	3.12	5,481	07/28/15	96703
2769	Res	PV	8.3	7.5	6.60	11,595	07/28/15	96746
2770	Res	PV	6.7	6.0	5.38	9,445	07/28/15	96754
2771	Res	PV	8.7	7.8	6.94	12,199	07/29/15	96703
2772	Res	PV	5.1	5.0	4.08	7,168	07/29/15	96752
2773	Res	PV	3.9	3.8	3.12	5,481	07/31/15	96752
2774	Res	PV	2.9	2.5	2.28	4,006	07/31/15	96746
2775	Res	PV	3.9	3.8	3.12	5,481	08/04/15	96756
2776	Res	PV	3.9	3.5	3.14	5,509	08/04/15	96746
2777	Res	PV	3.3	3.0	2.64	4,638	08/04/15	96746
2778	Res	PV	6.0	5.0	4.80	8,433	08/04/15	96716
2779	Res	PV	3.4	3.0	2.69	4,722	08/04/15	96746
2780	Res	PV	3.0	3.0	2.40	4,216	08/04/15	96746
2781	Res	PV	3.9	3.8	3.14	5,509	08/05/15	96796
2782	Res	PV	3.9	3.8	3.14	5,509	08/05/15	96796
2783	Res	PV	3.9	3.8	3.14	5,509	08/05/15	96796
2784	Res	PV	3.9	3.8	3.14	5,509	08/05/15	96796
2785	Res	PV	7.8	8.0	6.24	10,962	08/05/15	96705
2786	Res	PV	3.9	4.0	3.12	5,481	08/05/15	96703
2787	Res	PV	5.0	5.0	4.03	7,083	08/06/15	96756
2788	Res	PV	4.1	3.8	3.30	5,804	08/06/15	96746
2789	Res	PV	11.7	10.5	9.34	16,401	08/07/15	96741
2790	Res	PV	4.5	4.0	3.58	6,296	08/10/15	96716
2791	Res	PV	8.9	8.0	7.14	12,537	08/10/15	96746
2792	Res	PV	3.3	2.8	2.64	4,638	08/10/15	96703
2793	Res	PV	3.4	3.0	2.69	4,722	08/12/15	96741
2794	Res	PV	3.3	3.0	2.64	4,638	08/12/15	96752
2795	Res	PV	8.0	7.6	6.43	11,300	08/12/15	96754
2796	Res	PV	9.4	7.6	7.49	13,155	08/17/15	96765
2797	Res	PV	2.6	3.0	2.08	3,654	08/17/15	96705
2798	Res	PV	15.6	13.0	12.48	21,925	08/18/15	96754
2799	Res	PV	3.9	4.0	3.12	5,481	08/19/15	96752
2800	Res	PV	11.8	9.5	9.43	16,570	08/19/15	96746
2801	Res	PV	4.5	4.0	3.58	6,296	08/19/15	96754
2802	Res	PV	3.4	4.0	2.74	4,807	08/19/15	96766
2803	Res	PV	3.4	3.0	2.69	4,722	08/19/15	96746
2804	Res	PV	3.9	3.8	3.12	5,481	08/20/15	96756

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
2805	Res	PV	9.1	8.0	7.28	12,790	08/20/15	96752
2806	Res	PV	3.9	3.8	3.12	5,481	08/20/15	96752
2807	Res	PV	3.9	4.0	3.12	5,481	08/20/15	96765
2808	Res	PV	3.9	4.0	3.12	5,481	08/20/15	96752
2809	Res	PV	5.2	5.0	4.14	7,280	08/25/15	96746
2810	Res	PV	6.4	7.0	5.10	8,953	08/26/15	96765
2811	Res	PV	7.8	8.0	6.24	10,962	08/26/15	96796
2812	Res	PV	3.9	4.0	3.12	5,481	08/26/15	96752
2813	Res	PV	3.9	4.0	3.12	5,481	08/26/15	96752
2814	Res	PV	3.9	4.0	3.12	5,481	08/26/15	96752
2815	Res	PV	7.2	6.0	5.75	10,105	08/26/15	96752
2816	Res	PV	7.3	6.5	5.82	10,232	08/26/15	96766
2817	Res	PV	9.4	8.0	7.49	13,155	08/28/15	96766
2818	Res	PV	7.0	6.3	5.60	9,838	08/28/15	96741
2819	Res	PV	7.8	8.0	6.24	10,962	08/28/15	96746
2820	Res	PV	3.9	3.8	3.12	5,481	08/28/15	96752
2821	Res	PV	9.5	8.5	7.62	13,380	08/31/15	96741
2822	Res	PV	3.9	3.5	3.08	5,411	08/31/15	96741
2823	Res	PV	15.1	11.0	11.00	19,325	09/02/15	96741
2824	Res	PV	6.7	6.0	5.38	9,445	09/03/15	96756
2825	Res	PV	2.7	3.0	2.16	3,795	09/03/15	96716
2826	Res	PV	3.0	5.0	2.40	4,216	09/03/15	96705
2827	Res	PV	7.8	8.0	6.24	10,962	09/03/15	96746
2828	Res	PV	7.7	8.0	6.12	10,752	09/04/15	96746
2829	Res	PV	5.1	5.0	4.08	7,168	09/08/15	96752
2830	Res	PV	9.1	10.0	7.30	12,832	09/09/15	96766
2831	Res	PV	7.5	6.5	6.00	10,541	09/10/15	96741
2832	Res	PV	3.9	3.8	3.12	5,481	09/11/15	96752
2833	Res	PV	4.5	3.8	3.60	6,324	09/14/15	96756
2834	Res	PV	6.5	5.5	5.19	9,121	09/14/15	96746
2835	Res	PV	6.7	6.0	5.38	9,445	09/15/15	96754
2836	Res	PV	3.9	4.0	3.12	5,481	09/15/15	96741
2837	Res	PV	3.9	4.0	3.12	5,481	09/16/15	96752
2838	Res	PV	4.5	3.8	3.60	6,324	09/16/15	96766
2839	Res	PV	3.9	4.0	3.12	5,481	09/16/15	96752
2840	Res	PV	6.3	5.3	5.04	8,854	09/17/15	96703
2841	Res	PV	5.4	4.5	4.32	7,589	09/17/15	96751
2842	Res	PV	2.9	3.0	2.30	4,048	09/18/15	96746
2843	Res	PV	3.9	3.8	3.12	5,481	09/18/15	96752
2844	Res	PV	5.1	4.3	4.08	7,168	09/18/15	96746
2845	Res	PV	7.8	8.0	6.24	10,962	09/21/15	96705
2846	Res	PV	7.8	8.0	6.24	10,962	09/21/15	96705
2847	Res	PV	14.3	12.0	11.42	20,070	09/22/15	96754
2848	Res	PV	4.2	3.8	3.36	5,903	09/22/15	96741
2849	Res	PV	8.1	7.6	6.48	11,384	09/22/15	96756
2850	Res	PV	4.8	4.0	3.84	6,746	09/22/15	96766
2851	Res	PV	2.2	2.0	1.79	3,148	09/23/15	96741
2852	Res	PV	3.9	4.0	3.12	5,481	09/24/15	96752
2853	Res	PV	3.9	3.8	3.12	5,481	09/24/15	96752
2854	Res	PV	4.9	5.0	3.95	6,943	09/24/15	96796
2855	Res	PV	4.2	4.0	3.33	5,847	09/24/15	96796
2856	Res	PV	5.3	5.0	4.24	7,449	09/25/15	96766
2857	Com	PV	17.0	15.8	13.60	23,892	09/28/15	96722

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
2858	Res	PV	4.8	5.0	3.86	6,788	09/28/15	96756
2859	Res	PV	5.4	4.5	4.32	7,589	09/28/15	96716
2860	Res	PV	5.6	5.0	4.48	7,870	09/28/15	96796
2861	Res	PV	4.0	3.0	3.00	5,270	09/28/15	96746
2862	Res	PV	8.3	8.0	6.66	11,693	09/28/15	96746
2863	Res	PV	2.1	3.0	1.66	2,923	09/29/15	96716
2864	Res	PV	4.0	3.5	3.20	5,622	09/30/15	96766
2865	Res	PV	5.8	5.0	4.64	8,152	09/30/15	96746
2866	Res	PV	7.8	8.0	6.24	10,962	10/01/15	96752
2867	Res	PV	6.7	6.0	5.38	9,445	10/02/15	96766
2868	Res	PV	6.7	6.0	5.38	9,445	10/02/15	96766
2869	Res	PV	5.6	5.0	4.48	7,870	10/02/15	96766
2870	Res	PV	5.1	4.3	4.08	7,168	10/02/15	96703
2871	Res	PV	6.2	5.5	4.93	8,658	10/06/15	96796
2872	Res	PV	3.9	3.8	3.12	5,481	10/08/15	96756
2873	Res	PV	3.0	3.0	2.40	4,216	10/08/15	96705
2874	Res	PV	7.3	8.0	5.82	10,232	10/08/15	96765
2875	Res	PV	6.6	6.0	5.28	9,276	10/08/15	96703
2876	Res	PV	6.8	6.0	5.47	9,613	10/13/15	96722
2877	Res	PV	7.5	7.6	6.00	10,541	10/14/15	96746
2878	Res	PV	6.7	6.0	5.38	9,445	10/15/15	96796
2879	Res	PV	3.9	4.0	3.12	5,481	10/15/15	96752
2880	Res	PV	4.2	3.8	3.36	5,903	10/15/15	96703
2881	Res	PV	3.9	3.8	3.12	5,481	10/15/15	96752
2882	Res	PV	8.3	7.5	6.60	11,595	10/19/15	96756
2883	Res	PV	3.9	4.0	3.12	5,481	10/19/15	96752
2884	Res	PV	3.3	3.0	2.64	4,638	10/19/15	96715
2885	Res	PV	4.8	5.0	3.84	6,746	10/19/15	96715
2886	Res	PV	7.3	6.5	5.82	10,232	10/19/15	96746
2887	Res	PV	3.9	3.8	3.12	5,481	10/20/15	96752
2888	Res	PV	3.3	5.0	2.64	4,638	10/20/15	96722
2889	Res	PV	4.2	3.5	3.36	5,903	10/20/15	96746
2890	Res	PV	5.1	4.3	4.08	7,168	10/21/15	96766
2891	Res	PV	3.4	3.0	2.69	4,722	10/21/15	96746
2892	Res	PV	5.7	5.0	4.56	8,011	10/21/15	96746
2893	Res	PV	9.3	8.0	7.45	13,085	10/21/15	96714
2894	Res	PV	6.1	6.0	4.88	8,573	10/21/15	96703
2895	Res	PV	8.7	7.3	6.96	12,227	10/22/15	96766
2896	Res	PV	10.1	9.0	8.06	14,167	10/22/15	96741
2897	Res	PV	4.5	3.8	3.60	6,324	10/23/15	96766
2898	Res	PV	3.9	4.0	3.12	5,481	10/23/15	96796
2899	Res	PV	4.5	3.8	3.60	6,324	10/23/15	96705
2900	Res	PV	9.3	7.8	7.44	13,071	10/23/15	96703
2901	Res	PV	8.6	8.0	6.91	12,143	10/23/15	96756
2902	Res	PV	9.0	7.5	7.20	12,649	10/23/15	96716
2903	Res	PV	11.7	10.0	9.36	16,444	10/23/15	96752
2904	Res	PV	2.0	1.8	1.57	2,755	10/26/15	96766
2905	Res	PV	7.8	6.5	6.24	10,962	10/26/15	96766
2906	Res	PV	15.1	13.5	12.05	21,166	10/28/15	96746
2907	Res	PV	7.2	7.6	5.75	10,105	10/28/15	96714
2908	Res	PV	11.4	10.0	9.11	16,008	10/28/15	96754
2909	Res	PV	7.8	8.0	6.24	10,962	11/02/15	96752
2910	Res	PV	11.5	10.0	9.18	16,134	11/02/15	96741

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
2911	Res	PV	7.7	8.0	6.12	10,752	11/02/15	96766
2912	Res	PV	2.7	3.0	2.16	3,795	11/03/15	96754
2913	Res	PV	4.5	4.0	3.58	6,296	11/04/15	96766
2914	Res	PV	6.7	6.0	5.38	9,445	11/04/15	96766
2915	Res	PV	3.1	3.0	2.50	4,385	11/04/15	96766
2916	Res	PV	3.1	3.0	2.50	4,385	11/04/15	96766
2917	Com	PV	5.3	3.8	3.80	6,676	11/06/15	96756
2918	Com	PV	18.2	16.3	14.56	25,579	11/09/15	96766
2919	Res	PV	6.9	6.3	5.50	9,655	11/10/15	96756
2920	Res	PV	4.6	5.0	3.66	6,423	11/10/15	96741
2921	Res	PV	3.9	3.8	3.12	5,481	11/10/15	96705
2922	Res	PV	9.9	9.8	7.90	13,886	11/10/15	96796
2923	Res	PV	5.0	4.5	4.03	7,083	11/10/15	96746
2924	Res	PV	5.0	4.5	4.03	7,083	11/10/15	96746
2925	Com	PV	6.9	6.3	5.50	9,655	11/12/15	96766
2926	Res	PV	6.7	6.0	5.38	9,445	11/12/15	96766
2927	Res	PV	4.5	4.0	3.58	6,296	11/12/15	96746
2928	Res	PV	4.5	4.0	3.58	6,296	11/12/15	96746
2929	Res	PV	4.8	3.8	3.80	6,676	11/12/15	96746
2930	Res	PV	4.5	4.0	3.58	6,296	11/12/15	96746
2931	Res	PV	3.9	3.3	3.12	5,481	11/12/15	96703
2932	Res	PV	8.0	8.0	6.36	11,173	11/13/15	96756
2933	Res	PV	3.9	3.8	3.12	5,481	11/13/15	96796
2934	Res	PV	4.5	4.0	3.58	6,296	11/16/15	96741
2935	Res	PV	6.5	6.8	5.20	9,135	11/16/15	96752
2936	Res	PV	7.8	6.8	6.27	11,019	11/16/15	96746
2937	Res	PV	10.1	9.0	8.06	14,167	11/17/15	96756
2938	Res	PV	7.3	6.0	5.82	10,232	11/17/15	96752
2939	Res	PV	10.8	10.0	8.64	15,179	11/17/15	96769
2940	Res	PV	7.8	8.0	6.24	10,962	11/18/15	96705
2941	Res	PV	4.6	4.0	3.65	6,409	11/18/15	96746
2942	Res	PV	4.8	5.0	3.84	6,746	11/18/15	96752
2943	Res	PV	6.0	6.0	4.78	8,405	11/18/15	96752
2944	Res	PV	5.2	5.0	4.18	7,350	11/19/15	96766
2945	Res	PV	7.3	7.8	5.82	10,232	11/19/15	96705
2946	Com	PV	33.5	30.0	26.78	47,054	11/23/15	96766
2947	Res	PV	7.8	8.0	6.24	10,962	11/23/15	96796
2948	Res	PV	7.8	8.0	6.24	10,962	11/23/15	96766
2949	Res	PV	1.4	1.3	1.10	1,925	11/25/15	96756
2950	Res	PV	7.8	8.0	6.24	10,962	11/30/15	96746
2951	Res	PV	3.4	3.0	2.69	4,722	11/30/15	96746
2952	Res	PV	5.6	5.0	4.48	7,870	11/30/15	96746
2953	Res	PV	4.4	3.8	3.48	6,114	11/30/15	96741
2954	Res	PV	3.6	3.0	2.88	5,060	11/30/15	96766
2955	Res	PV	7.2	6.0	5.76	10,119	11/30/15	96766
2956	Res	PV	3.6	3.0	2.88	5,060	11/30/15	96715
2957	Res	PV	8.5	7.5	6.78	11,918	12/01/15	96746
2958	Com	PV	26.6	23.8	21.28	37,385	12/02/15	96766
2959	Com	PV	124.8	100.0	99.84	175,399	12/02/15	96746
2960	Res	PV	3.9	3.8	3.12	5,481	12/02/15	96752
2961	Res	PV	3.3	2.8	2.64	4,638	12/02/15	96766
2962	Res	PV	1.8	1.5	1.44	2,530	12/02/15	96766
2963	Res	PV	6.6	6.0	5.28	9,276	12/03/15	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
2964	Res	PV	3.3	4.0	2.64	4,638	12/03/15	96746
2965	Res	PV	10.1	9.0	8.06	14,167	12/04/15	96741
2966	Res	PV	11.7	10.0	9.36	16,444	12/07/15	96756
2967	Res	PV	3.9	4.0	3.12	5,481	12/07/15	96741
2968	Res	PV	7.8	8.0	6.24	10,962	12/07/15	96741
2969	Res	PV	7.8	8.0	6.24	10,962	12/07/15	96752
2970	Res	PV	11.2	10.0	8.96	15,741	12/08/15	96746
2971	Res	PV	7.3	6.5	5.82	10,232	12/08/15	96756
2972	Com	PV	5.7	5.0	4.58	8,039	12/09/15	96756
2973	Com	PV	48.4	46.5	38.69	67,967	12/09/15	96716
2974	Res	PV	12.0	10.0	9.57	16,809	12/09/15	96766
2975	Res	PV	5.7	5.0	4.58	8,039	12/10/15	96766
2976	Res	PV	4.4	3.8	3.54	6,212	12/10/15	96716
2977	Res	PV	5.4	6.0	4.32	7,589	12/11/15	96756
2978	Res	PV	7.8	8.0	6.24	10,962	12/11/15	96741
2979	Res	PV	6.7	6.0	5.38	9,445	12/14/15	96746
2980	Res	PV	4.4	5.0	3.52	6,184	12/14/15	96746
2981	Res	PV	11.2	10.0	8.96	15,741	12/15/15	96746
2982	Res	PV	8.4	8.0	6.72	11,806	12/15/15	96703
2983	Res	PV	7.3	6.5	5.82	10,232	12/17/15	96765
2984	Res	PV	3.3	3.0	2.64	4,638	12/17/15	96705
2985	Res	PV	5.5	5.0	4.37	7,674	12/18/15	96766
2986	Res	PV	5.2	6.0	4.18	7,350	12/18/15	96766
2987	Res	PV	6.4	5.8	5.15	9,051	12/18/15	96746
2988	Res	PV	5.2	5.0	4.16	7,308	12/18/15	96766
2989	Res	PV	3.4	3.0	2.69	4,722	12/21/15	96741
2990	Res	PV	7.3	6.6	5.86	10,288	12/21/15	96741
2991	Res	PV	7.8	8.0	6.24	10,962	12/21/15	96752
2992	Res	PV	3.9	4.0	3.12	5,481	12/22/15	96705
2993	Res	PV	10.3	4.5	4.52	7,941	12/23/15	96766
2994	Res	PV	6.2	7.6	4.99	8,770	12/23/15	96741
2995	Res	PV	4.5	4.0	3.58	6,296	12/23/15	96741
2996	Res	PV	7.2	7.6	5.76	10,119	12/24/15	96705
2997	Res	PV	4.2	3.8	3.36	5,903	12/24/15	96705
2998	Res	PV	3.0	3.0	2.40	4,216	12/24/15	96716
2999	Res	PV	6.1	5.0	4.90	8,601	12/24/15	96796
3000	Res	PV	6.1	6.0	4.90	8,601	12/24/15	96752
3001	Res	PV	3.6	9.2	2.88	5,060	12/28/15	96766
3002	Res	PV	3.9	3.5	3.14	5,509	12/28/15	96746
3003	Res	PV	3.4	3.0	2.69	4,722	12/28/15	96766
3004	Res	PV	6.2	5.5	4.93	8,658	12/29/15	96746
3005	Res	PV	4.4	4.0	3.53	6,198	12/29/15	96746
3006	Res	PV	11.8	9.8	9.42	16,542	12/29/15	96754
3007	Res	PV	11.8	10.0	9.42	16,542	12/29/15	96722
3008	Com	PV	9.1	7.6	7.28	12,790	01/07/16	96766
3009	Com	PV	9.1	7.6	7.28	12,790	01/07/16	96766
3010	Com	PV	9.1	7.6	7.28	12,790	01/07/16	96766
3011	Com	PV	9.1	7.6	7.28	12,790	01/07/16	96766
3012	Com	PV	9.1	7.6	7.28	12,790	01/07/16	96766
3013	Res	PV	11.4	10.0	9.12	16,022	01/07/16	96741
3014	Res	PV	3.4	3.0	2.69	4,722	01/07/16	96705
3015	Res	PV	4.2	3.4	3.33	5,847	01/07/16	96716
3016	Res	PV	4.0	3.8	3.18	5,580	01/07/16	96752

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
3017	Res	PV	3.9	3.5	3.14	5,509	01/07/16	96766
3018	Res	PV	8.4	7.5	6.72	11,806	01/08/16	96756
3019	Res	PV	9.5	8.5	7.62	13,380	01/08/16	96766
3020	Res	PV	10.2	9.0	8.16	14,335	01/08/16	96746
3021	Res	PV	9.6	7.6	7.60	13,352	01/08/16	96756
3022	Res	PV	7.8	8.0	6.24	10,962	01/08/16	96746
3023	Res	PV	2.6	3.0	2.08	3,654	01/11/16	96766
3024	Res	PV	4.8	7.6	3.86	6,788	01/11/16	96765
3025	Res	PV	4.5	4.0	3.58	6,296	01/11/16	96746
3026	Res	PV	6.0	5.0	4.80	8,433	01/11/16	96703
3027	Res	PV	14.0	11.5	11.22	19,704	01/11/16	96756
3028	Res	PV	9.0	8.0	7.17	12,593	01/11/16	96746
3029	Res	PV	4.1	5.0	3.26	5,734	01/11/16	96756
3030	Res	PV	5.6	5.0	4.48	7,870	01/11/16	96746
3031	Res	PV	6.1	6.0	4.90	8,601	01/12/16	96766
3032	Res	PV	1.8	3.0	1.44	2,530	01/12/16	96741
3033	Res	PV	7.3	6.5	5.82	10,232	01/12/16	96752
3034	Res	PV	2.6	3.0	2.04	3,584	01/12/16	96756
3035	Res	PV	2.6	3.0	2.04	3,584	01/12/16	96716
3036	Res	PV	11.8	10.5	9.44	16,584	01/12/16	96754
3037	Res	PV	1.4	1.3	1.10	1,940	01/12/16	96754
3038	Com	PV	41.0	36.0	32.83	57,679	01/13/16	96766
3039	Res	PV	6.9	6.0	5.52	9,698	01/13/16	96766
3040	Res	PV	5.6	5.0	4.48	7,870	01/15/16	96746
3041	Res	PV	3.5	5.0	2.76	4,849	01/18/16	96741
3042	Res	PV	3.9	4.0	3.12	5,481	01/19/16	96796
3043	Res	PV	17.1	15.0	13.68	24,033	01/20/16	96756
3044	Res	PV	4.2	3.8	3.36	5,903	01/22/16	96754
3045	Res	PV	7.8	7.6	6.24	10,962	01/22/16	96741
3046	Res	PV	2.6	2.0	2.00	3,514	01/24/16	96746
3047	Res	PV	8.4	7.5	6.72	11,806	01/25/16	96741
3048	Res	PV	22.8	20.0	18.24	32,044	01/26/16	96754
3049	Res	PV	3.1	2.8	2.46	4,329	01/26/16	96746
3050	Res	PV	3.4	3.0	2.69	4,722	01/26/16	96746
3051	Res	PV	1.7	1.5	1.34	2,361	01/26/16	96766
3052	Res	PV	10.8	9.5	8.66	15,221	01/27/16	96741
3053	Res	PV	7.3	6.5	5.82	10,232	01/28/16	96752
3054	Res	PV	6.9	6.0	5.52	9,698	01/28/16	96746
3055	Res	PV	3.9	3.8	3.12	5,481	01/28/16	96746
3056	Res	PV	14.0	12.5	11.20	19,676	01/28/16	96746
3057	Res	PV	5.7	5.0	4.56	8,011	01/28/16	96741
3058	Res	PV	6.5	6.4	5.22	9,178	01/29/16	96746
3059	Res	PV	10.8	9.0	8.64	15,179	02/01/16	96705
3060	Res	PV	8.0	7.0	6.36	11,173	02/01/16	96703
3061	Res	PV	6.2	6.0	4.97	8,728	02/02/16	96754
3062	Res	PV	6.2	6.0	4.97	8,728	02/02/16	96754
3063	Res	PV	9.5	7.7	7.63	13,408	02/02/16	96754
3064	Res	PV	4.2	4.0	3.39	5,959	02/02/16	96741
3065	Res	PV	3.0	3.0	2.40	4,216	02/02/16	96766
3066	Res	PV	5.2	5.0	4.16	7,308	02/04/16	96766
3067	Com	PV	33.6	34.0	26.88	47,223	02/05/16	96754
3068	Res	PV	2.6	2.2	2.08	3,654	02/05/16	96754
3069	Res	PV	3.1	3.0	2.50	4,385	02/05/16	96754

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
3070	Res	PV	3.8	3.0	3.00	5,270	02/08/16	96746
3071	Res	PV	5.6	5.0	4.47	7,856	02/08/16	96766
3072	Res	PV	10.6	10.0	8.50	14,940	02/08/16	96716
3073	Res	PV	6.0	6.0	4.78	8,405	02/09/16	96766
3074	Res	PV	7.4	6.0	5.94	10,428	02/09/16	96703
3075	Res	PV	4.4	3.8	3.54	6,212	02/09/16	96703
3076	Res	PV	10.1	16.0	8.06	14,167	02/16/16	96703
3077	Res	PV	-10.1	-16.0	-8.06	-14,167	02/16/16	96703
3078	Res	PV	9.7	10.0	7.73	13,577	02/16/16	96754
3079	Res	PV	4.5	4.0	3.58	6,296	02/16/16	96766
3080	Res	PV	6.7	6.0	5.38	9,445	02/16/16	96765
3081	Res	PV	4.7	5.0	3.74	6,577	02/16/16	96766
3082	Com	PV	-12.6	-12.0	-10.08	-17,709	02/16/16	96716
3083	Com	PV	-85.2	-50.0	-50.00	-87,840	02/16/16	96756
3084	Com	PV	12.9	12.9	10.32	18,130	02/18/16	96766
3085	Com	PV	39.6	39.6	31.68	55,655	02/18/16	96766
3086	Com	PV	24.0	24.0	19.20	33,731	02/18/16	96766
3087	Com	PV	29.7	29.7	23.76	41,742	02/19/16	96722
3088	Com	PV	5.4	5.4	4.32	7,589	02/19/16	96754
3089	Com	PV	30.0	30.0	24.00	42,163	02/19/16	96756
3090	Com	PV	9.6	9.6	7.68	13,492	02/19/16	96796
3091	Com	PV	20.4	20.4	16.32	28,671	02/19/16	96752
3092	Com	PV	19.8	19.8	15.84	27,828	02/19/16	96741
3093	Res	PV	4.8	4.0	3.84	6,746	02/19/16	96746
3094	Res	PV	4.2	3.8	3.36	5,903	02/19/16	96746
3095	Res	PV	7.5	7.6	6.03	10,597	02/19/16	96766
3096	Com	PV	9.1	7.6	7.28	12,790	02/22/16	96766
3097	Res	PV	4.3	3.8	3.40	5,973	02/22/16	96746
3098	Res	PV	6.8	6.0	5.41	9,501	02/23/16	96766
3099	Res	PV	3.4	3.0	2.69	4,722	02/23/16	96754
3100	Res	PV	3.4	3.0	2.69	4,722	02/23/16	96703
3101	Res	PV	4.4	3.8	3.54	6,212	02/23/16	96703
3102	Com	PV	7.6	7.0	6.05	10,625	02/24/16	96766
3103	Com	PV	6.5	6.0	5.18	9,107	02/24/16	96766
3104	Com	PV	6.5	6.0	5.18	9,107	02/24/16	96766
3105	Com	PV	7.6	7.0	6.05	10,625	02/25/16	96766
3106	Res	PV	6.7	6.0	5.38	9,445	02/25/16	96705
3107	Res	PV	4.5	4.0	3.60	6,324	02/25/16	96756
3108	Com	PV	47.8	36.0	36.00	63,245	02/26/16	96766
3109	Res	PV	3.7	4.0	2.97	5,214	02/26/16	96756
3110	Com	PV	14.0	10.6	10.60	18,622	02/29/16	96766
3111	Res	PV	7.8	7.0	6.27	11,019	02/29/16	96766
3112	Res	PV	3.1	3.0	2.50	4,385	03/02/16	96746
3113	Res	PV	3.4	3.0	2.70	4,750	03/02/16	96766
3114	Res	PV	3.1	3.8	2.50	4,385	03/03/16	96746
3115	Com	PV	20.1	20.0	16.08	28,249	03/08/16	96754
3116	Res	PV	4.2	3.8	3.33	5,847	03/08/16	96746
3117	Res	PV	3.6	3.0	2.91	5,116	03/08/16	96741
3118	Res	PV	3.9	4.0	3.12	5,481	03/08/16	96752
3119	Res	PV	12.4	11.4	9.94	17,456	03/08/16	96756
3120	Res	PV	4.5	5.0	3.60	6,324	03/08/16	96756
3121	Res	PV	4.0	3.8	3.18	5,580	03/08/16	96716
3122	Res	PV	10.4	10.0	8.32	14,617	03/10/16	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
3123	Res	PV	6.1	5.5	4.87	8,559	03/10/16	96703
3124	Res	PV	3.9	3.8	3.12	5,481	03/11/16	96703
3125	Res	PV	8.0	8.0	6.36	11,173	03/16/16	96754
3126	Res	PV	6.0	5.0	4.78	8,405	03/17/16	96766
3127	Res	PV	8.7	7.8	6.94	12,199	03/17/16	96746
3128	Res	PV	5.2	5.0	4.16	7,308	03/18/16	96766
3129	Res	PV	2.2	2.0	1.79	3,148	03/18/16	96746
3130	Res	PV	7.2	7.0	5.76	10,119	03/21/16	96765
3131	Res	PV	9.0	8.0	7.18	12,607	03/21/16	96741
3132	Res	PV	9.7	8.0	7.75	13,619	03/21/16	96796
3133	Res	PV	5.1	4.3	4.08	7,168	03/21/16	96705
3134	Res	PV	6.0	6.0	4.80	8,433	03/22/16	96746
3135	Com	PV	5.8	5.2	4.61	8,095	03/23/16	96703
3136	Res	PV	8.1	7.6	6.45	11,328	03/23/16	96703
3137	Res	PV	3.4	3.0	2.70	4,750	03/24/16	96766
3138	Res	PV	3.4	3.8	2.70	4,750	03/29/16	96766
3139	Res	PV	7.4	7.5	5.94	10,428	03/29/16	96766
3140	Res	PV	3.7	3.8	2.97	5,214	03/29/16	96752
3141	Res	PV	7.8	8.0	6.24	10,962	03/29/16	96796
3142	Res	PV	7.5	6.3	6.00	10,541	03/29/16	96766
3143	Res	PV	3.6	3.8	2.91	5,116	03/29/16	96756
3144	Res	PV	3.9	4.0	3.12	5,481	03/29/16	96716
3145	Res	PV	9.9	7.6	7.60	13,352	03/29/16	96754
3146	Res	PV	3.9	3.8	3.12	5,481	03/30/16	96705
3147	Res	PV	5.4	4.5	4.32	7,589	03/31/16	96703
3148	Res	PV	4.2	3.8	3.33	5,847	03/31/16	96703
3149	Res	PV	6.3	5.0	5.00	8,784	03/31/16	96746
3150	Res	PV	5.4	4.5	4.32	7,589	03/31/16	96703
3151	Res	PV	4.2	4.2	3.33	5,847	04/01/16	96746
3152	Res	PV	8.0	7.3	6.38	11,201	04/01/16	96766
3153	Res	PV	5.1	5.0	4.08	7,168	04/01/16	96766
3154	Res	PV	6.3	5.0	5.00	8,784	04/01/16	96746
3155	Res	PV	7.8	8.0	6.24	10,962	04/04/16	96796
3156	Res	PV	2.6	3.0	2.08	3,654	04/05/16	96705
3157	Res	PV	8.7	7.6	6.96	12,227	04/05/16	96766
3158	Res	PV	2.8	2.5	2.24	3,935	04/05/16	96746
3159	Res	PV	2.1	3.0	1.66	2,923	04/05/16	96703
3160	Res	PV	6.0	5.0	4.80	8,433	04/05/16	96705
3161	Res	PV	6.2	6.0	4.97	8,728	04/05/16	96766
3162	Res	PV	5.5	5.0	4.37	7,674	04/05/16	96752
3163	Res	PV	5.9	5.3	4.70	8,264	04/06/16	96756
3164	Res	PV	2.9	3.8	2.29	4,020	04/12/16	96703
3165	Res	PV	3.6	3.8	2.91	5,116	04/12/16	96766
3166	Res	PV	4.7	5.0	3.74	6,577	04/12/16	96766
3167	Res	PV	3.2	3.0	2.56	4,497	04/12/16	96746
3168	Res	PV	2.6	3.0	2.08	3,654	04/12/16	96746
3169	Res	PV	24.0	20.0	19.20	33,731	04/13/16	96754
3170	Res	PV	6.2	5.0	4.99	8,770	04/13/16	96766
3171	Res	PV	4.4	3.8	3.54	6,212	04/14/16	96746
3172	Res	PV	5.5	5.0	4.37	7,674	04/14/16	96703
3173	Res	PV	6.7	6.0	5.38	9,445	04/14/16	96765
3174	Res	PV	4.5	4.0	3.58	6,296	04/14/16	96741
3175	Res	PV	6.3	6.0	5.04	8,854	04/15/16	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
3176	Res	PV	3.2	2.5	2.50	4,392	04/15/16	96766
3177	Res	PV	6.3	6.0	5.04	8,854	04/15/16	96746
3178	Res	PV	4.5	3.8	3.60	6,324	04/18/16	96756
3179	Res	PV	6.9	6.0	5.51	9,683	04/18/16	96766
3180	Res	PV	3.1	3.8	2.50	4,385	04/19/16	96766
3181	Res	PV	7.1	7.0	5.71	10,035	04/19/16	96741
3182	Res	PV	3.4	2.6	2.58	4,533	04/19/16	96741
3183	Res	PV	4.9	5.0	3.95	6,943	04/19/16	96766
3184	Res	PV	6.6	5.3	5.25	9,223	04/20/16	96705
3185	Res	PV	3.9	3.5	3.08	5,411	04/21/16	96756
3186	Res	PV	4.7	5.0	3.74	6,577	04/22/16	96746
3187	Res	PV	4.4	3.8	3.54	6,212	04/22/16	96746
3188	Res	PV	7.3	6.5	5.82	10,232	04/26/16	96741
3189	Res	PV	3.4	3.8	2.70	4,750	04/27/16	96746
3190	Res	PV	7.4	7.5	5.94	10,428	04/27/16	96705
3191	Res	PV	2.0	2.5	1.60	2,811	04/28/16	96752
3192	Res	PV	11.5	10.0	9.22	16,191	04/29/16	96756
3193	Res	PV	10.4	9.0	8.32	14,617	04/29/16	96746
3194	Res	PV	3.6	3.8	2.91	5,116	05/02/16	96746
3195	Res	PV	10.0	10.0	8.00	14,054	05/02/16	96756
3196	Res	PV	8.3	8.0	6.62	11,637	05/02/16	96756
3197	Res	PV	5.7	5.0	4.56	8,011	05/03/16	96754
3198	Res	PV	3.9	3.8	3.12	5,481	05/03/16	96766
3199	Res	PV	3.2	2.5	2.50	4,392	05/03/16	96716
3200	Res	PV	14.1	14.1	11.28	19,817	05/03/16	96754
3201	Res	PV	3.8	3.6	3.07	5,397	05/04/16	96705
3202	Res	PV	3.5	2.8	2.75	4,831	05/04/16	96766
3203	Res	PV	5.2	5.0	4.16	7,308	05/05/16	96766
3204	Res	PV	2.9	2.5	2.28	4,006	05/09/16	96716
3205	Res	PV	3.9	3.8	3.12	5,481	05/09/16	96703
3206	Res	PV	3.9	3.8	3.12	5,481	05/10/16	96766
3207	Res	PV	3.9	3.8	3.12	5,481	05/12/16	96703
3208	Res	PV	3.9	3.8	3.12	5,481	05/12/16	96746
3209	Res	PV	4.3	3.8	3.42	6,001	05/12/16	96746
3210	Res	PV	5.4	4.3	4.25	7,466	05/12/16	96752
3211	Res	PV	3.4	3.8	2.70	4,750	05/12/16	96766
3212	Res	PV	2.9	3.0	2.29	4,020	05/12/16	96716
3213	Res	PV	6.7	6.0	5.38	9,445	05/13/16	96766
3214	Res	PV	2.6	3.8	2.08	3,654	05/16/16	96766
3215	Res	PV	2.6	3.8	2.08	3,654	05/18/16	96766
3216	Res	PV	12.4	11.1	9.94	17,470	05/18/16	96703
3217	Res	PV	7.8	7.6	6.24	10,962	05/19/16	96766
3218	Res	PV	9.1	7.6	7.30	12,832	05/19/16	96756
3219	Res	PV	3.4	3.8	2.70	4,750	05/19/16	96766
3220	Res	PV	6.5	6.0	5.20	9,135	05/20/16	96766
3221	Res	PV	4.5	5.0	3.58	6,296	05/20/16	96766
3222	Res	PV	6.7	6.0	5.38	9,445	05/24/16	96746
3223	Res	PV	5.7	5.0	4.56	8,011	05/24/16	96741
3224	Res	PV	6.3	5.0	5.00	8,784	05/25/16	96722
3225	Res	PV	12.2	10.0	9.79	17,203	05/25/16	96703
3226	Res	PV	9.5	7.7	7.56	13,281	05/25/16	96756
3227	Res	PV	3.9	4.0	3.12	5,481	05/27/16	96752
3228	Res	PV	3.9	3.8	3.12	5,481	05/27/16	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
3229	Res	PV	10.1	9.8	8.06	14,167	05/31/16	96751
3230	Res	PV	3.9	3.8	3.12	5,481	05/31/16	96766
3231	Res	PV	6.6	5.3	5.25	9,223	06/01/16	96741
3232	Res	PV	6.2	6.0	4.99	8,770	06/01/16	96766
3233	Res	PV	5.6	7.6	4.44	7,800	06/01/16	96754
3234	Res	PV	3.9	3.8	3.14	5,509	06/03/16	96766
3235	Res	PV	6.7	5.0	5.00	8,784	06/06/16	96746
3236	Res	PV	-4.6	-4.0	-3.68	-6,465	06/07/16	96765
3237	Res	PV	5.1	4.5	4.10	7,210	06/09/16	96766
3238	Res	PV	4.9	4.5	3.89	6,830	06/09/16	96754
3239	Res	PV	4.4	5.0	3.54	6,212	06/09/16	96766
3240	Res	PV	4.9	5.0	3.95	6,943	06/13/16	96766
3241	Res	PV	9.9	9.0	7.92	13,914	06/13/16	96751
3242	Res	PV	3.9	3.8	3.12	5,481	06/15/16	96746
3243	Res	PV	3.1	3.8	2.50	4,385	06/15/16	96766
3244	Res	PV	5.0	5.0	4.00	7,027	06/15/16	96746
3245	Res	PV	5.5	8.0	4.40	7,730	06/16/16	96754
3246	Res	PV	-5.5	-8.0	-4.40	-7,730	06/16/16	96754
3247	Res	PV	11.5	10.0	9.18	16,120	06/17/16	96705
3248	Res	PV	3.4	3.0	2.69	4,722	06/17/16	96746
3249	Res	PV	3.4	3.0	2.69	4,722	06/20/16	96765
3250	Res	PV	3.4	3.0	2.69	4,722	06/20/16	96746
3251	Com	PV	5.5	4.7	4.40	7,730	06/21/16	96756
3252	Res	PV	4.7	5.0	3.74	6,577	06/21/16	96746
3253	Res	PV	4.8	4.1	3.80	6,676	06/21/16	96756
3254	Res	PV	4.8	4.1	3.80	6,676	06/21/16	96756
3255	Res	PV	4.8	4.1	3.80	6,676	06/21/16	96756
3256	Res	PV	4.8	4.1	3.80	6,676	06/21/16	96756
3257	Res	PV	6.4	6.0	5.15	9,051	06/24/16	96766
3258	Res	PV	8.4	8.0	6.72	11,806	06/28/16	96746
3259	Res	PV	2.9	3.0	2.30	4,048	06/29/16	96746
3260	Res	PV	4.6	4.0	3.65	6,409	07/05/16	96705
3261	Res	PV	2.8	2.5	2.24	3,935	07/05/16	96746
3262	Res	PV	2.8	2.5	2.24	3,935	07/06/16	96746
3263	Res	PV	3.2	2.5	2.50	4,392	07/08/16	96705
3264	Res	PV	3.9	4.0	3.12	5,481	07/11/16	96752
3265	Res	PV	5.7	5.0	4.58	8,039	07/14/16	96766
3266	Res	PV	3.4	3.8	2.70	4,750	07/18/16	96766
3267	Com	PV	15.0	6.0	6.00	10,541	07/21/16	96754
3268	Res	PV	4.2	3.8	3.36	5,903	07/21/16	96752
3269	Res	PV	8.8	7.0	7.00	12,298	07/21/16	96796
3270	Res	PV	8.3	8.2	6.67	11,721	07/21/16	96741
3271	Res	PV	11.7	11.0	9.38	16,486	07/26/16	96741
3272	Res	PV	6.2	5.0	4.96	8,714	07/26/16	96756
3273	Res	PV	2.5	2.5	2.00	3,514	07/26/16	96741
3274	Res	PV	3.8	3.8	3.07	5,397	07/27/16	96741
3275	Res	PV	6.0	5.0	4.80	8,433	07/27/16	96752
3276	Res	PV	6.7	6.0	5.38	9,445	07/27/16	96741
3277	Res	PV	4.2	3.8	3.36	5,903	07/28/16	96715
3278	Res	PV	4.8	5.0	3.84	6,746	07/28/16	96766
3279	Res	PV	5.6	5.0	4.48	7,870	07/28/16	96741
3280	Res	PV	2.4	2.3	1.90	3,345	08/01/16	96746
3281	Res	PV	3.4	3.0	2.69	4,722	08/01/16	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
3282	Res	PV	24.6	17.4	17.38	30,533	08/01/16	96754
3283	Res	PV	4.4	4.0	3.51	6,163	08/01/16	96766
3284	Res	PV	6.7	6.0	5.38	9,445	08/02/16	96766
3285	Res	PV	6.7	5.2	5.16	9,065	08/05/16	96746
3286	Com	PV	2.2	2.0	1.79	3,148	08/09/16	96756
3287	Res	PV	6.2	6.0	4.96	8,714	08/09/16	96756
3288	Res	PV	11.0	11.9	8.79	15,446	08/10/16	96722
3289	Res	PV	5.2	5.0	4.16	7,308	08/10/16	96766
3290	Com	PV	21.1	18.5	16.85	29,599	08/11/16	96722
3291	Res	PV	12.8	13.0	10.24	17,990	08/15/16	96756
3292	Res	PV	3.9	3.8	3.12	5,481	08/22/16	96766
3293	Res	PV	5.7	5.0	4.56	8,011	08/23/16	96766
3294	Res	PV	3.2	2.5	2.50	4,392	08/23/16	96766
3295	Res	PV	3.0	3.0	2.40	4,216	08/24/16	96716
3296	Res	PV	3.8	3.1	3.03	5,327	08/24/16	96746
3297	Res	PV	5.1	5.0	4.08	7,168	08/24/16	96741
3298	Res	PV	5.6	5.0	4.48	7,870	08/26/16	96766
3299	Res	PV	5.0	4.5	4.03	7,083	08/29/16	96766
3300	Res	PV	3.4	3.0	2.74	4,807	08/30/16	96766
3301	Res	PV	6.7	6.0	5.38	9,445	08/30/16	96766
3302	Res	PV	3.9	3.8	3.12	5,481	09/06/16	96752
3303	Res	PV	3.2	2.5	2.50	4,392	09/06/16	96766
3304	Res	PV	1.1	1.0	0.90	1,574	09/06/16	96766
3305	Res	PV	7.4	6.0	5.94	10,442	09/06/16	96716
3306	Com	PV	32.0	26.3	25.62	45,002	09/07/16	96766
3307	Res	PV	6.0	5.0	4.78	8,405	09/07/16	96766
3308	Res	PV	4.7	5.0	3.74	6,577	09/09/16	96766
3309	Res	PV	5.0	4.8	3.98	6,985	09/09/16	96756
3310	Res	PV	2.4	2.0	1.92	3,373	09/15/16	96754
3311	Res	PV	5.7	5.0	4.58	8,039	09/15/16	96746
3312	Com	PV	2.1	3.8	1.66	2,923	09/20/16	96746
3313	Res	PV	6.8	6.5	5.41	9,501	09/20/16	96703
3314	Res	PV	3.2	2.5	2.50	4,392	09/20/16	96766
3315	Res	PV	6.7	6.0	5.38	9,445	09/20/16	96765
3316	Res	PV	4.5	4.0	3.58	6,296	09/20/16	96741
3317	Res	PV	6.6	5.3	5.25	9,223	09/20/16	96741
3318	Res	PV	5.7	6.0	4.58	8,039	09/22/16	96746
3319	Res	PV	5.2	5.0	4.16	7,308	09/22/16	96746
3320	Res	PV	3.8	3.0	3.00	5,270	09/23/16	96703
3321	Res	PV	7.0	6.0	5.62	9,866	09/23/16	96766
3322	Res	PV	8.8	7.0	7.00	12,298	09/23/16	96746
3323	Res	PV	3.6	3.8	2.91	5,116	09/23/16	96746
3324	Res	PV	6.2	5.6	4.99	8,770	09/23/16	96766
3325	Res	PV	4.0	4.0	3.18	5,580	09/23/16	96752
3326	Res	PV	-1.8	-3.0	-1.44	-2,530	09/27/16	96746
3327	Res	PV	6.0	6.0	4.78	8,405	09/28/16	96746
3328	Res	PV	6.0	5.0	4.78	8,405	09/28/16	96766
3329	Res	PV	6.0	5.0	4.80	8,433	09/29/16	96796
3330	Res	PV	4.9	5.0	3.95	6,943	09/29/16	96752
3331	Res	PV	3.2	2.5	2.50	4,392	09/29/16	96703
3332	Res	PV	3.4	3.0	2.69	4,722	09/29/16	96766
3333	Res	PV	3.2	2.5	2.50	4,392	09/29/16	96703
3334	Res	PV	4.4	3.4	3.44	6,043	09/30/16	96756

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
3335	Res	PV	2.8	2.5	2.24	3,935	09/30/16	96746
3336	Res	PV	6.2	6.0	4.99	8,770	10/04/16	96705
3337	Res	PV	4.9	5.0	3.95	6,943	10/04/16	96752
3338	Res	PV	9.2	16.0	7.39	12,986	10/05/16	96756
3339	Res	PV	-9.2	-16.0	-7.39	-12,986	10/05/16	96756
3340	Res	PV	9.8	8.8	7.84	13,773	10/11/16	96756
3341	Res	PV	10.1	9.0	8.06	14,167	10/13/16	96754
3342	Res	PV	6.2	5.5	4.93	8,658	10/14/16	96766
3343	Res	PV	9.0	8.1	7.23	12,705	10/18/16	96741
3344	Res	PV	3.5	2.8	2.75	4,831	10/25/16	96766
3345	Com	PV	28.3	26.0	22.67	39,830	10/26/16	96766
3346	Res	PV	3.5	2.8	2.75	4,831	10/27/16	96746
3347	Res	PV	2.8	3.8	2.24	3,935	10/28/16	96756
3348	Com	PV	12.6	10.0	10.00	17,568	10/31/16	96746
3349	Res	PV	3.4	3.0	2.69	4,722	10/31/16	96746
3350	Res	PV	6.2	6.0	4.99	8,770	10/31/16	96756
3351	Res	PV	2.8	2.2	2.15	3,777	11/01/16	96746
3352	Res	PV	8.3	7.5	6.60	11,595	11/01/16	96741
3353	Res	PV	3.1	2.5	2.44	4,287	11/04/16	96746
3354	Res	PV	4.9	4.0	3.90	6,859	11/07/16	96766
3355	Res	PV	3.0	3.0	2.40	4,216	11/10/16	96752
3356	Res	PV	9.0	8.0	7.23	12,705	11/14/16	96716
3357	Res	PV	3.9	3.5	3.15	5,537	11/15/16	96746
3358	Res	PV	4.3	3.8	3.42	6,001	11/16/16	96756
3359	Res	PV	6.6	5.3	5.25	9,223	11/16/16	96756
3360	Res	PV	3.2	2.5	2.50	4,392	11/16/16	96716
3361	Res	PV	3.4	3.0	2.69	4,722	11/16/16	96746
3362	Res	PV	5.0	4.5	4.03	7,083	11/16/16	96766
3363	Res	PV	6.7	6.0	5.38	9,445	11/16/16	96746
3364	Res	PV	10.4	9.3	8.29	14,560	11/18/16	96746
3365	Res	PV	3.1	2.8	2.50	4,399	11/21/16	96746
3366	Res	PV	16.7	14.8	13.33	23,415	11/23/16	96741
3367	Res	PV	3.4	3.0	2.69	4,722	11/23/16	96741
3368	Res	PV	9.0	7.6	7.17	12,593	11/23/16	96756
3369	Res	PV	2.8	2.5	2.23	3,921	11/25/16	96766
3370	Res	PV	6.7	6.0	5.38	9,445	11/25/16	96766
3371	Res	PV	3.4	3.0	2.69	4,722	11/25/16	96766
3372	Res	PV	3.5	2.8	2.75	4,831	11/28/16	96746
3373	Res	PV	4.6	4.0	3.65	6,409	11/29/16	96752
3374	Res	PV	11.2	10.0	8.96	15,741	12/01/16	96703
3375	Res	PV	4.5	4.0	3.60	6,324	12/06/16	96756
3376	Res	PV	3.1	2.5	2.48	4,357	12/06/16	96766
3377	Res	PV	7.3	5.8	5.75	10,102	12/06/16	96741
3378	Res	PV	6.5	6.0	5.18	9,107	12/06/16	96756
3379	Res	PV	3.2	2.5	2.50	4,392	12/08/16	96766
3380	Res	PV	3.4	3.0	2.69	4,722	12/08/16	96716
3381	Res	PV	2.6	3.0	2.05	3,598	12/08/16	96741
3382	Res	PV	11.8	9.8	9.41	16,528	12/08/16	96766
3383	Res	PV	3.4	3.0	2.74	4,807	12/09/16	96765
3384	Res	PV	2.4	2.2	1.92	3,373	12/12/16	96796
3385	Res	PV	2.6	3.0	2.05	3,598	12/12/16	96746
3386	Res	PV	3.4	3.0	2.74	4,807	12/12/16	96746
3387	Res	PV	3.6	3.8	2.91	5,116	12/12/16	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
3388	Res	PV	10.8	9.5	8.67	15,235	12/12/16	96746
3389	Res	PV	3.5	3.0	2.82	4,947	12/14/16	96766
3390	Res	PV	6.6	5.3	5.25	9,223	12/15/16	96766
3391	Res	PV	4.9	5.0	3.93	6,901	12/15/16	96756
3392	Res	PV	3.0	3.0	2.40	4,216	12/15/16	96756
3393	Res	PV	6.7	5.2	5.16	9,065	12/20/16	96756
3394	Res	PV	2.7	3.0	2.14	3,767	12/20/16	96705
3395	Res	PV	3.1	3.0	2.50	4,385	12/20/16	96766
3396	Res	PV	2.7	3.0	2.14	3,767	12/20/16	96705
3397	Res	PV	5.4	5.0	4.32	7,589	12/20/16	96766
3398	Res	PV	8.6	6.9	6.84	12,017	12/21/16	96722
3399	Res	PV	2.8	2.5	2.24	3,935	12/21/16	96766
3400	Com	PV	56.7	45.0	45.00	79,056	12/22/16	96766
3401	Com	PV	28.5	25.0	22.80	40,055	12/22/16	96766
3402	Res	PV	3.1	2.4	2.36	4,146	12/22/16	96754
3403	Res	PV	3.1	3.8	2.50	4,385	12/22/16	96756
3404	Res	PV	7.6	6.0	6.00	10,541	12/22/16	96746
3405	Res	PV	3.9	3.8	3.14	5,509	12/23/16	96746
3406	Res	PV	4.0	3.5	3.19	5,608	12/27/16	96746
3407	Res	PV	3.0	2.5	2.40	4,216	12/27/16	96741
3408	Res	PV	10.9	16.0	8.74	15,347	12/28/16	96754
3409	Res	PV	-10.9	-16.0	-8.74	-15,347	12/28/16	96754
3410	Res	PV	5.9	8.0	4.70	8,264	12/28/16	96714
3411	Res	PV	-5.9	-8.0	-4.70	-8,264	12/28/16	96714
3412	Res	PV	5.7	4.5	4.50	7,906	12/28/16	96746
3413	Com	PV	8.7	7.7	6.94	12,185	12/29/16	96766
3414	Com	PV	28.8	30.0	23.04	40,477	12/29/16	96766
3415	Com	PV	28.8	30.0	23.04	40,477	12/29/16	96766
3416	Res	PV	3.2	2.5	2.50	4,392	12/29/16	96766
3417	Res	PV	4.2	3.8	3.36	5,903	12/29/16	96756
3418	Res	PV	10.7	10.0	8.54	14,996	12/29/16	96746
3419	Res	PV	8.1	7.6	6.45	11,328	12/30/16	96752
3420	Res	PV	5.1	4.3	4.08	7,168	01/04/17	96703
3421	Res	PV	9.0	7.9	7.18	12,621	01/04/17	96746
3422	Res	PV	6.6	5.3	5.25	9,223	01/04/17	96741
3423	Res	PV	8.7	7.5	6.96	12,227	01/04/17	96766
3424	Res	PV	2.6	2.3	2.08	3,654	01/06/17	96766
3425	Res	PV	6.8	6.0	5.47	9,613	01/09/17	96741
3426	Res	PV	5.2	5.0	4.16	7,308	01/09/17	96715
3427	Res	PV	7.8	7.6	6.24	10,962	01/09/17	96746
3428	Res	PV	7.2	7.6	5.76	10,119	01/10/17	96703
3429	Res	PV	3.2	2.5	2.50	4,392	01/10/17	96765
3430	Res	PV	3.2	2.5	2.50	4,392	01/10/17	96796
3431	Res	PV	3.9	3.8	3.12	5,481	01/10/17	96766
3432	Res	PV	3.1	3.0	2.48	4,357	01/10/17	96741
3433	Res	PV	5.7	5.0	4.58	8,039	01/10/17	96752
3434	Com	PV	2.4	3.0	1.92	3,373	01/12/17	96766
3435	Res	PV	2.7	3.0	2.14	3,767	01/13/17	96796
3436	Res	PV	3.4	3.0	2.69	4,722	01/17/17	96796
3437	Res	PV	2.9	3.8	2.29	4,020	01/17/17	96746
3438	Res	PV	5.4	5.0	4.32	7,589	01/18/17	96722
3439	Res	PV	2.5	2.2	1.96	3,443	01/18/17	96766
3440	Res	PV	13.6	11.4	10.86	19,072	01/19/17	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
3441	Res	PV	3.8	3.0	3.00	5,270	01/19/17	96746
3442	Res	PV	8.3	7.6	6.66	11,693	01/19/17	96766
3443	Res	PV	7.6	6.0	6.00	10,541	01/23/17	96766
3444	Res	PV	6.7	5.2	5.16	9,065	01/24/17	96756
3445	Com	PV	11.8	8.0	8.00	14,054	01/25/17	96754
3446	Com	PV	-11.8	-8.0	-8.00	-14,054	01/25/17	96754
3447	Com	PV	9.3	10.0	7.44	13,071	01/26/17	96751
3448	Com	PV	2.9	2.5	2.28	4,006	01/26/17	96714
3449	Com	PV	4.3	3.8	3.42	6,001	01/26/17	96714
3450	Com	PV	5.7	5.0	4.56	8,011	01/26/17	96714
3451	Res	PV	13.0	11.0	10.38	18,243	01/26/17	96746
3452	Res	PV	6.3	5.0	5.00	8,784	01/26/17	96766
3453	Com	PV	2.9	2.5	2.28	4,006	01/27/17	96714
3454	Res	PV	2.4	2.2	1.92	3,373	01/27/17	96756
3455	Res	PV	4.1	3.5	3.30	5,804	01/27/17	96703
3456	Res	PV	2.9	2.5	2.28	4,006	01/30/17	96746
3457	Res	PV	3.1	2.5	2.44	4,287	01/30/17	96765
3458	Res	PV	1.3	1.3	1.04	1,827	01/30/17	96796
3459	Res	PV	2.0	1.8	1.57	2,755	02/01/17	96722
3460	Res	PV	2.0	1.8	1.57	2,755	02/01/17	96722
3461	Res	PV	12.6	12.0	10.08	17,709	02/01/17	96703
3462	Res	PV	2.0	1.8	1.57	2,755	02/01/17	96722
3463	Res	PV	2.0	1.8	1.57	2,755	02/01/17	96722
3464	Res	PV	2.0	1.8	1.57	2,755	02/01/17	96722
3465	Res	PV	2.0	1.8	1.57	2,755	02/01/17	96722
3466	Res	PV	2.0	1.8	1.57	2,755	02/01/17	96722
3467	Res	PV	3.2	2.5	2.50	4,392	02/02/17	96746
3468	Res	PV	2.2	2.2	1.73	3,036	02/02/17	96766
3469	Res	PV	6.7	6.0	5.36	9,416	02/07/17	96766
3470	Res	PV	2.0	1.8	1.57	2,755	02/07/17	96722
3471	Res	PV	2.0	1.8	1.57	2,755	02/07/17	96722
3472	Res	PV	2.0	1.8	1.57	2,755	02/07/17	96722
3473	Res	PV	2.0	1.8	1.57	2,755	02/07/17	96722
3474	Res	PV	2.0	1.8	1.57	2,755	02/07/17	96722
3475	Res	PV	2.7	3.0	2.14	3,767	02/07/17	96746
3476	Res	PV	2.0	1.8	1.57	2,755	02/07/17	96722
3477	Res	PV	2.0	1.8	1.57	2,755	02/07/17	96722
3478	Res	PV	2.0	1.8	1.57	2,755	02/07/17	96722
3479	Res	PV	2.0	1.8	1.57	2,755	02/07/17	96722
3480	Res	PV	2.0	1.8	1.57	2,755	02/07/17	96722
3481	Res	PV	2.0	1.8	1.57	2,755	02/07/17	96722
3482	Res	PV	2.0	1.8	1.57	2,755	02/07/17	96722
3483	Res	PV	2.0	1.8	1.57	2,755	02/07/17	96722
3484	Res	PV	2.0	1.8	1.57	2,755	02/07/17	96722
3485	Res	PV	2.0	1.8	1.57	2,755	02/07/17	96722
3486	Res	PV	2.0	1.8	1.57	2,755	02/07/17	96722
3487	Res	PV	2.0	1.8	1.57	2,755	02/07/17	96722
3488	Res	PV	2.0	1.8	1.57	2,755	02/08/17	96722
3489	Res	PV	2.0	1.8	1.57	2,755	02/08/17	96722
3490	Res	PV	2.0	1.8	1.57	2,755	02/08/17	96722
3491	Res	PV	2.0	1.8	1.57	2,755	02/08/17	96722
3492	Res	PV	2.0	1.8	1.57	2,755	02/08/17	96722
3493	Res	PV	2.0	1.8	1.57	2,755	02/08/17	96722

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
3494	Res	PV	2.0	1.8	1.57	2,755	02/08/17	96722
3495	Res	PV	2.0	1.8	1.57	2,755	02/08/17	96722
3496	Res	PV	2.0	1.8	1.57	2,755	02/08/17	96722
3497	Res	PV	2.0	1.8	1.57	2,755	02/08/17	96722
3498	Res	PV	2.0	1.8	1.57	2,755	02/08/17	96722
3499	Res	PV	2.0	1.8	1.57	2,755	02/08/17	96722
3500	Res	PV	2.7	3.0	2.15	3,781	02/09/17	96705
3501	Res	PV	5.2	5.0	4.18	7,336	02/09/17	96756
3502	Res	PV	2.0	1.8	1.57	2,755	02/09/17	96722
3503	Res	PV	2.0	1.8	1.57	2,755	02/09/17	96722
3504	Res	PV	2.0	1.8	1.57	2,755	02/09/17	96722
3505	Res	PV	4.9	5.0	3.95	6,943	02/14/17	96766
3506	Res	PV	4.4	5.0	3.48	6,114	02/14/17	96705
3507	Res	PV	2.0	1.8	1.57	2,755	02/14/17	96722
3508	Res	PV	2.0	1.8	1.57	2,755	02/14/17	96722
3509	Res	PV	2.0	1.8	1.57	2,755	02/14/17	96722
3510	Res	PV	2.2	2.0	1.79	3,148	02/17/17	96741
3511	Com	PV	10.0	8.4	7.98	14,012	02/21/17	96754
3512	Res	PV	7.2	6.5	5.79	10,175	02/21/17	96766
3513	Res	PV	5.4	5.0	4.29	7,533	02/21/17	96754
3514	Res	PV	10.5	9.0	8.43	14,813	02/21/17	96754
3515	Res	PV	2.7	2.5	2.12	3,724	02/22/17	96754
3516	Res	PV	10.1	8.9	8.10	14,223	02/22/17	96766
3517	Res	PV	2.0	1.8	1.57	2,755	02/24/17	96722
3518	Res	PV	2.8	2.5	2.24	3,935	02/27/17	96756
3519	Res	PV	-3.8	-4.0	-3.01	-5,284	02/27/17	96722
3520	Res	PV	2.7	3.0	2.14	3,767	02/28/17	96705
3521	Res	PV	2.4	2.2	1.92	3,373	03/01/17	96752
3522	Res	PV	2.0	1.8	1.57	2,755	03/02/17	96722
3523	Res	PV	5.3	4.3	4.24	7,449	03/03/17	96746
3524	Res	PV	2.7	3.0	2.14	3,767	03/06/17	96705
3525	Res	PV	2.7	3.0	2.14	3,767	03/06/17	96705
3526	Com	PV	12.3	10.8	9.80	17,217	03/07/17	96766
3527	Res	PV	2.7	3.0	2.14	3,767	03/07/17	96705
3528	Res	PV	5.9	5.6	4.75	8,348	03/09/17	96766
3529	Res	PV	3.2	2.5	2.50	4,392	03/13/17	96746
3530	Res	PV	2.7	3.0	2.14	3,767	03/14/17	96705
3531	Res	PV	5.0	5.0	4.00	7,027	03/14/17	96766
3532	Com	PV	97.0	90.0	77.62	136,356	03/16/17	96714
3533	Res	PV	2.7	3.0	2.14	3,767	03/16/17	96752
3534	Res	PV	8.1	7.3	6.50	11,412	03/17/17	96756
3535	Res	PV	2.4	3.0	1.92	3,373	03/22/17	96703
3536	Res	PV	3.8	3.0	3.00	5,270	03/27/17	96746
3537	Res	PV	2.7	3.0	2.14	3,767	03/28/17	96756
3538	Res	PV	2.7	3.0	2.14	3,767	03/31/17	96766
3539	Res	PV	8.6	7.5	6.84	12,017	04/03/17	96705
3540	Res	PV	3.8	3.0	3.00	5,270	04/03/17	96716
3541	Res	PV	3.2	2.5	2.50	4,392	04/03/17	96796
3542	Res	PV	2.7	3.0	2.14	3,767	04/05/17	96752
3543	Res	PV	3.2	2.5	2.50	4,392	04/05/17	96766
3544	Res	PV	7.4	7.7	5.90	10,358	04/06/17	96714
3545	Res	PV	4.5	1.0	1.00	1,757	04/06/17	96756
3546	Res	PV	4.5	4.0	3.58	6,296	04/06/17	96756

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
3547	Com	PV	215.5	180.0	172.37	302,816	04/10/17	96705
3548	Com	PV	-215.5	-180.0	-172.37	-302,816	04/10/17	96705
3549	Com	PV	173.6	156.0	138.85	243,928	04/10/17	96796
3550	Com	PV	-173.6	-156.0	-138.85	-243,928	04/10/17	96796
3551	Res	PV	8.9	5.5	5.50	9,662	04/10/17	96756
3552	Res	PV	3.4	3.0	2.74	4,807	04/11/17	96746
3553	Res	PV	4.5	4.0	3.58	6,296	04/13/17	96756
3554	Res	PV	4.5	4.0	3.58	6,296	04/13/17	96756
3555	Res	PV	7.0	7.6	5.62	9,880	04/19/17	96714
3556	Res	PV	2.7	3.0	2.14	3,767	04/19/17	96705
3557	Com	PV	257.7	216.0	206.14	362,140	04/20/17	96746
3558	Com	PV	-257.7	-216.0	-206.14	-362,140	04/20/17	96746
3559	Com	PV	26.0	20.0	20.00	35,136	04/20/17	96722
3560	Com	PV	26.0	20.0	20.00	35,136	04/20/17	96722
3561	Com	PV	4.0	3.0	3.00	5,270	04/20/17	96722
3562	Res	PV	7.5	6.6	5.98	10,499	04/20/17	96766
3563	Res	PV	9.5	7.6	7.56	13,281	04/21/17	96756
3564	Res	PV	2.4	3.0	1.92	3,373	04/24/17	96746
3565	Res	PV	2.7	3.0	2.14	3,767	04/25/17	96703
3566	Res	PV	19.5	17.0	15.60	27,406	04/28/17	96756
3567	Res	PV	10.5	7.6	7.60	13,352	04/28/17	96766
3568	Res	PV	3.4	2.8	2.73	4,793	05/04/17	96716
3569	Res	PV	2.7	3.0	2.14	3,767	05/08/17	96752
3570	Res	PV	2.7	3.0	2.14	3,767	05/08/17	96705
3571	Res	PV	6.5	6.0	5.18	9,107	05/09/17	96746
3572	Res	PV	11.2	10.0	8.96	15,741	05/10/17	96756
3573	Com	PV	194.7	162.0	155.74	273,597	05/11/17	96756
3574	Com	PV	-194.7	-162.0	-155.74	-273,597	05/11/17	96756
3575	Com	PV	6.5	5.0	5.00	8,784	05/12/17	96722
3576	Com	PV	16.1	13.6	12.90	22,656	05/15/17	96722
3577	Res	PV	4.9	3.8	3.80	6,676	05/15/17	96756
3578	Res	PV	10.0	9.0	8.00	14,054	05/15/17	96756
3579	Res	PV	6.0	6.0	4.80	8,433	05/16/17	96765
3580	Res	PV	10.2	9.0	8.18	14,364	05/17/17	96766
3581	Res	PV	8.7	7.5	6.96	12,227	05/17/17	96746
3582	Res	PV	7.0	6.0	5.57	9,782	05/22/17	96746
3583	Res	PV	7.5	7.6	6.00	10,541	05/23/17	96766
3584	Res	PV	5.4	6.0	4.32	7,589	05/23/17	96746
3585	Com	PV	16.2	11.4	11.40	20,028	05/24/17	96754
3586	Res	PV	11.7	10.0	9.36	16,444	05/24/17	96754
3587	Res	PV	6.7	7.6	5.36	9,416	05/25/17	96756
3588	Res	PV	4.2	4.0	3.33	5,847	05/25/17	96746
3589	Com	PV	9.0	7.7	7.20	12,649	05/26/17	96766
3590	Res	PV	6.7	7.6	5.36	9,416	05/31/17	96756
3591	Res	PV	2.4	2.2	1.92	3,373	06/01/17	96746
3592	Res	PV	3.5	2.8	2.75	4,831	06/02/17	96796
3593	Res	PV	6.6	6.0	5.30	9,318	06/02/17	96766
3594	Com	PV	7.0	7.6	5.63	9,894	06/05/17	96754
3595	Res	PV	3.4	3.0	2.68	4,708	06/06/17	96741
3596	Res	PV	8.8	7.5	7.01	12,312	06/07/17	96722
3597	Res	PV	3.2	2.5	2.50	4,392	06/07/17	96703
3598	Res	PV	17.0	15.3	13.61	23,907	06/08/17	96756
3599	Res	PV	3.0	2.8	2.38	4,174	06/09/17	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
3600	Res	PV	2.3	2.3	1.87	3,289	06/09/17	96766
3601	Res	PV	3.2	2.5	2.50	4,392	06/13/17	96746
3602	Com	PV	26.0	20.0	20.00	35,136	06/14/17	96722
3603	Com	PV	8.7	10.0	6.97	12,241	06/14/17	96716
3604	Res	PV	4.0	3.8	3.22	5,650	06/14/17	96714
3605	Res	PV	2.7	3.0	2.14	3,767	06/15/17	96752
3606	Res	PV	2.7	3.0	2.14	3,767	06/15/17	96752
3607	Res	PV	5.0	4.0	4.00	7,027	06/19/17	96756
3608	Res	PV	4.1	3.5	3.25	5,706	06/19/17	96741
3609	Res	PV	3.5	3.0	2.78	4,891	06/19/17	96746
3610	Res	PV	2.6	2.5	2.08	3,654	06/22/17	96765
3611	Res	PV	2.7	3.0	2.14	3,767	06/22/17	96752
3612	Res	PV	2.7	3.0	2.14	3,767	06/22/17	96752
3613	Res	PV	2.7	3.0	2.14	3,767	06/23/17	96752
3614	Res	PV	2.7	3.0	2.14	3,767	06/23/17	96752
3615	Res	PV	12.5	9.9	9.89	17,375	06/27/17	96754
3616	Res	PV	4.1	3.5	3.25	5,706	06/30/17	96741
3617	Res	PV	2.0	2.0	1.63	2,867	07/03/17	96796
3618	Res	PV	3.5	2.8	2.75	4,831	07/03/17	96746
3619	Res	PV	3.2	2.5	2.50	4,392	07/03/17	96746
3620	Res	PV	3.5	2.8	2.75	4,831	07/07/17	96746
3621	Res	PV	2.7	3.0	2.14	3,767	07/11/17	96752
3622	Res	PV	3.7	3.8	2.94	5,172	07/18/17	96754
3623	Res	PV	8.1	7.8	6.50	11,412	07/18/17	96703
3624	Com	PV	109.1	100.0	87.30	153,362	07/21/17	96766
3625	Res	PV	8.2	6.5	6.50	11,419	07/21/17	96722
3626	Res	PV	3.2	3.5	2.58	4,526	07/24/17	96746
3627	Res	PV	3.0	3.0	2.41	4,230	07/24/17	96746
3628	Res	PV	3.0	3.0	2.40	4,216	07/25/17	96741
3629	Com	PV	23.2	20.0	18.56	32,606	07/27/17	96746
3630	Res	PV	7.3	8.0	5.86	10,288	07/27/17	96756
3631	Res	PV	2.9	2.5	2.32	4,076	07/28/17	96746
3632	Res	PV	7.0	6.0	5.57	9,782	07/28/17	96746
3633	Res	PV	3.0	3.8	2.38	4,174	07/31/17	96765
3634	Res	PV	9.7	10.0	7.73	13,577	08/01/17	96766
3635	Res	PV	5.2	5.0	4.16	7,308	08/02/17	96756
3636	Res	PV	9.8	8.6	7.81	13,717	08/03/17	96756
3637	Res	PV	5.8	5.0	4.64	8,152	08/03/17	96746
3638	Res	PV	7.6	6.0	6.00	10,541	08/03/17	96756
3639	Res	PV	2.7	3.0	2.14	3,767	08/07/17	96705
3640	Res	PV	2.7	3.0	2.14	3,767	08/07/17	96705
3641	Res	PV	3.5	3.0	2.78	4,891	08/08/17	96746
3642	Res	PV	2.8	2.5	2.24	3,935	08/08/17	96756
3643	Res	PV	4.6	4.0	3.71	6,521	08/08/17	96746
3644	Res	PV	6.3	5.0	5.00	8,784	08/11/17	96756
3645	Com	PV	3.2	2.5	2.50	4,392	08/16/17	96746
3646	Com	PV	55.8	43.2	43.20	75,894	08/17/17	96766
3647	Res	PV	5.9	6.0	4.69	8,236	08/17/17	96754
3648	Res	PV	4.4	3.5	3.50	6,149	08/17/17	96746
3649	Res	PV	2.7	3.0	2.14	3,767	08/17/17	96714
3650	Res	PV	2.9	2.5	2.32	4,076	08/21/17	96741
3651	Res	PV	4.6	4.0	3.71	6,521	08/21/17	96746
3652	Res	PV	5.9	6.0	4.69	8,236	08/21/17	96754

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
3653	Res	PV	7.0	11.0	5.57	9,782	08/24/17	96756
3654	Res	PV	4.4	3.8	3.48	6,114	08/24/17	96741
3655	Res	PV	2.7	3.0	2.14	3,767	08/24/17	96766
3656	Res	PV	7.3	5.8	5.75	10,102	08/24/17	96746
3657	Res	PV	2.8	2.2	2.15	3,777	08/28/17	96746
3658	Com	PV	219.6	168.0	168.00	295,142	08/29/17	96766
3659	Com	PV	-219.6	-168.0	-168.00	-295,142	08/29/17	96766
3660	Res	PV	6.6	5.3	5.25	9,223	08/29/17	96766
3661	Res	PV	6.7	7.6	5.38	9,445	08/29/17	96766
3662	Res	PV	6.2	5.0	4.97	8,728	08/31/17	96752
3663	Res	PV	5.3	5.0	4.26	7,477	08/31/17	96746
3664	Res	PV	8.9	7.7	7.10	12,480	09/01/17	96746
3665	Res	PV	5.1	3.6	3.62	6,360	09/06/17	96765
3666	Res	PV	3.6	3.0	2.88	5,060	09/07/17	96752
3667	Res	PV	6.6	5.3	5.25	9,223	09/12/17	96746
3668	Res	PV	7.0	6.0	5.57	9,782	09/13/17	96766
3669	Res	PV	4.8	4.0	3.84	6,746	09/15/17	96746
3670	Res	PV	3.0	2.5	2.40	4,216	09/18/17	96705
3671	Res	PV	2.7	3.0	2.14	3,767	09/18/17	96705
3672	Res	PV	5.4	5.0	4.29	7,533	09/18/17	96752
3673	Res	PV	3.6	3.6	2.85	5,003	09/18/17	96756
3674	Res	PV	7.2	6.0	5.76	10,119	09/18/17	96741
3675	Com	PV	7.2	6.0	5.76	10,119	09/19/17	96746
3676	Res	PV	3.2	2.5	2.50	4,392	09/19/17	96746
3677	Res	PV	4.3	2.1	2.08	3,654	09/21/17	96722
3678	Res	PV	4.3	2.1	2.08	3,654	09/21/17	96722
3679	Res	PV	4.3	2.1	2.08	3,654	09/21/17	96722
3680	Res	PV	4.0	2.1	2.08	3,654	09/21/17	96722
3681	Res	PV	4.0	2.1	2.08	3,654	09/21/17	96722
3682	Res	PV	4.0	2.1	2.08	3,654	09/21/17	96722
3683	Res	PV	4.3	2.1	2.08	3,654	09/21/17	96722
3684	Res	PV	5.3	2.1	2.08	3,654	09/21/17	96722
3685	Res	PV	4.3	2.1	2.08	3,654	09/21/17	96722
3686	Res	PV	5.3	2.1	2.08	3,654	09/21/17	96722
3687	Res	PV	4.3	2.1	2.08	3,654	09/21/17	96722
3688	Res	PV	4.3	2.1	2.08	3,654	09/21/17	96722
3689	Res	PV	4.0	2.1	2.08	3,654	09/21/17	96722
3690	Res	PV	4.0	2.1	2.08	3,654	09/21/17	96722
3691	Res	PV	4.3	2.1	2.08	3,654	09/21/17	96722
3692	Res	PV	4.3	2.1	2.08	3,654	09/21/17	96722
3693	Res	PV	4.3	2.1	2.08	3,654	09/21/17	96722
3694	Res	PV	4.3	2.1	2.08	3,654	09/21/17	96722
3695	Res	PV	4.3	2.1	2.08	3,654	09/21/17	96722
3696	Res	PV	4.0	2.1	2.08	3,654	09/21/17	96722
3697	Res	PV	4.3	2.1	2.08	3,654	09/21/17	96722
3698	Res	PV	4.0	2.1	2.08	3,654	09/21/17	96722
3699	Res	PV	4.3	2.1	2.08	3,654	09/21/17	96722
3700	Res	PV	4.3	2.1	2.08	3,654	09/21/17	96722
3701	Res	PV	5.3	2.1	2.08	3,654	09/21/17	96722
3702	Res	PV	5.3	2.1	2.08	3,654	09/21/17	96722
3703	Res	PV	4.0	2.1	2.08	3,654	09/21/17	96722
3704	Res	PV	4.0	2.1	2.08	3,654	09/21/17	96722
3705	Res	PV	3.2	2.5	2.50	4,392	09/22/17	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
3706	Res	PV	3.4	3.0	2.69	4,722	09/22/17	96716
3707	Res	PV	2.7	3.0	2.14	3,767	09/25/17	96703
3708	Res	PV	5.3	2.1	2.08	3,654	09/25/17	96722
3709	Res	PV	5.3	2.1	2.08	3,654	09/25/17	96722
3710	Res	PV	4.3	2.1	2.08	3,654	09/25/17	96722
3711	Res	PV	4.0	2.1	2.08	3,654	09/25/17	96722
3712	Res	PV	4.3	2.1	2.08	3,654	09/25/17	96722
3713	Res	PV	4.3	2.8	2.84	4,989	09/25/17	96722
3714	Res	PV	4.3	2.1	2.08	3,654	09/25/17	96722
3715	Res	PV	4.3	2.1	2.08	3,654	09/25/17	96722
3716	Res	PV	4.0	2.1	2.08	3,654	09/25/17	96722
3717	Res	PV	4.0	2.1	2.08	3,654	09/25/17	96722
3718	Res	PV	3.6	3.0	2.88	5,060	09/25/17	96705
3719	Res	PV	4.0	2.1	2.08	3,654	09/25/17	96722
3720	Res	PV	4.3	2.1	2.08	3,654	09/25/17	96722
3721	Res	PV	4.3	2.1	2.08	3,654	09/25/17	96722
3722	Res	PV	4.3	2.1	2.08	3,654	09/25/17	96722
3723	Res	PV	5.3	2.1	2.08	3,654	09/25/17	96722
3724	Res	PV	4.3	2.1	2.08	3,654	09/25/17	96722
3725	Res	PV	5.3	2.1	2.08	3,654	09/25/17	96722
3726	Res	PV	4.3	2.1	2.08	3,654	09/25/17	96722
3727	Res	PV	4.3	2.1	2.08	3,654	09/25/17	96722
3728	Res	PV	4.3	2.1	2.08	3,654	09/25/17	96722
3729	Res	PV	4.3	2.1	2.08	3,654	09/25/17	96722
3730	Res	PV	4.3	2.1	2.08	3,654	09/25/17	96722
3731	Res	PV	4.3	2.1	2.08	3,654	09/25/17	96722
3732	Res	PV	4.3	2.1	2.08	3,654	09/26/17	96722
3733	Res	PV	4.3	2.1	2.08	3,654	09/26/17	96722
3734	Res	PV	4.3	2.1	2.08	3,654	09/26/17	96722
3735	Res	PV	4.0	2.1	2.08	3,654	09/26/17	96722
3736	Res	PV	4.0	2.1	2.08	3,654	09/26/17	96722
3737	Res	PV	4.3	2.1	2.08	3,654	09/26/17	96722
3738	Res	PV	4.3	2.1	2.08	3,654	09/26/17	96722
3739	Res	PV	4.3	2.1	2.08	3,654	09/26/17	96722
3740	Res	PV	4.3	2.1	2.08	3,654	09/26/17	96722
3741	Res	PV	4.3	2.1	2.08	3,654	09/26/17	96722
3742	Res	PV	4.0	2.1	2.08	3,654	09/26/17	96722
3743	Res	PV	4.3	2.1	2.08	3,654	09/26/17	96722
3744	Res	PV	4.3	2.1	2.08	3,654	09/26/17	96722
3745	Res	PV	4.3	2.1	2.08	3,654	09/26/17	96722
3746	Res	PV	4.0	2.1	2.08	3,654	09/26/17	96722
3747	Res	PV	4.3	2.1	2.08	3,654	09/26/17	96722
3748	Res	PV	4.0	2.1	2.08	3,654	09/26/17	96722
3749	Res	PV	4.3	2.1	2.08	3,654	09/26/17	96722
3750	Res	PV	4.3	2.1	2.08	3,654	09/26/17	96722
3751	Res	PV	4.0	2.1	2.08	3,654	09/26/17	96722
3752	Res	PV	4.3	2.1	2.08	3,654	09/28/17	96722
3753	Res	PV	4.3	2.1	2.08	3,654	09/28/17	96722
3754	Res	PV	4.3	2.1	2.08	3,654	09/28/17	96722
3755	Res	PV	4.3	2.1	2.08	3,654	09/28/17	96722
3756	Res	PV	4.3	2.1	2.08	3,654	09/28/17	96722
3757	Res	PV	4.3	2.1	2.08	3,654	09/28/17	96722
3758	Res	PV	4.0	2.1	2.08	3,654	09/28/17	96722

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
3759	Res	PV	4.0	2.1	2.08	3,654	09/28/17	96722
3760	Res	PV	2.7	3.0	2.14	3,767	09/29/17	96716
3761	Res	PV	2.7	3.0	2.14	3,767	09/29/17	96705
3762	Res	PV	4.3	2.1	2.08	3,654	10/03/17	96722
3763	Res	PV	4.3	2.1	2.08	3,654	10/03/17	96722
3764	Res	PV	4.3	2.1	2.08	3,654	10/03/17	96722
3765	Res	PV	4.3	2.1	2.08	3,654	10/03/17	96722
3766	Res	PV	4.3	2.1	2.08	3,654	10/03/17	96722
3767	Res	PV	4.0	2.1	2.08	3,654	10/03/17	96722
3768	Res	PV	4.0	2.1	2.08	3,654	10/03/17	96722
3769	Res	PV	4.3	2.1	2.08	3,654	10/03/17	96722
3770	Res	PV	4.3	2.1	2.08	3,654	10/03/17	96722
3771	Res	PV	4.3	2.1	2.08	3,654	10/03/17	96722
3772	Res	PV	4.0	2.1	2.08	3,654	10/03/17	96722
3773	Res	PV	4.3	2.1	2.08	3,654	10/03/17	96722
3774	Res	PV	4.3	2.1	2.08	3,654	10/03/17	96722
3775	Res	PV	4.0	2.1	2.08	3,654	10/03/17	96722
3776	Res	PV	4.3	2.1	2.08	3,654	10/03/17	96722
3777	Res	PV	4.0	2.1	2.08	3,654	10/03/17	96722
3778	Res	PV	4.3	2.1	2.08	3,654	10/03/17	96722
3779	Res	PV	4.3	2.1	2.08	3,654	10/03/17	96722
3780	Res	PV	9.3	7.3	7.33	12,877	10/03/17	96756
3781	Res	PV	2.7	3.0	2.14	3,767	10/04/17	96705
3782	Res	PV	2.7	3.0	2.14	3,767	10/04/17	96752
3783	Res	PV	8.0	7.6	6.43	11,300	10/04/17	96716
3784	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3785	Res	PV	4.0	2.1	2.08	3,654	10/04/17	96722
3786	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3787	Res	PV	4.0	2.1	2.08	3,654	10/04/17	96722
3788	Res	PV	4.0	2.1	2.08	3,654	10/04/17	96722
3789	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3790	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3791	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3792	Res	PV	4.0	2.1	2.08	3,654	10/04/17	96722
3793	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3794	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3795	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3796	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3797	Res	PV	4.0	2.1	2.08	3,654	10/04/17	96722
3798	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3799	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3800	Res	PV	4.0	2.1	2.08	3,654	10/04/17	96722
3801	Res	PV	4.0	2.1	2.08	3,654	10/04/17	96722
3802	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3803	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3804	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3805	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3806	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3807	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3808	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3809	Res	PV	4.0	2.1	2.08	3,654	10/04/17	96722
3810	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3811	Res	PV	3.9	2.1	2.08	3,654	10/04/17	96722

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
3812	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3813	Res	PV	4.0	2.1	2.08	3,654	10/04/17	96722
3814	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3815	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3816	Res	PV	4.0	2.1	2.08	3,654	10/04/17	96722
3817	Res	PV	4.0	2.1	2.08	3,654	10/04/17	96722
3818	Res	PV	4.0	2.1	2.08	3,654	10/04/17	96722
3819	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3820	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3821	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3822	Res	PV	4.0	2.1	2.08	3,654	10/04/17	96722
3823	Res	PV	4.0	2.1	2.08	3,654	10/04/17	96722
3824	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3825	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3826	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3827	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3828	Res	PV	4.0	2.1	2.08	3,654	10/04/17	96722
3829	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3830	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3831	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3832	Res	PV	4.0	2.1	2.08	3,654	10/04/17	96722
3833	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3834	Res	PV	4.0	2.1	2.08	3,654	10/04/17	96722
3835	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3836	Res	PV	4.0	2.1	2.08	3,654	10/04/17	96722
3837	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3838	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3839	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3840	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3841	Res	PV	4.0	2.1	2.08	3,654	10/04/17	96722
3842	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3843	Res	PV	4.3	2.1	2.08	3,654	10/04/17	96722
3844	Res	PV	5.4	5.0	4.32	7,589	10/05/17	96756
3845	Res	PV	4.3	2.1	2.08	3,654	10/05/17	96722
3846	Res	PV	4.0	2.1	2.08	3,654	10/05/17	96722
3847	Res	PV	4.3	2.1	2.08	3,654	10/05/17	96722
3848	Res	PV	3.1	2.5	2.44	4,287	10/06/17	96766
3849	Res	PV	3.2	2.5	2.50	4,392	10/06/17	96796
3850	Res	PV	8.1	7.0	6.50	11,412	10/11/17	96746
3851	Res	PV	8.1	7.0	6.50	11,412	10/11/17	96746
3852	Res	PV	9.1	10.0	7.30	12,818	10/11/17	96746
3853	Res	PV	4.3	2.1	2.08	3,654	10/11/17	96722
3854	Res	PV	4.3	2.1	2.08	3,654	10/11/17	96722
3855	Res	PV	4.3	2.1	2.08	3,654	10/11/17	96722
3856	Res	PV	4.3	2.1	2.08	3,654	10/11/17	96722
3857	Res	PV	3.7	3.0	2.93	5,144	10/16/17	96766
3858	Res	PV	5.4	6.0	4.29	7,533	10/16/17	96716
3859	Res	PV	3.5	2.8	2.75	4,831	10/17/17	96722
3860	Res	PV	5.7	5.0	4.56	8,011	10/17/17	96746
3861	Res	PV	8.1	6.8	6.50	11,412	10/17/17	96746
3862	Res	PV	5.1	5.0	4.10	7,210	10/17/17	96746
3863	Res	PV	4.3	2.1	2.08	3,654	10/20/17	96722
3864	Res	PV	4.3	2.1	2.08	3,654	10/20/17	96722

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
3865	Res	PV	4.3	2.1	2.08	3,654	10/20/17	96722
3866	Res	PV	4.3	2.1	2.08	3,654	10/20/17	96722
3867	Res	PV	4.3	2.1	2.08	3,654	10/20/17	96722
3868	Res	PV	4.0	2.1	2.08	3,654	10/20/17	96722
3869	Res	PV	4.3	2.1	2.08	3,654	10/20/17	96722
3870	Res	PV	4.0	2.1	2.08	3,654	10/20/17	96722
3871	Res	PV	4.0	2.1	2.08	3,654	10/20/17	96722
3872	Res	PV	4.0	2.1	2.08	3,654	10/20/17	96722
3873	Res	PV	4.3	2.1	2.08	3,654	10/20/17	96722
3874	Res	PV	4.3	2.1	2.08	3,654	10/20/17	96722
3875	Res	PV	4.0	2.1	2.08	3,654	10/20/17	96722
3876	Res	PV	4.0	2.1	2.08	3,654	10/20/17	96722
3877	Res	PV	4.3	2.1	2.08	3,654	10/20/17	96722
3878	Res	PV	4.3	2.1	2.08	3,654	10/20/17	96722
3879	Res	PV	4.3	2.1	2.08	3,654	10/20/17	96722
3880	Res	PV	4.3	2.1	2.08	3,654	10/20/17	96722
3881	Res	PV	4.3	2.1	2.08	3,654	10/20/17	96722
3882	Res	PV	4.0	2.1	2.08	3,654	10/20/17	96722
3883	Res	PV	3.4	2.1	2.08	3,654	10/20/17	96722
3884	Res	PV	4.3	2.1	2.08	3,654	10/20/17	96722
3885	Res	PV	4.0	2.1	2.08	3,654	10/20/17	96722
3886	Res	PV	4.3	2.1	2.08	3,654	10/20/17	96722
3887	Res	PV	4.3	2.1	2.08	3,654	10/20/17	96722
3888	Res	PV	4.3	2.1	2.08	3,654	10/20/17	96722
3889	Res	PV	4.3	2.1	2.08	3,654	10/20/17	96722
3890	Res	PV	4.3	2.1	2.08	3,654	10/20/17	96722
3891	Res	PV	4.3	2.1	2.08	3,654	10/20/17	96722
3892	Res	PV	4.3	2.1	2.08	3,654	10/20/17	96722
3893	Res	PV	7.2	7.7	5.76	10,119	10/23/17	96741
3894	Res	PV	3.2	2.5	2.50	4,392	10/24/17	96741
3895	Res	PV	2.7	3.0	2.14	3,767	10/25/17	96752
3896	Res	PV	3.2	3.0	2.54	4,469	10/25/17	96756
3897	Res	PV	4.0	8.8	3.22	5,650	10/25/17	96703
3898	Res	PV	8.0	7.6	6.43	11,300	10/27/17	96746
3899	Res	PV	4.7	5.0	3.75	6,592	10/27/17	96714
3900	Res	PV	4.3	2.1	2.08	3,654	10/27/17	96722
3901	Res	PV	4.0	2.1	2.08	3,654	10/27/17	96722
3902	Res	PV	4.3	2.1	2.08	3,654	10/27/17	96722
3903	Res	PV	3.3	8.6	2.66	4,666	10/30/17	96746
3904	Res	PV	7.2	6.0	5.76	10,119	10/31/17	96741
3905	Res	PV	10.4	9.0	8.35	14,673	11/03/17	96756
3906	Res	PV	2.4	2.0	1.92	3,373	11/06/17	96754
3907	Res	PV	12.1	10.0	9.67	16,992	11/07/17	96714
3908	Res	PV	4.8	10.0	3.86	6,788	11/07/17	96722
3909	Res	PV	7.7	7.6	6.16	10,822	11/09/17	96766
3910	Res	PV	4.9	4.0	3.90	6,859	11/14/17	96741
3911	Res	PV	3.2	2.5	2.50	4,392	11/15/17	96754
3912	Res	PV	2.8	2.5	2.24	3,935	11/21/17	96746
3913	Res	PV	9.0	7.5	7.20	12,649	11/21/17	96741
3914	Res	PV	2.8	2.5	2.24	3,935	11/21/17	96746
3915	Com	PV	60.5	50.0	48.38	85,001	11/22/17	96746
3916	Res	PV	4.8	5.0	3.87	6,802	11/24/17	96746
3917	Res	PV	3.2	2.5	2.50	4,392	11/27/17	96722

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
3918	Res	PV	3.7	3.0	2.93	5,144	11/28/17	96741
3919	Res	PV	2.7	3.0	2.14	3,767	11/29/17	96752
3920	Res	PV	8.8	10.0	7.06	12,410	11/30/17	96765
3921	Res	PV	6.0	5.0	4.78	8,405	11/30/17	96765
3922	Res	PV	9.0	8.8	7.18	12,607	12/04/17	96741
3923	Res	PV	5.2	4.5	4.14	7,280	12/04/17	96741
3924	Res	PV	4.2	4.1	3.36	5,903	12/05/17	96766
3925	Res	PV	5.6	5.0	4.50	7,913	12/05/17	96766
3926	Res	WIND	2.4	2.4	1.92	3,373	12/06/17	96756
3927	Res	PV	4.4	3.8	3.48	6,114	12/06/17	96756
3928	Res	PV	2.7	3.0	2.14	3,767	12/06/17	96752
3929	Res	PV	3.2	2.5	2.50	4,392	12/08/17	96741
3930	Res	PV	11.3	9.7	9.07	15,938	12/11/17	96756
3931	Res	PV	4.3	3.5	3.42	6,001	12/11/17	96741
3932	Res	PV	2.5	2.0	2.00	3,514	12/13/17	96746
3933	Res	PV	5.5	5.0	4.37	7,674	12/14/17	96756
3934	Res	PV	4.7	4.0	3.74	6,577	12/14/17	96756
3935	Res	PV	5.1	3.8	3.80	6,676	12/14/17	96746
3936	Res	PV	8.6	10.0	6.91	12,143	12/14/17	96746
3937	Res	PV	12.6	12.2	10.11	17,765	12/14/17	96746
3938	Res	PV	7.0	6.0	5.57	9,782	12/14/17	96746
3939	Res	PV	3.0	2.9	2.40	4,216	12/14/17	96746
3940	Res	PV	10.8	9.0	8.64	15,179	12/15/17	96741
3941	Res	PV	10.8	9.0	8.64	15,179	12/15/17	96756
3942	Res	PV	3.6	3.5	2.88	5,060	12/15/17	96766
3943	Res	PV	9.6	9.3	7.71	13,548	12/15/17	96741
3944	Res	PV	4.0	3.8	3.22	5,650	12/15/17	96705
3945	Res	PV	3.2	2.5	2.50	4,392	12/15/17	96756
3946	Res	PV	3.1	3.8	2.48	4,357	12/18/17	96722
3947	Res	PV	7.6	7.6	6.07	10,667	12/18/17	96746
3948	Res	PV	3.0	2.5	2.40	4,216	12/19/17	96756
3949	Res	PV	3.2	2.5	2.50	4,392	12/19/17	96703
3950	Com	PV	15.1	13.5	12.10	21,250	12/20/17	96752
3951	Res	PV	6.8	6.0	5.47	9,613	12/20/17	96746
3952	Res	PV	3.1	2.8	2.45	4,301	12/22/17	96746
3953	Res	PV	6.6	5.3	5.25	9,223	12/26/17	96722
3954	Res	PV	14.7	12.2	11.76	20,660	12/26/17	96756
3955	Res	PV	2.7	3.0	2.14	3,767	12/28/17	96766
3956	Res	PV	4.5	5.0	3.58	6,296	12/28/17	96746
3957	Res	PV	9.0	8.7	7.20	12,649	12/28/17	96746
3958	Res	PV	2.7	3.0	2.14	3,767	12/28/17	96754
3959	Res	PV	2.7	3.0	2.14	3,767	12/28/17	96754
3960	Res	PV	4.8	4.6	3.84	6,746	12/28/17	96766
3961	Res	PV	4.2	4.0	3.36	5,903	12/29/17	96765
3962	Res	PV	3.2	2.5	2.50	4,392	12/29/17	96746
3963	Res	PV	3.6	8.0	2.88	5,060	01/02/18	96766
3964	Res	PV	4.8	5.0	3.86	6,788	01/04/18	96756
3965	Res	PV	7.0	7.6	5.62	9,880	01/04/18	96746
3966	Com	PV	6.8	6.0	5.47	9,613	01/08/18	96766
3967	Res	PV	3.4	2.8	2.68	4,708	01/08/18	96746
3968	Res	PV	1.8	1.7	1.44	2,530	01/08/18	96746
3969	Res	PV	10.8	10.4	8.64	15,179	01/08/18	96722
3970	Res	PV	3.1	2.5	2.44	4,287	01/08/18	96741

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
3971	Res	PV	5.4	10.0	4.29	7,533	01/08/18	96756
3972	Res	PV	2.8	8.0	2.21	3,879	01/08/18	96756
3973	Res	PV	4.1	4.1	3.30	5,790	01/08/18	96752
3974	Res	PV	3.4	5.0	2.68	4,708	01/09/18	96754
3975	Res	PV	8.3	7.6	6.62	11,637	01/09/18	96766
3976	Res	PV	7.2	7.0	5.76	10,119	01/09/18	96756
3977	Res	PV	15.2	13.6	12.16	21,363	01/09/18	96756
3978	Res	PV	5.4	9.5	4.32	7,589	01/10/18	96746
3979	Res	PV	2.7	3.0	2.14	3,767	01/10/18	96714
3980	Res	PV	5.7	5.0	4.56	8,011	01/12/18	96756
3981	Res	PV	10.4	10.0	8.28	14,546	01/15/18	96746
3982	Res	PV	2.3	2.3	1.86	3,261	01/16/18	96741
3983	Res	PV	6.9	6.0	5.49	9,641	01/16/18	96752
3984	Res	PV	3.9	3.5	3.14	5,509	01/16/18	96756
3985	Res	PV	4.0	3.5	3.19	5,608	01/16/18	96756
3986	Res	PV	3.0	2.9	2.40	4,216	01/16/18	96754
3987	Res	PV	3.4	4.0	2.74	4,821	01/16/18	96766
3988	Res	PV	6.6	6.4	5.28	9,276	01/16/18	96754
3989	Res	PV	3.7	3.8	2.96	5,200	01/17/18	96741
3990	Res	PV	9.0	7.7	7.17	12,593	01/23/18	96756
3991	Res	PV	5.6	5.0	4.48	7,870	01/23/18	96766
3992	Res	PV	4.8	4.7	3.84	6,746	01/25/18	96766
3993	Res	PV	2.7	3.0	2.14	3,767	01/25/18	96746
3994	Res	PV	5.9	5.0	4.69	8,236	01/30/18	96714
3995	Res	PV	9.6	9.2	7.66	13,464	02/01/18	96756
3996	Res	PV	7.8	7.6	6.27	11,019	02/01/18	96756
3997	Res	PV	8.3	7.6	6.62	11,637	02/05/18	96766
3998	Res	PV	11.9	10.0	9.54	16,753	02/05/18	96756
3999	Res	PV	3.0	2.9	2.40	4,216	02/07/18	96746
4000	Res	PV	10.8	10.0	8.64	15,179	02/07/18	96754
4001	Res	PV	5.4	4.6	4.35	7,646	02/09/18	96766
4002	Com	PV	76.9	61.2	61.20	107,516	02/13/18	96722
4003	Com	PV	33.5	27.0	26.78	47,054	02/13/18	96722
4004	Res	PV	4.0	3.8	3.22	5,650	02/14/18	96716
4005	Res	PV	3.5	8.8	2.76	4,849	02/14/18	96766
4006	Res	PV	3.6	3.5	2.88	5,060	02/14/18	96716
4007	Res	PV	8.3	7.6	6.62	11,637	02/20/18	96796
4008	Res	PV	11.6	10.0	9.26	16,261	02/21/18	96766
4009	Res	PV	4.7	10.0	3.75	6,592	02/26/18	96756
4010	Res	PV	2.8	2.5	2.24	3,935	02/26/18	96756
4011	Res	PV	7.2	7.0	5.76	10,119	03/01/18	96766
4012	Com	PV	9.8	9.3	7.81	13,717	03/06/18	96741
4013	Com	PV	27.7	24.0	22.18	38,959	03/07/18	96752
4014	Com	PV	12.9	10.0	10.00	17,568	03/08/18	96765
4015	Com	PV	120.0	100.0	96.00	168,653	03/08/18	96766
4016	Res	PV	2.7	3.0	2.14	3,767	03/08/18	96756
4017	Res	PV	8.3	10.0	6.62	11,637	03/12/18	96746
4018	Res	PV	12.8	12.2	10.25	18,004	03/14/18	96756
4019	Res	PV	6.1	5.0	4.88	8,573	03/14/18	96756
4020	Res	PV	5.6	4.8	4.51	7,927	03/14/18	96746
4021	Res	PV	2.7	3.0	2.14	3,767	03/23/18	96752
4022	Res	PV	3.4	3.0	2.68	4,708	03/23/18	96752
4023	Res	PV	5.4	5.0	4.29	7,533	03/23/18	96752

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
4024	Res	PV	15.7	25.2	12.59	22,122	03/23/18	96756
4025	Res	PV	4.4	3.8	3.53	6,198	03/23/18	96741
4026	Res	PV	4.4	4.0	3.53	6,198	03/26/18	96765
4027	Res	PV	2.4	2.5	1.92	3,373	03/26/18	96746
4028	Res	PV	2.7	3.0	2.14	3,767	03/27/18	96703
4029	Res	PV	4.6	4.0	3.65	6,409	03/27/18	96746
4030	Res	PV	4.0	3.8	3.22	5,650	03/27/18	96746
4031	Res	PV	2.7	3.0	2.14	3,767	03/27/18	96746
4032	Res	PV	4.3	2.1	2.08	3,654	04/04/18	96722
4033	Com	PV	10.2	10.0	8.16	14,335	04/10/18	96756
4034	Res	PV	7.2	7.0	5.76	10,119	04/10/18	96746
4035	Res	PV	6.3	6.0	5.02	8,812	04/13/18	96756
4036	Res	PV	3.8	5.0	3.03	5,327	04/13/18	96714
4037	Res	PV	2.8	3.8	2.20	3,865	04/19/18	96741
4038	Res	PV	5.4	5.0	4.29	7,533	04/19/18	96752
4039	Res	PV	3.6	3.5	2.88	5,060	04/30/18	96756
4040	Res	PV	14.0	12.5	11.20	19,676	04/30/18	96741
4041	Res	PV	2.4	2.3	1.92	3,373	05/01/18	96754
4042	Res	PV	15.2	15.2	12.14	21,335	05/01/18	96714
4043	Res	PV	5.1	3.9	3.85	6,764	05/02/18	96765
4044	Res	PV	4.8	4.6	3.84	6,746	05/04/18	96722
4045	Res	PV	7.3	6.0	5.82	10,232	05/04/18	96754
4046	Res	PV	0.0	13.5	0.00	0	05/07/18	96756
4047	Res	PV	15.0	14.5	12.00	21,082	05/07/18	96766
4048	Com	PV	24.6	20.0	19.66	34,532	05/14/18	96756
4049	Res	PV	4.3	10.0	3.46	6,072	05/15/18	96722
4050	Res	PV	7.2	7.0	5.76	10,119	05/24/18	96741
4051	Res	PV	3.7	3.0	2.96	5,200	05/30/18	96746
4052	Res	PV	2.7	3.0	2.14	3,767	05/31/18	96703
4053	Res	PV	2.7	3.0	2.14	3,767	06/06/18	96766
4054	Res	PV	5.3	4.4	4.20	7,379	06/08/18	96756
4055	Res	PV	1.2	1.2	0.96	1,687	06/08/18	96766
4056	Res	PV	2.7	2.3	2.16	3,795	06/12/18	96741
4057	Res	PV	6.0	6.0	4.80	8,433	06/12/18	96765
4058	Res	PV	4.3	10.0	3.46	6,072	06/28/18	96746
4059	Res	PV	3.9	7.6	3.12	5,481	06/28/18	96754
4060	Res	PV	6.0	5.8	4.80	8,433	06/28/18	96714
4061	Res	PV	7.4	7.6	5.90	10,358	06/29/18	96714
4062	Res	PV	5.5	10.0	4.42	7,758	06/29/18	96714
4063	Res	PV	2.4	2.3	1.92	3,373	06/29/18	96714
4064	Res	PV	3.5	8.8	2.76	4,849	06/29/18	96722
4065	Com	PV	24.5	21.0	19.58	34,405	07/03/18	96746
4066	Res	PV	3.4	3.0	2.69	4,722	07/05/18	96715
4067	Res	PV	10.6	9.8	8.51	14,954	07/09/18	96741
4068	Res	PV	4.8	7.6	3.87	6,802	07/09/18	96752
4069	Res	PV	4.8	4.6	3.84	6,746	07/10/18	96746
4070	Res	PV	1.8	1.7	1.44	2,530	07/11/18	96754
4071	Res	PV	3.6	3.5	2.88	5,060	07/12/18	96766
4072	Res	PV	7.2	6.8	5.76	10,119	07/17/18	96746
4073	Res	PV	2.7	3.0	2.14	3,767	07/17/18	96703
4074	Res	PV	3.6	3.5	2.88	5,060	07/19/18	96746
4075	Res	PV	2.7	3.0	2.14	3,767	07/19/18	96705
4076	Res	PV	7.2	7.0	5.76	10,119	07/20/18	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
4077	Res	PV	7.2	7.0	5.76	10,119	07/20/18	96766
4078	Res	PV	7.2	7.0	5.76	10,119	07/31/18	96703
4079	Res	PV	6.6	6.1	5.29	9,290	07/31/18	96756
4080	Res	PV	2.8	3.8	2.20	3,865	07/31/18	96796
4081	Res	PV	6.0	5.8	4.80	8,433	08/02/18	96756
4082	Res	PV	3.6	3.5	2.88	5,060	08/02/18	96746
4083	Res	PV	7.8	7.5	6.24	10,962	08/03/18	96746
4084	Res	PV	4.8	4.6	3.84	6,746	08/07/18	96746
4085	Res	PV	3.4	3.0	2.68	4,708	08/07/18	96741
4086	Res	PV	4.0	4.0	3.20	5,622	08/08/18	96756
4087	Res	PV	7.2	7.0	5.76	10,119	08/13/18	96746
4088	Res	PV	7.2	7.0	5.76	10,119	08/13/18	96716
4089	Res	PV	10.7	9.9	8.58	15,080	08/15/18	96722
4090	Res	PV	2.7	3.0	2.14	3,767	08/15/18	96746
4091	Res	PV	4.4	3.8	3.48	6,114	08/23/18	96752
4092	Res	PV	4.9	4.0	3.92	6,887	08/27/18	96746
4093	Res	PV	5.4	5.0	4.32	7,589	08/27/18	96746
4094	Res	PV	5.4	5.0	4.32	7,589	08/27/18	96746
4095	Res	PV	6.0	5.8	4.80	8,433	08/28/18	96741
4096	Res	PV	6.1	5.8	4.88	8,573	08/29/18	96766
4097	Res	PV	10.8	7.7	7.70	13,527	08/30/18	96756
4098	Res	PV	7.2	7.0	5.76	10,119	08/31/18	96766
4099	Res	PV	9.0	7.6	7.20	12,649	08/31/18	96766
4100	Res	PV	2.7	3.0	2.14	3,767	09/05/18	96746
4101	Res	PV	4.8	7.6	3.84	6,746	09/06/18	96752
4102	Res	PV	5.0	4.2	4.00	7,027	09/11/18	96766
4103	Res	PV	4.6	4.0	3.71	6,521	09/13/18	96756
4104	Com	PV	27.0	26.6	21.60	37,947	09/18/18	96746
4105	Res	PV	9.6	8.7	7.68	13,492	09/18/18	96754
4106	Res	PV	6.9	7.6	5.52	9,698	09/18/18	96722
4107	Res	PV	3.6	8.8	2.88	5,060	09/18/18	96703
4108	Res	PV	8.7	8.9	6.99	12,284	09/19/18	96746
4109	Res	PV	3.6	8.5	2.88	5,060	09/19/18	96766
4110	Res	PV	5.0	6.0	4.03	7,083	09/19/18	96752
4111	Res	PV	4.2	9.1	3.36	5,903	09/20/18	96746
4112	Res	PV	10.8	9.0	8.64	15,179	09/20/18	96746
4113	Res	PV	2.8	2.5	2.20	3,865	09/24/18	96746
4114	Res	PV	3.6	3.8	2.88	5,060	09/25/18	96766
4115	Res	PV	5.4	9.9	4.28	7,519	09/26/18	96722
4116	Res	PV	7.2	7.0	5.76	10,119	09/26/18	96766
4117	Res	PV	8.7	7.6	6.97	12,241	09/28/18	96766
4118	Res	PV	2.5	2.5	2.00	3,514	09/29/18	96754
4119	Res	PV	2.4	2.3	1.92	3,373	10/02/18	96705
4120	Res	PV	2.6	2.6	2.11	3,710	10/15/18	96756
4121	Res	PV	6.3	7.6	5.04	8,854	10/16/18	96746
4122	Res	PV	7.2	7.0	5.76	10,119	10/16/18	96766
4123	Res	PV	10.8	10.4	8.64	15,179	10/17/18	96716
4124	Res	PV	7.2	7.1	5.76	10,119	10/17/18	96741
4125	Res	PV	7.2	7.0	5.76	10,119	10/17/18	96766
4126	Res	PV	7.2	7.0	5.76	10,119	10/18/18	96746
4127	Res	PV	7.1	7.6	5.70	10,007	10/18/18	96766
4128	Com	PV	10.8	10.0	8.64	15,179	10/29/18	96766
4129	Res	PV	7.2	7.0	5.76	10,119	10/29/18	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
4130	Res	PV	3.2	8.8	2.59	4,554	10/29/18	96754
4131	Res	PV	2.7	3.0	2.14	3,767	10/30/18	96765
4132	Res	PV	2.7	3.0	2.14	3,767	10/30/18	96705
4133	Res	PV	1.8	3.0	1.42	2,488	10/30/18	96705
4134	Res	PV	2.7	3.0	2.14	3,767	10/30/18	96705
4135	Res	PV	12.1	10.6	9.64	16,936	11/02/18	96741
4136	Com	PV	19.1	19.0	15.26	26,816	11/02/18	96746
4137	Res	PV	7.2	7.1	5.76	10,119	11/02/18	96766
4138	Res	PV	20.4	19.7	16.32	28,671	11/02/18	96766
4139	Res	PV	2.7	3.0	2.14	3,767	11/02/18	96705
4140	Res	PV	2.7	3.0	2.14	3,767	11/05/18	96705
4141	Res	PV	4.3	3.4	3.36	5,903	11/07/18	96705
4142	Res	PV	7.2	7.0	5.76	10,119	11/07/18	96741
4143	Res	PV	2.6	3.0	2.09	3,668	11/07/18	96766
4144	Res	PV	7.2	7.0	5.76	10,119	11/07/18	96746
4145	Res	PV	7.2	7.1	5.76	10,119	11/08/18	96796
4146	Res	PV	3.6	3.5	2.88	5,060	11/08/18	96746
4147	Res	PV	2.7	3.0	2.14	3,767	11/09/18	96705
4148	Res	PV	2.7	3.0	2.14	3,767	11/09/18	96705
4149	Res	PV	7.2	7.1	5.76	10,119	11/13/18	96741
4150	Res	PV	4.3	5.0	3.46	6,072	11/15/18	96752
4151	Res	PV	2.7	3.0	2.14	3,767	11/15/18	96705
4152	Res	PV	3.6	8.5	2.88	5,060	11/15/18	96766
4153	Res	PV	5.8	6.0	4.61	8,095	11/19/18	96741
4154	Res	PV	4.8	3.8	3.80	6,676	11/19/18	96741
4155	Res	PV	4.8	3.8	3.80	6,676	11/19/18	96741
4156	Res	PV	3.7	3.5	2.93	5,144	11/19/18	96705
4157	Res	PV	4.8	4.7	3.84	6,746	11/19/18	96766
4158	Res	PV	10.4	7.6	7.60	13,352	11/20/18	96756
4159	Res	PV	4.8	3.8	3.80	6,676	11/20/18	96741
4160	Res	PV	2.7	3.0	2.14	3,767	11/20/18	96705
4161	Res	PV	3.6	7.6	2.88	5,060	11/27/18	96705
4162	Res	PV	4.3	5.0	3.46	6,072	11/27/18	96741
4163	Res	PV	1.2	6.2	0.96	1,687	11/28/18	96766
4164	Res	PV	6.0	5.9	4.80	8,433	11/28/18	96756
4165	Res	PV	2.6	3.0	2.05	3,598	11/28/18	96752
4166	Res	PV	7.2	7.0	5.76	10,119	12/03/18	96746
4167	Res	PV	7.2	7.0	5.76	10,119	12/03/18	96741
4168	Res	PV	9.3	10.0	7.42	13,042	12/06/18	96766
4169	Res	PV	2.6	3.0	2.05	3,598	12/06/18	96766
4170	Res	PV	16.1	16.2	12.86	22,599	12/11/18	96756
4171	Res	PV	7.7	7.1	6.14	10,794	12/12/18	94741
4172	Res	PV	5.0	7.7	4.00	7,027	12/13/18	96766
4173	Res	PV	9.0	8.9	7.20	12,649	12/13/18	96746
4174	Res	PV	5.8	6.0	4.61	8,095	12/17/18	96756
4175	Res	PV	6.1	6.0	4.86	8,545	12/17/18	96746
4176	Com	PV	3.0	3.8	2.41	4,230	12/19/18	96741
4177	Com	PV	9.7	10.0	7.75	13,619	12/20/18	96766
4178	Res	PV	6.6	6.5	5.28	9,276	12/20/18	96752
4179	Res	PV	5.2	3.8	3.80	6,676	12/20/18	96766
4180	Res	PV	3.6	0.5	0.54	949	12/20/18	96766
4181	Res	PV	2.6	2.4	2.05	3,598	12/21/18	96746
4182	Res	PV	14.8	12.9	11.87	20,857	12/28/18	96714

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
4183	Res	PV	7.7	7.6	6.14	10,794	12/28/18	96765
4184	Res	PV	4.2	4.1	3.36	5,903	01/03/19	96766
4185	Res	PV	9.2	10.4	7.32	12,860	01/09/19	96741
4186	Res	PV	7.6	7.0	6.05	10,625	01/11/19	96756
4187	Res	PV	3.4	3.0	2.68	4,708	01/11/19	96722
4188	Res	PV	3.6	3.5	2.88	5,060	01/11/19	96796
4189	Res	PV	6.5	7.6	5.23	9,192	01/16/19	96746
4190	Res	PV	7.7	7.1	6.14	10,794	01/17/19	96741
4191	Res	PV	9.9	7.6	7.60	13,352	01/21/19	96756
4192	Res	PV	5.6	6.0	4.48	7,870	01/21/19	96756
4193	Res	PV	3.2	3.0	2.57	4,511	01/23/19	96756
4194	Com	PV	22.8	20.0	18.24	32,044	01/24/19	96766
4195	Res	PV	2.4	2.4	1.92	3,373	01/24/19	96754
4196	Res	PV	7.2	7.1	5.76	10,119	01/31/19	96746
4197	Com	PV	124.2	96.0	96.00	168,653	02/01/19	96756
4198	Com	PV	25.6	20.0	20.00	35,136	02/11/19	96754
4199	Res	PV	8.5	8.8	6.80	11,946	02/11/19	96746
4200	Res	PV	5.8	6.0	4.61	8,095	02/11/19	96703
4201	Res	PV	4.8	8.8	3.82	6,718	02/12/19	96756
4202	Res	PV	3.4	3.0	2.69	4,722	02/14/19	96756
4203	Res	PV	7.2	7.1	5.76	10,119	02/19/19	96746
4204	Res	PV	7.7	7.1	6.14	10,794	02/19/19	96741
4205	Res	PV	4.8	9.7	3.84	6,746	02/19/19	96746
4206	Res	PV	7.2	7.1	5.76	10,119	02/19/19	96741
4207	Res	PV	9.0	10.0	7.17	12,593	02/21/19	96715
4208	Res	PV	9.9	7.6	7.60	13,352	02/21/19	96752
4209	Res	PV	5.8	5.3	4.61	8,095	02/22/19	96796
4210	Res	PV	2.7	3.0	2.14	3,767	02/26/19	96705
4211	Res	PV	2.8	2.5	2.20	3,865	02/26/19	96746
4212	Com	PV	90.7	75.0	72.58	127,502	03/04/19	96766
4213	Res	PV	9.3	7.7	7.42	13,042	03/04/19	96741
4214	Res	PV	5.4	6.0	4.29	7,533	03/06/19	96752
4215	Res	PV	3.4	3.8	2.69	4,722	03/06/19	96722
4216	Res	PV	2.6	3.0	2.09	3,668	03/11/19	96705
4217	Res	PV	9.9	8.5	7.89	13,858	03/14/19	96756
4218	Res	PV	2.6	3.0	2.09	3,668	03/20/19	96796
4219	Res	PV	7.7	7.1	6.14	10,794	03/20/19	96746
4220	Res	PV	5.3	4.4	4.20	7,379	03/20/19	96756
4221	Res	PV	11.5	10.6	9.22	16,191	03/25/19	96756
4222	Res	PV	3.4	3.0	2.69	4,722	03/25/19	96756
4223	Res	PV	4.7	5.0	3.75	6,592	03/27/19	96796
4224	Res	PV	5.3	4.4	4.20	7,379	03/27/19	96756
4225	Res	PV	5.3	4.9	4.22	7,407	03/27/19	96741
4226	Res	PV	5.4	7.6	4.35	7,646	03/27/19	96741
4227	Res	PV	4.0	3.8	3.22	5,664	03/27/19	96796
4228	Res	PV	5.2	10.0	4.18	7,350	03/27/19	96752
4229	Res	PV	6.8	7.6	5.46	9,585	03/28/19	96766
4230	Res	PV	6.1	9.8	4.86	8,545	04/02/19	96756
4231	Res	PV	3.3	3.0	2.62	4,596	04/04/19	96741
4232	Res	PV	7.2	6.0	5.76	10,119	04/05/19	96722
4233	Res	PV	4.9	7.6	3.94	6,929	04/08/19	96746
4234	Res	PV	7.8	7.6	6.27	11,019	04/10/19	96722
4235	Res	PV	7.2	7.0	5.76	10,119	04/11/19	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
4236	Res	PV	4.6	10.3	3.65	6,409	04/16/19	96722
4237	Res	PV	3.2	2.5	2.50	4,392	04/18/19	96722
4238	Res	PV	15.0	14.8	12.00	21,082	04/22/19	96754
4239	Res	PV	4.2	6.0	3.38	5,945	04/22/19	96746
4240	Res	PV	9.9	8.0	7.92	13,914	04/22/19	96746
4241	Res	PV	6.8	6.0	5.42	9,529	04/23/19	96765
4242	Res	PV	7.7	6.0	6.00	10,541	04/24/19	96746
4243	Res	PV	3.8	3.0	3.00	5,270	04/24/19	96754
4244	Res	PV	1.9	1.8	1.54	2,698	04/25/19	96746
4245	Res	PV	4.9	7.6	3.94	6,929	04/25/19	96756
4246	Res	PV	9.3	7.6	7.44	13,071	05/02/19	96752
4247	Res	PV	8.6	6.8	6.75	11,858	05/03/19	96746
4248	Res	PV	2.6	3.0	2.09	3,668	05/03/19	96746
4249	Res	PV	6.2	9.8	4.96	8,714	05/03/19	96746
4250	Res	PV	7.2	7.6	5.75	10,105	05/07/19	96746
4251	Res	PV	11.1	9.6	8.85	15,544	05/09/19	96766
4252	Res	PV	4.4	5.0	3.52	6,184	05/09/19	96741
4253	Res	PV	7.1	7.1	5.66	9,951	05/09/19	96716
4254	Com	PV	14.3	10.0	9.99	17,550	05/13/19	96722
4255	Com	PV	32.3	23.1	23.10	40,582	05/13/19	96722
4256	Res	PV	4.0	3.8	3.17	5,566	05/16/19	96746
4257	Res	PV	7.7	11.0	6.14	10,794	05/23/19	96746
4258	Com	PV	75.5	57.0	57.00	100,138	05/27/19	96722
4259	Res	PV	11.0	15.2	8.82	15,488	05/27/19	96754
4260	Res	PV	4.5	4.1	3.58	6,296	05/28/19	96746
4261	Com	PV	47.6	38.0	38.00	66,758	06/05/19	96722
4262	Res	PV	2.6	2.4	2.05	3,598	06/06/19	96746
4263	Com	PV	49.0	36.0	36.00	63,245	06/07/19	96722
4264	Res	PV	9.9	7.6	7.60	13,352	06/10/19	96765
4265	Res	PV	2.6	7.4	2.05	3,598	06/10/19	96746
4266	Res	PV	7.2	7.0	5.76	10,119	06/10/19	96746
4267	Res	PV	5.4	5.0	4.32	7,589	06/10/19	96705
4268	Res	PV	9.0	7.2	7.18	12,614	06/12/19	96756
4269	Res	PV	2.5	2.5	2.02	3,542	06/17/19	96756
4270	Res	PV	14.7	11.8	11.76	20,660	06/18/19	96703
4271	Res	PV	17.6	14.5	14.11	24,792	06/18/19	96722
4272	Res	PV	11.5	9.8	9.22	16,191	06/18/19	96722
4273	Res	PV	5.8	5.0	4.61	8,095	06/19/19	96741
4274	Res	PV	2.7	3.0	2.14	3,767	06/19/19	96705
4275	Res	PV	3.3	8.8	2.62	4,596	06/24/19	96765
4276	Res	PV	7.0	6.4	5.63	9,894	06/24/19	96746
4277	Res	PV	6.4	5.8	5.12	8,995	06/24/19	96766
4278	Res	PV	3.6	8.7	2.85	5,003	06/24/19	96766
4279	Res	PV	5.8	5.2	4.62	8,109	06/24/19	96756
4280	Res	PV	7.2	7.0	5.76	10,119	06/26/19	96766
4281	Res	PV	10.2	7.6	7.60	13,352	07/03/19	96746
4282	Res	PV	7.4	6.5	5.90	10,358	07/03/19	96746
4283	Res	PV	3.3	3.0	2.64	4,638	07/10/19	96741
4284	Res	PV	7.2	7.6	5.76	10,119	07/11/19	96722
4285	Res	PV	11.5	13.5	9.22	16,191	07/11/19	96754
4286	Res	PV	7.7	7.1	6.14	10,794	07/12/19	96746
4287	Res	PV	6.4	5.0	5.00	8,784	07/12/19	96715
4288	Res	PV	1.9	1.8	1.54	2,698	07/12/19	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
4289	Res	PV	1.3	1.2	1.02	1,799	07/12/19	96746
4290	Res	PV	5.0	5.0	3.96	6,957	07/15/19	96741
4291	Res	PV	10.2	10.0	8.19	14,392	07/15/19	96756
4292	Res	PV	7.3	7.0	5.81	10,203	07/16/19	96766
4293	Res	PV	3.2	3.0	2.56	4,497	07/17/19	96716
4294	Res	PV	6.0	8.0	4.80	8,433	07/19/19	96746
4295	Res	PV	7.6	10.0	6.07	10,667	07/19/19	96722
4296	Res	PV	3.9	3.8	3.14	5,509	07/22/19	96766
4297	Res	PV	6.6	6.4	5.28	9,276	07/22/19	96766
4298	Res	PV	5.1	4.7	4.10	7,196	07/22/19	96746
4299	Res	PV	4.3	5.0	3.46	6,072	07/23/19	96741
4300	Res	PV	2.6	2.6	2.09	3,668	07/23/19	96796
4301	Com	PV	13.7	9.0	9.00	15,811	07/24/19	96722
4302	Res	PV	2.4	2.4	1.95	3,429	07/26/19	96746
4303	Com	PV	14.1	11.0	11.00	19,325	07/30/19	96765
4304	Res	PV	5.0	5.0	3.96	6,957	07/30/19	96756
4305	Res	PV	6.1	5.0	4.84	8,503	07/31/19	96741
4306	Res	PV	2.6	3.0	2.09	3,668	07/31/19	96756
4307	Res	PV	9.8	10.0	7.85	13,787	08/01/19	96722
4308	Res	PV	5.4	4.9	4.35	7,646	08/06/19	96716
4309	Res	PV	2.6	2.6	2.09	3,668	08/07/19	96796
4310	Res	PV	2.6	2.6	2.09	3,668	08/07/19	96752
4311	Res	PV	11.5	10.0	9.22	16,191	08/12/19	96722
4312	Res	PV	7.7	6.0	6.00	10,541	08/12/19	96722
4313	Res	PV	7.7	6.0	6.00	10,541	08/13/19	96766
4314	Res	PV	10.5	8.9	8.40	14,757	08/14/19	96756
4315	Res	PV	12.0	13.2	9.60	16,865	08/15/19	96722
4316	Res	PV	3.8	3.0	3.00	5,270	08/15/19	96746
4317	Res	PV	0.6	11.0	0.46	815	08/19/19	96722
4318	Res	PV	5.5	9.5	4.36	7,660	08/20/19	96746
4319	Res	PV	8.0	7.6	6.40	11,244	08/20/19	96746
4320	Res	PV	5.4	4.9	4.35	7,646	08/20/19	96766
4321	Res	PV	5.6	4.4	4.42	7,765	08/20/19	96741
4322	Res	PV	6.4	7.6	5.12	8,995	08/20/19	96766
4323	Com	PV	9.6	8.7	7.68	13,492	08/21/19	96716
4324	Res	PV	6.3	6.1	5.02	8,812	08/21/19	96796
4325	Com	PV	19.2	17.7	15.36	26,984	08/27/19	96766
4326	Res	PV	3.2	2.5	2.50	4,392	08/27/19	96766
4327	Res	PV	6.7	6.1	5.38	9,445	08/28/19	96716
4328	Res	PV	3.8	3.5	3.07	5,397	08/28/19	96746
4329	Res	PV	4.5	4.1	3.58	6,296	08/28/19	96705
4330	Res	PV	2.9	2.5	2.32	4,076	08/29/19	96746
4331	Res	PV	3.9	7.6	3.14	5,509	08/29/19	96754
4332	Res	PV	5.0	5.0	3.96	6,957	08/31/19	96716
4333	Res	PV	4.3	3.8	3.46	6,072	09/03/19	96722
4334	Res	PV	3.2	2.5	2.50	4,392	09/04/19	96746
4335	Res	PV	10.5	7.7	7.70	13,527	09/04/19	96746
4336	Res	PV	10.5	7.7	7.70	13,527	09/04/19	96746
4337	Res	PV	12.8	10.0	10.00	17,568	09/05/19	96722
4338	Res	PV	10.2	7.6	7.60	13,352	09/05/19	96754
4339	Res	PV	2.0	1.9	1.58	2,783	09/09/19	96722
4340	Res	PV	4.5	4.1	3.58	6,296	09/09/19	96746
4341	Res	PV	7.0	5.5	5.50	9,662	09/09/19	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
4342	Res	PV	5.8	4.5	4.50	7,906	09/09/19	96766
4343	Res	PV	5.5	5.0	4.40	7,730	09/09/19	96705
4344	Res	PV	5.1	5.0	4.10	7,196	09/10/19	96756
4345	Res	PV	6.7	6.1	5.38	9,445	09/10/19	96796
4346	Res	PV	10.8	10.0	8.64	15,179	09/10/19	96714
4347	Res	PV	5.0	5.0	3.96	6,957	09/11/19	96756
4348	Com	PV	41.6	32.5	32.50	57,096	09/13/19	96756
4349	Res	PV	6.6	6.0	5.28	9,276	09/13/19	96766
4350	Res	PV	5.5	5.0	4.40	7,730	09/13/19	96756
4351	Res	PV	3.2	3.0	2.56	4,497	09/17/19	96766
4352	Res	PV	2.6	2.6	2.05	3,598	09/18/19	96705
4353	Res	PV	24.0	20.0	19.20	33,731	09/18/19	96751
4354	Res	PV	2.6	2.6	2.05	3,598	09/18/19	96705
4355	Res	PV	6.1	5.5	4.89	8,587	09/19/19	96752
4356	Res	PV	2.6	2.6	2.05	3,598	09/19/19	96705
4357	Res	PV	2.6	2.6	2.05	3,598	09/19/19	96705
4358	Res	PV	2.6	2.6	2.05	3,598	09/19/19	96705
4359	Res	PV	2.6	2.6	2.05	3,598	09/19/19	96705
4360	Res	PV	2.6	2.6	2.05	3,598	09/19/19	96705
4361	Res	PV	2.6	2.6	2.05	3,598	09/19/19	96705
4362	Res	PV	2.6	2.6	2.05	3,598	09/19/19	96705
4363	Res	PV	4.5	4.1	3.58	6,296	09/19/19	96766
4364	Res	PV	6.8	7.7	5.43	9,543	09/23/19	96754
4365	Res	PV	11.5	9.0	9.00	15,811	09/23/19	96746
4366	Res	PV	6.2	5.0	4.97	8,728	09/24/19	96746
4367	Com	PV	7.7	7.1	6.14	10,794	09/25/19	96766
4368	Res	PV	6.4	5.0	5.00	8,784	09/25/19	96756
4369	Res	PV	10.4	10.0	8.35	14,673	09/25/19	96756
4370	Res	PV	2.6	2.6	2.05	3,598	09/25/19	96705
4371	Res	PV	2.6	2.6	2.05	3,598	09/25/19	96705
4372	Res	PV	3.9	4.0	3.14	5,509	09/26/19	96741
4373	Res	PV	5.1	4.7	4.10	7,196	09/26/19	96746
4374	Res	PV	2.6	2.6	2.05	3,598	09/27/19	96705
4375	Res	PV	3.8	3.5	3.07	5,397	09/27/19	96703
4376	Res	PV	8.5	7.6	6.80	11,946	09/27/19	96722
4377	Res	PV	1.3	1.2	1.02	1,799	09/27/19	96746
4378	Res	PV	4.8	5.0	3.84	6,746	09/27/19	96746
4379	Res	PV	3.9	4.0	3.14	5,509	09/30/19	96741
4380	Res	PV	2.7	2.6	2.16	3,795	09/30/19	96765
4381	Res	PV	7.0	5.5	5.50	9,662	10/01/19	96756
4382	Res	PV	10.3	8.1	8.09	14,213	10/01/19	96746
4383	Res	PV	3.8	3.8	3.02	5,299	10/02/19	96741
4384	Res	PV	2.6	2.6	2.05	3,598	10/02/19	96705
4385	Res	PV	2.6	2.6	2.05	3,598	10/02/19	96705
4386	Res	PV	2.6	2.6	2.05	3,598	10/02/19	96705
4387	Res	PV	2.6	2.6	2.05	3,598	10/02/19	96705
4388	Res	PV	5.4	8.0	4.35	7,646	10/02/19	96766
4389	Res	PV	3.8	3.0	3.00	5,270	10/02/19	96766
4390	Res	PV	4.5	3.5	3.50	6,149	10/02/19	96766
4391	Res	PV	9.6	7.5	7.50	13,176	10/04/19	96756
4392	Res	PV	3.2	2.5	2.50	4,392	10/07/19	96754
4393	Res	PV	5.6	5.0	4.45	7,814	10/09/19	96796
4394	Res	PV	3.2	5.6	2.56	4,497	10/10/19	96705

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
4395	Res	PV	7.7	6.0	6.00	10,541	10/11/19	96746
4396	Res	PV	5.4	8.0	4.35	7,646	10/11/19	96766
4397	Res	PV	3.3	3.2	2.62	4,596	10/21/19	96756
4398	Res	PV	5.9	5.0	4.69	8,236	10/21/19	96746
4399	Res	PV	10.4	10.0	8.28	14,546	10/21/19	96741
4400	Res	PV	6.7	7.6	5.34	9,374	10/22/19	96746
4401	Res	PV	24.0	20.0	19.20	33,731	10/29/19	96746
4402	Res	PV	7.7	6.0	6.00	10,541	10/29/19	96716
4403	Res	PV	8.3	7.6	6.62	11,637	10/29/19	96741
4404	Res	PV	3.2	2.9	2.56	4,497	10/30/19	96746
4405	Res	PV	6.9	7.6	5.49	9,641	10/30/19	96754
4406	Res	PV	6.4	10.0	5.12	8,995	10/31/19	96746
4407	Res	PV	4.5	9.1	3.58	6,296	10/31/19	96766
4408	Res	PV	4.5	9.1	3.58	6,296	10/31/19	96746
4409	Res	PV	2.7	3.0	2.14	3,767	11/01/19	96705
4410	Res	PV	5.1	9.7	4.10	7,196	11/01/19	96741
4411	Res	PV	2.6	7.4	2.05	3,598	11/01/19	96766
4412	Res	PV	6.5	10.0	5.18	9,107	11/01/19	96722
4413	Res	PV	3.3	7.6	2.64	4,638	11/01/19	96754
4414	Res	PV	7.0	5.5	5.50	9,662	11/04/19	96705
4415	Res	PV	2.6	2.6	2.05	3,598	11/04/19	96705
4416	Res	PV	9.6	7.5	7.50	13,176	11/05/19	96746
4417	Res	PV	7.0	5.5	5.50	9,662	11/05/19	96746
4418	Res	PV	5.0	5.0	4.03	7,083	11/05/19	96756
4419	Res	PV	5.1	9.7	4.10	7,196	11/06/19	96796
4420	Res	PV	5.1	9.7	4.10	7,196	11/06/19	96741
4421	Res	PV	5.4	8.0	4.35	7,646	11/06/19	96746
4422	Res	PV	3.8	8.5	3.07	5,397	11/06/19	96746
4423	Res	PV	3.9	8.8	3.14	5,509	11/07/19	96756
4424	Res	PV	5.6	5.0	4.48	7,870	11/07/19	96746
4425	Res	PV	7.0	10.0	5.63	9,894	11/08/19	96766
4426	Res	PV	5.8	9.5	4.61	8,095	11/08/19	96754
4427	Res	PV	7.7	6.0	6.00	10,541	11/13/19	96752
4428	Res	PV	5.8	9.5	4.61	8,095	11/15/19	96766
4429	Res	PV	6.2	6.0	4.93	8,658	11/18/19	96746
4430	Res	PV	6.6	6.0	5.29	9,290	11/19/19	96746
4431	Res	PV	6.4	10.0	5.12	8,995	11/20/19	96766
4432	Res	PV	3.8	8.5	3.07	5,397	11/20/19	96766
4433	Res	PV	4.5	3.5	3.50	6,149	11/21/19	96765
4434	Res	PV	7.8	7.7	6.27	11,019	11/21/19	96756
4435	Res	PV	6.6	7.7	5.28	9,276	11/22/19	96766
4436	Res	PV	7.7	6.0	6.00	10,541	11/22/19	96741
4437	Res	PV	3.2	2.5	2.50	4,392	11/25/19	96741
4438	Com	PV	3.2	2.5	2.50	4,392	11/29/19	96756
4439	Res	PV	7.7	6.0	6.00	10,541	11/29/19	96741
4440	Res	PV	9.9	5.0	5.00	8,784	12/01/19	96746
4441	Res	PV	6.9	5.0	5.00	8,784	12/02/19	96746
4442	Res	PV	11.2	10.0	8.96	15,741	12/03/19	96756
4443	Res	PV	2.7	3.0	2.14	3,767	12/03/19	96705
4444	Res	PV	5.9	5.8	4.75	8,348	12/03/19	96716
4445	Res	PV	5.1	9.7	4.10	7,196	12/04/19	96746
4446	Com	PV	6.4	10.0	5.12	8,995	12/05/19	96766
4447	Res	PV	4.5	9.1	3.58	6,296	12/05/19	96766

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
4448	Res	PV	7.7	8.0	6.14	10,794	12/05/19	96746
4449	Res	PV	7.8	6.0	6.00	10,541	12/06/19	96746
4450	Res	PV	4.4	5.0	3.52	6,184	12/06/19	96766
4451	Res	PV	5.1	4.3	4.11	7,224	12/06/19	96746
4452	Res	PV	6.6	7.7	5.28	9,276	12/09/19	96703
4453	Res	PV	7.0	5.5	5.50	9,662	12/10/19	96746
4454	Res	PV	5.1	4.0	4.00	7,027	12/10/19	96766
4455	Res	PV	3.5	8.8	2.76	4,849	12/11/19	96746
4456	Res	PV	5.0	10.0	4.03	7,083	12/11/19	96766
4457	Res	PV	4.5	3.5	3.50	6,149	12/16/19	96756
4458	Res	PV	5.0	5.0	4.03	7,083	12/16/19	96741
4459	Res	PV	7.2	5.5	5.50	9,662	12/17/19	96746
4460	Res	PV	4.7	3.8	3.78	6,634	12/19/19	96752
4461	Res	PV	7.7	6.0	6.00	10,541	12/20/19	96756
4462	Res	PV	3.2	8.0	2.56	4,497	12/20/19	96746
4463	Res	PV	5.4	4.5	4.32	7,589	12/20/19	96746
4464	Res	PV	5.1	4.0	4.00	7,027	12/23/19	96766
4465	Res	PV	6.5	10.0	5.23	9,192	12/23/19	96756
4466	Res	PV	6.5	10.0	5.23	9,192	12/23/19	96756
4467	Res	PV	3.9	5.0	3.08	5,411	12/26/19	96756
4468	Com	PV	9.6	8.9	7.68	13,492	12/27/19	96766
4469	Res	PV	6.5	5.0	5.00	8,784	12/27/19	96756
4470	Res	PV	4.5	10.0	3.58	6,296	12/27/19	96756
4471	Res	PV	3.3	3.2	2.62	4,596	12/27/19	96741
4472	Res	PV	5.8	6.0	4.61	8,095	12/30/19	96756
4473	Res	PV	10.2	7.7	7.70	13,527	12/30/19	96746
4474	Com	PV	28.1	25.0	22.46	39,465	01/03/20	96746
4475	Com	PV	17.3	15.9	13.82	24,286	01/03/20	96766
4476	Res	PV	5.5	10.0	4.42	7,758	01/03/20	96746
4477	Res	PV	5.8	6.0	4.64	8,152	01/03/20	96741
4478	Res	PV	2.6	2.4	2.05	3,598	01/03/20	96746
4479	Res	PV	8.3	10.0	6.62	11,637	01/03/20	96746
4480	Res	PV	9.6	7.5	7.50	13,176	01/03/20	96746
4481	Res	PV	3.9	8.8	3.14	5,509	01/03/20	96741
4482	Res	PV	10.2	9.4	8.19	14,392	01/03/20	96766
4483	Res	PV	2.4	2.4	1.89	3,317	01/03/20	96766
4484	Res	PV	7.0	5.5	5.50	9,662	01/03/20	96765
4485	Res	PV	5.6	5.0	4.46	7,842	01/06/20	96741
4486	Res	PV	5.1	9.7	4.10	7,196	01/06/20	96766
4487	Res	PV	12.2	9.5	9.50	16,690	01/06/20	96714
4488	Res	PV	12.8	10.0	10.00	17,568	01/06/20	96722
4489	Res	PV	7.7	7.1	6.14	10,794	01/08/20	96765
4490	Res	PV	7.0	7.7	5.63	9,894	01/08/20	96756
4491	Res	PV	3.7	5.0	2.98	5,228	01/09/20	96741
4492	Res	PV	4.0	10.0	3.17	5,566	01/10/20	96746
4493	Res	PV	6.2	5.0	4.96	8,714	01/10/20	96746
4494	Res	PV	5.1	4.0	4.00	7,027	01/13/20	96746
4495	Res	PV	7.7	6.0	6.00	10,541	01/13/20	96746
4496	Res	PV	21.6	15.0	15.00	26,352	01/14/20	96756
4497	Res	PV	7.1	7.1	5.66	9,951	01/14/20	96765
4498	Res	PV	8.2	7.8	6.56	11,525	01/14/20	96746
4499	Res	PV	4.4	5.0	3.52	6,184	01/15/20	96716
4500	Res	PV	12.8	10.0	10.00	17,568	01/15/20	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
4501	Res	PV	7.0	5.5	5.50	9,662	01/15/20	96703
4502	Res	PV	5.0	5.0	3.96	6,957	01/15/20	96746
4503	Res	PV	7.0	6.0	5.57	9,782	01/16/20	96746
4504	Res	PV	7.0	5.5	5.50	9,662	01/17/20	96746
4505	Res	PV	5.5	10.0	4.42	7,758	01/17/20	96746
4506	Res	PV	5.4	10.0	4.32	7,589	01/17/20	96766
4507	Com	PV	22.4	19.8	17.92	31,482	01/21/20	96766
4508	Res	PV	7.0	5.5	5.50	9,662	01/21/20	96766
4509	Res	PV	7.2	7.0	5.76	10,119	01/21/20	96703
4510	Res	PV	5.2	10.0	4.14	7,266	01/22/20	96766
4511	Com	PV	15.4	12.0	12.00	21,082	01/23/20	96754
4512	Res	PV	3.7	3.2	2.96	5,200	01/23/20	96703
4513	Res	PV	9.6	8.9	7.68	13,492	01/27/20	96752
4514	Res	PV	8.7	7.7	6.96	12,227	01/28/20	96756
4515	Res	PV	2.1	6.9	1.66	2,909	01/29/20	96741
4516	Res	PV	5.5	10.0	4.42	7,758	01/29/20	96722
4517	Res	PV	8.4	7.6	6.72	11,806	01/30/20	96756
4518	Res	PV	8.6	10.0	6.91	12,143	01/30/20	96756
4519	Res	PV	3.2	2.5	2.50	4,392	01/31/20	96746
4520	Com	PV	6.3	9.0	5.04	8,854	02/04/20	96722
4521	Res	PV	6.1	10.0	4.90	8,601	02/04/20	96722
4522	Com	PV	12.8	11.8	10.24	17,990	02/06/20	96746
4523	Res	PV	9.0	10.4	7.17	12,593	02/19/20	96756
4524	Res	PV	5.8	10.0	4.61	8,095	02/19/20	96766
4525	Res	PV	8.6	7.6	6.91	12,143	02/19/20	96746
4526	Res	PV	5.1	4.0	4.00	7,027	02/19/20	96746
4527	Res	PV	5.8	10.0	4.61	8,095	02/24/20	96766
4528	Res	PV	4.5	9.1	3.58	6,296	02/24/20	96741
4529	Res	PV	8.4	7.0	6.72	11,806	02/25/20	96746
4530	Res	PV	5.8	4.5	4.50	7,906	02/25/20	96766
4531	Res	PV	0.0	10.0	0.00	0	02/25/20	96766
4532	Res	PV	4.4	5.0	3.52	6,184	02/26/20	96756
4533	Res	PV	7.0	5.5	5.50	9,662	02/26/20	96766
4534	Res	PV	7.0	6.5	5.63	9,894	02/26/20	96766
4535	Res	PV	7.4	5.8	5.75	10,102	02/26/20	96766
4536	Res	PV	7.7	7.1	6.14	10,794	02/27/20	96766
4537	Res	PV	9.4	10.0	7.49	13,155	02/27/20	96722
4538	Res	PV	4.1	3.8	3.26	5,734	02/28/20	96746
4539	Res	PV	2.6	2.6	2.05	3,598	03/02/20	96705
4540	Res	PV	4.3	10.0	3.46	6,072	03/02/20	96746
4541	Res	PV	4.5	9.1	3.58	6,296	03/02/20	96746
4542	Res	PV	5.5	10.0	4.42	7,758	03/02/20	96766
4543	Res	PV	4.2	7.6	3.33	5,847	03/05/20	96752
4544	Res	PV	13.7	10.0	10.00	17,568	03/06/20	96754
4545	Res	PV	3.8	8.5	3.07	5,397	03/06/20	96766
4546	Res	PV	8.6	13.5	6.91	12,143	03/09/20	96756
4547	Com	PV	11.5	10.6	9.22	16,191	03/10/20	96703
4548	Res	PV	7.0	5.5	5.50	9,662	03/10/20	96741
4549	Res	PV	6.4	5.0	5.00	8,784	03/16/20	96741
4550	Res	PV	3.3	2.5	2.50	4,392	03/17/20	96752
4551	Res	PV	5.0	10.0	4.03	7,083	03/17/20	96766
4552	Res	PV	6.9	10.0	5.52	9,698	03/17/20	96741
4553	Res	PV	1.0	3.0	0.80	1,405	03/19/20	96714

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
4554	Res	PV	12.0	13.5	9.60	16,865	03/19/20	96754
4555	Res	PV	2.3	7.2	1.82	3,204	03/19/20	96741
4556	Res	PV	3.8	3.5	3.07	5,397	04/03/20	96796
4557	Res	PV	9.6	7.5	7.50	13,176	04/03/20	96756
4558	Res	PV	7.2	7.0	5.75	10,105	04/03/20	96756
4559	Res	PV	7.0	5.5	5.50	9,662	04/03/20	96746
4560	Res	PV	2.6	2.6	2.09	3,668	04/03/20	96746
4561	Res	PV	9.4	10.0	7.49	13,155	04/03/20	96746
4562	Res	PV	5.1	9.7	4.10	7,196	04/03/20	96766
4563	Res	PV	9.8	8.8	7.84	13,773	04/03/20	96756
4564	Res	PV	9.8	8.8	7.84	13,773	04/03/20	96756
4565	Res	PV	6.4	5.9	5.12	8,995	04/06/20	96766
4566	Res	PV	6.5	7.6	5.18	9,107	04/24/20	96716
4567	Res	PV	5.6	7.7	4.46	7,842	05/04/20	96741
4568	Res	PV	2.9	8.0	2.30	4,048	05/04/20	96756
4569	Res	PV	3.4	2.5	2.50	4,392	05/04/20	96766
4570	Res	PV	4.0	3.0	3.00	5,270	05/11/20	96705
4571	Res	PV	4.9	3.8	3.80	6,676	05/12/20	96754
4572	Res	PV	4.3	10.0	3.46	6,072	05/12/20	96714
4573	Res	PV	7.0	5.5	5.50	9,662	05/13/20	96754
4574	Res	PV	4.0	3.0	3.00	5,270	05/13/20	96766
4575	Com	PV	63.1	60.0	50.46	88,641	05/15/20	96766
4576	Res	PV	7.7	6.0	6.00	10,541	05/18/20	96746
4577	Res	PV	4.0	8.8	3.17	5,566	05/20/20	96716
4578	Res	PV	3.9	8.8	3.14	5,509	05/21/20	96746
4579	Res	PV	3.2	8.0	2.56	4,497	05/21/20	96703
4580	Res	PV	5.0	10.0	4.03	7,083	05/26/20	96746
4581	Res	PV	10.8	10.0	8.64	15,179	05/29/20	96714
4582	Res	PV	4.7	8.8	3.74	6,577	06/01/20	96746
4583	Res	PV	7.2	7.6	5.76	10,119	06/03/20	96754
4584	Res	PV	5.4	9.7	4.29	7,533	06/03/20	96746
4585	Res	PV	1.7	1.5	1.34	2,347	06/03/20	96746
4586	Res	PV	7.4	5.5	5.50	9,662	06/08/20	96746
4587	Res	PV	4.2	3.7	3.34	5,861	06/08/20	96766
4588	Res	PV	0.7	8.9	0.55	970	06/09/20	96741
4589	Res	PV	7.6	7.6	6.07	10,667	06/10/20	96746
4590	Res	PV	6.4	10.0	5.12	8,995	06/15/20	96741
4591	Res	PV	8.7	8.5	6.95	12,213	06/15/20	96741
4592	Res	PV	4.8	9.7	3.84	6,746	06/15/20	96703
4593	Res	PV	10.7	8.0	8.00	14,054	06/16/20	96746
4594	Res	PV	4.0	3.0	3.00	5,270	06/16/20	96746
4595	Res	PV	9.8	10.0	7.84	13,773	06/17/20	96714
4596	Res	PV	24.0	13.5	13.50	23,717	06/22/20	96756
4597	Res	PV	10.2	7.7	7.70	13,527	06/22/20	96741
4598	Res	PV	7.4	5.5	5.50	9,662	06/22/20	96746
4599	Res	PV	7.2	7.5	5.76	10,119	06/24/20	96703
4600	Res	PV	9.6	8.9	7.68	13,492	06/25/20	96756
4601	Res	PV	3.3	8.8	2.62	4,596	06/29/20	96766
4602	Res	PV	7.4	5.5	5.50	9,662	06/30/20	96766
4603	Res	PV	9.7	13.5	7.78	13,661	07/07/20	96754
4604	Res	PV	1.3	1.2	1.07	1,883	07/07/20	96746
4605	Res	PV	7.4	13.5	5.90	10,358	07/10/20	96741
4606	Res	PV	7.4	5.5	5.50	9,662	07/10/20	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
4607	Res	PV	5.4	9.7	4.29	7,533	07/13/20	96766
4608	Res	PV	3.2	3.0	2.56	4,497	07/14/20	96746
4609	Res	PV	2.7	2.6	2.18	3,823	07/15/20	96756
4610	Res	PV	3.8	8.5	3.07	5,397	07/15/20	96766
4611	Com	PV	8.9	7.1	7.08	12,438	07/17/20	96766
4612	Res	PV	7.2	10.0	5.76	10,119	07/17/20	96714
4613	Res	PV	8.0	6.0	6.00	10,541	07/17/20	96746
4614	Res	PV	6.5	10.0	5.18	9,107	07/17/20	96746
4615	Com	PV	122.6	99.9	98.06	172,279	07/20/20	96756
4616	Res	PV	7.4	10.0	5.92	10,400	07/20/20	96746
4617	Res	PV	2.6	2.6	2.09	3,668	07/20/20	96766
4618	Com	PV	13.3	14.4	10.62	18,650	07/21/20	96705
4619	Com	PV	119.6	99.9	95.69	168,105	07/21/20	96756
4620	Res	PV	5.2	10.0	4.18	7,350	07/21/20	96746
4621	Res	PV	1.3	1.2	1.07	1,883	07/21/20	96796
4622	Res	PV	6.0	9.5	4.82	8,475	07/21/20	96741
4623	Res	PV	2.6	2.4	2.05	3,598	07/23/20	96746
4624	Res	PV	5.4	9.7	4.29	7,533	07/23/20	96746
4625	Res	PV	5.8	9.5	4.61	8,095	07/23/20	96752
4626	Res	PV	2.6	2.4	2.05	3,598	07/28/20	96752
4627	Res	PV	10.2	5.6	5.62	9,873	07/29/20	96756
4628	Res	PV	5.4	10.0	4.35	7,646	07/30/20	96746
4629	Res	PV	2.6	2.4	2.05	3,598	07/30/20	96756
4630	Res	PV	2.9	2.7	2.30	4,048	07/30/20	96756
4631	Res	PV	19.0	15.5	15.20	26,703	07/30/20	96756
4632	Res	PV	2.0	1.8	1.61	2,825	08/03/20	96766
4633	Res	PV	5.4	9.7	4.29	7,533	08/03/20	96766
4634	Res	PV	6.8	10.0	5.47	9,613	08/04/20	96722
4635	Res	PV	7.7	5.0	5.00	8,784	08/06/20	96746
4636	Res	PV	4.7	3.5	3.50	6,149	08/10/20	96756
4637	Res	PV	5.8	10.0	4.61	8,095	08/10/20	96754
4638	Com	PV	9.0	8.3	7.17	12,593	08/11/20	96756
4639	Res	PV	6.7	10.0	5.33	9,360	08/17/20	96746
4640	Res	PV	15.1	11.5	11.50	20,203	08/17/20	96756
4641	Res	PV	29.5	20.0	20.00	35,136	08/18/20	96754
4642	Res	PV	5.4	4.7	4.29	7,533	08/18/20	96746
4643	Res	PV	5.8	10.0	4.61	8,095	08/18/20	96754
4644	Res	PV	2.7	7.4	2.14	3,767	08/19/20	96741
4645	Res	PV	3.4	8.0	2.68	4,708	08/19/20	96756
4646	Res	PV	7.2	10.0	5.76	10,119	08/24/20	96754
4647	Res	PV	12.3	10.0	9.80	17,217	08/24/20	96754
4648	Res	PV	9.4	7.0	7.00	12,298	08/24/20	96754
4649	Res	PV	7.8	7.7	6.26	11,005	08/25/20	96756
4650	Com	PV	20.5	19.5	16.37	28,755	08/27/20	96796
4651	Res	PV	5.4	9.7	4.29	7,533	08/27/20	96746
4652	Res	PV	6.4	5.9	5.12	8,995	08/28/20	96705
4653	Res	PV	5.4	9.7	4.29	7,533	09/02/20	96741
4654	Res	PV	5.8	5.3	4.61	8,095	09/03/20	96766
4655	Res	PV	7.2	10.0	5.76	10,119	09/09/20	96756
4656	Res	PV	1.3	1.2	1.06	1,855	09/09/20	96796
4657	Res	PV	1.3	1.2	1.06	1,855	09/09/20	96796
4658	Res	PV	1.3	1.2	1.06	1,855	09/09/20	96796
4659	Res	PV	1.3	1.2	1.06	1,855	09/09/20	96796

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
4660	Res	PV	1.3	1.2	1.06	1,855	09/09/20	96796
4661	Res	PV	1.3	1.2	1.06	1,855	09/09/20	96796
4662	Res	PV	1.3	1.2	1.06	1,855	09/09/20	96796
4663	Res	PV	1.3	1.2	1.06	1,855	09/09/20	96796
4664	Res	PV	1.3	1.2	1.06	1,855	09/09/20	96796
4665	Res	PV	1.3	1.2	1.06	1,855	09/09/20	96796
4666	Res	PV	1.3	1.2	1.06	1,855	09/09/20	96796
4667	Res	PV	1.3	1.2	1.06	1,855	09/09/20	96796
4668	Com	PV	7.9	7.1	6.34	11,131	09/11/20	96796
4669	Res	PV	4.0	3.0	3.00	5,270	09/11/20	96741
4670	Res	PV	1.3	1.2	1.06	1,855	09/11/20	96796
4671	Res	PV	1.3	1.2	1.06	1,855	09/11/20	96796
4672	Res	PV	1.3	1.2	1.06	1,855	09/11/20	96796
4673	Res	PV	1.3	1.2	1.06	1,855	09/11/20	96796
4674	Res	PV	1.3	1.2	1.06	1,855	09/11/20	96796
4675	Res	PV	1.3	1.2	1.06	1,855	09/11/20	96796
4676	Res	PV	1.3	1.2	1.06	1,855	09/11/20	96796
4677	Res	PV	1.3	1.2	1.06	1,855	09/11/20	96796
4678	Res	PV	1.3	1.2	1.06	1,855	09/11/20	96796
4679	Res	PV	1.3	1.2	1.06	1,855	09/11/20	96796
4680	Res	PV	1.3	1.2	1.06	1,855	09/11/20	96796
4681	Res	PV	1.3	1.2	1.06	1,855	09/11/20	96796
4682	Res	PV	1.3	1.2	1.06	1,855	09/11/20	96796
4683	Res	PV	1.3	1.2	1.06	1,855	09/11/20	96796
4684	Res	PV	1.3	1.2	1.06	1,855	09/11/20	96796
4685	Res	PV	1.3	1.2	1.06	1,855	09/11/20	96796
4686	Res	PV	1.3	1.2	1.06	1,855	09/11/20	96796
4687	Res	PV	1.3	1.2	1.06	1,855	09/11/20	96796
4688	Res	PV	1.3	1.2	1.06	1,855	09/11/20	96796
4689	Res	PV	1.3	1.2	1.06	1,855	09/11/20	96796
4690	Res	PV	1.3	1.2	1.06	1,855	09/11/20	96796
4691	Res	PV	1.3	1.2	1.06	1,855	09/11/20	96796
4692	Res	PV	1.3	1.2	1.06	1,855	09/11/20	96796
4693	Res	PV	11.5	10.0	9.22	16,191	09/14/20	96754
4694	Res	PV	7.2	7.6	5.76	10,119	09/14/20	96714
4695	Res	PV	4.3	8.8	3.46	6,072	09/14/20	96741
4696	Res	PV	10.1	8.9	8.04	14,125	09/21/20	96766
4697	Res	PV	7.4	5.5	5.50	9,662	09/21/20	96746
4698	Res	PV	14.1	10.0	10.00	17,568	09/23/20	96714
4699	Res	PV	4.5	3.5	3.50	6,149	09/23/20	96722
4700	Res	PV	7.8	6.5	6.25	10,976	09/28/20	96722
4701	Res	PV	6.7	10.0	5.36	9,416	09/28/20	96766
4702	Res	PV	3.4	2.5	2.50	4,392	09/30/20	96796
4703	Res	PV	6.2	10.0	4.97	8,728	10/01/20	96754
4704	Res	PV	8.0	6.0	6.00	10,541	10/02/20	96766
4705	Res	PV	4.1	10.0	3.28	5,762	10/06/20	96752
4706	Res	PV	3.4	2.5	2.50	4,392	10/06/20	96756
4707	Res	PV	7.4	5.5	5.50	9,662	10/06/20	96741
4708	Res	PV	5.4	4.0	4.00	7,027	10/06/20	96756
4709	Res	PV	4.0	6.2	3.22	5,650	10/09/20	96746
4710	Res	PV	4.0	8.5	3.22	5,650	10/09/20	96746
4711	Res	PV	5.4	4.0	4.00	7,027	10/09/20	96766
4712	Res	PV	3.1	2.5	2.48	4,357	10/10/20	96722

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
4713	Res	PV	5.0	5.0	4.00	7,027	10/10/20	96754
4714	Res	PV	4.7	3.5	3.50	6,149	10/13/20	96752
4715	Res	PV	6.1	9.8	4.86	8,545	10/13/20	96746
4716	Res	PV	4.0	8.5	3.22	5,650	10/13/20	96746
4717	Res	PV	8.0	7.1	6.43	11,300	10/14/20	96722
4718	Res	PV	14.1	10.5	10.50	18,446	10/14/20	96746
4719	Res	PV	3.4	8.0	2.68	4,708	10/14/20	96766
4720	Res	PV	7.2	10.0	5.76	10,119	10/14/20	96705
4721	Res	PV	3.7	2.8	2.75	4,831	10/15/20	96766
4722	Res	PV	6.0	5.3	4.82	8,475	10/15/20	96741
4723	Res	PV	7.4	5.5	5.50	9,662	10/15/20	96766
4724	Res	PV	3.4	2.5	2.50	4,392	10/16/20	96756
4725	Res	PV	5.0	10.0	4.03	7,083	10/16/20	96716
4726	Res	PV	5.0	10.0	4.03	7,083	10/16/20	96716
4727	Res	PV	4.0	8.5	3.22	5,650	10/16/20	96741
4728	Res	PV	5.1	4.7	4.10	7,196	10/19/20	96716
4729	Res	PV	8.1	7.6	6.51	11,440	10/21/20	96703
4730	Res	PV	3.7	10.0	2.95	5,186	10/22/20	96796
4731	Com	PV	132.7	92.9	92.90	163,207	10/29/20	96766
4732	Res	PV	4.7	9.1	3.75	6,592	10/29/20	96746
4733	Res	PV	2.3	1.8	1.75	3,074	10/30/20	96746
4734	Res	PV	7.2	10.0	5.76	10,119	10/30/20	96766
4735	Res	PV	5.8	10.0	4.61	8,095	10/30/20	96796
4736	Res	PV	10.7	9.4	8.58	15,066	10/30/20	96741
4737	Res	PV	9.0	8.3	7.17	12,593	10/30/20	96741
4738	Res	PV	2.9	2.7	2.30	4,048	11/04/20	96746
4739	Res	PV	3.6	8.0	2.88	5,060	11/06/20	96746
4740	Res	PV	2.9	2.7	2.30	4,048	11/09/20	96752
4741	Res	PV	10.2	9.4	8.19	14,392	11/09/20	96752
4742	Res	PV	6.6	10.0	5.28	9,276	11/10/20	96746
4743	Res	PV	6.4	5.9	5.12	8,995	11/10/20	96766
4744	Res	PV	5.0	5.0	4.00	7,027	11/12/20	96765
4745	Res	PV	5.9	6.0	4.74	8,320	11/13/20	96766
4746	Res	PV	5.3	9.0	4.22	7,421	11/17/20	96746
4747	Res	PV	7.5	10.0	6.03	10,597	11/17/20	96756
4748	Res	PV	2.6	2.4	2.05	3,598	11/17/20	96756
4749	Res	PV	6.4	5.9	5.12	8,995	11/17/20	96752
4750	Res	PV	7.2	5.6	5.62	9,873	11/18/20	96765
4751	Res	PV	21.4	50.0	17.08	30,006	11/19/20	96714
4752	Res	PV	4.0	3.0	3.00	5,270	11/19/20	96746
4753	Res	PV	7.4	5.5	5.50	9,662	11/20/20	96746
4754	Res	PV	6.5	10.6	5.18	9,107	11/20/20	96766
4755	Res	PV	7.4	7.4	5.89	10,344	11/20/20	96741
4756	Res	PV	0.9	9.6	0.75	1,321	11/23/20	96766
4757	Res	PV	2.3	1.8	1.75	3,074	11/23/20	96705
4758	Res	PV	3.7	2.8	2.75	4,831	11/24/20	96766
4759	Res	PV	2.3	1.8	1.75	3,074	11/28/20	96705
4760	Res	PV	7.4	6.0	5.90	10,372	11/30/20	96741
4761	Res	PV	4.0	3.8	3.17	5,566	12/01/20	96705
4762	Res	PV	9.8	10.0	7.87	13,830	12/01/20	96765
4763	Res	PV	7.4	5.5	5.50	9,662	12/03/20	96766
4764	Res	PV	7.4	5.9	5.90	10,365	12/04/20	96756
4765	Res	PV	10.2	9.4	8.19	14,392	12/07/20	96746

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) =<D*.8,E	Energy Produced (kWh) (G) =F*.2*8784	Connection Date (H)	Zip Code (I)
4766	Res	PV	10.2	9.4	8.19	14,392	12/08/20	96766
4767	Res	PV	5.7	5.6	4.59	8,067	12/10/20	96716
4768	Res	PV	9.9	7.5	7.50	13,176	12/10/20	96754
4769	Res	PV	3.6	10.0	2.88	5,060	12/14/20	96756
4770	Res	PV	9.6	8.9	7.68	13,492	12/21/20	96746
4771	Res	PV	3.3	7.5	2.64	4,638	12/21/20	96705
4772	Com	PV	18.4	16.2	14.74	25,888	12/22/20	96766
4773	Res	PV	8.6	10.0	6.89	12,101	12/22/20	96766
4774	Res	PV	6.0	5.3	4.82	8,475	12/22/20	96741
4775	Res	PV	13.7	11.4	10.94	19,226	12/23/20	96703
4776	Res	PV	12.0	10.0	9.60	16,865	12/23/20	96754
4777	Res	PV	10.6	8.0	8.00	14,054	12/23/20	96714
4778	Res	PV	12.1	9.0	9.00	15,811	12/28/20	96714
4779	Res	PV	3.8	8.5	3.07	5,397	12/28/20	96703
4780	Com	PV	32.8	28.8	26.21	46,042	12/29/20	96766
4781	Com	PV	58.6	47.5	46.90	82,387	12/29/20	96766
4782	Res	PV	3.4	2.5	2.50	4,392	12/29/20	96741
4783	Res	PV	2.6	3.8	2.11	3,710	12/29/20	96716
4784	Res	PV	8.0	7.1	6.43	11,300	12/29/20	96766
4785	Res	PV	10.2	9.4	8.19	14,392	12/30/20	96703
4786	Res	PV	6.0	4.5	4.50	7,906	12/30/20	96756
4787	Res	PV	10.7	10.0	8.58	15,066	12/30/20	96756
4788	Res	PV	13.4	10.0	10.00	17,568	12/30/20	96756

				kW	kWh	
			Totals	25,040.5	40,590,938	
		2015				
		& prior				
Cumulative Installed kW		15,947	18,074	20,094	21,356	23,105
						25,041

Notes

- (A) **Q Customer #**
- (B) **Customer Type:** Res = Residential, Com = Commercial
- (C) **System Type:** PV = Photovoltaic, W=Wind
- (D) **Panel capacity:** Capacity of PV panels in kWdc
- (E) **Inverter Capacity:** Capacity of inverter in kWac
- (F) **Installed Capacity:** Lesser of (panel capacity x 80% efficiency factor) or inverter capacity
- (G) **Energy Produced:** Estimated using the installed capacity x 20% capacity factor x 8760 (or 8784 for Leap Year)
- (H) **Connection date:** Date KIUC installed the Q meter
- (I) **Zip Code**

ATTACHMENT C

Attachment C
Larger Systems¹
Kauai Island Utility Cooperative

(A)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F) = <D*.8,E	Energy Produced (kWh) (G) = F*.2*8784	Connection Date (H)	Zip Code (I)
1	Com	PV	680.0	550.0	544.00	955,699	12/10/07	96766
2	Com	PV	277.0	300.0	221.60	389,307	08/29/08	96756
3	Com	PV	896.5	750.0	717.22	1,260,011	12/24/08	96766
4	Com	PV	338.0	308.0	270.40	475,039	04/28/09	96766
5	Com	PV	67.4	66.0	53.91	94,715	02/12/10	96705
6	Com	PV	83.3	82.0	66.60	117,003	03/19/10	96766
7	Com	PV	125.0	120.0	100.00	175,680	12/29/10	96752
8	Com	PV	39.5	36.0	31.58	55,487	08/26/11	96705
9	Com	PV	675.0	685.0	540.00	948,672	09/02/11	96752
10	Com	PV	315.0	252.0	252.00	442,714	09/25/12	96766
11	Com	PV	592.2	532.0	473.76	832,302	03/13/13	96766
12	Com	PV	10.0	10.0	8.00	14,054	05/31/13	96752
13	Com	PV	198.8	160.0	159.05	279,424	06/03/14	96746
14	Com	PV	300.4	253.3	240.31	422,180	07/07/14	96756
15	Com	PV	320.1	305.6	256.08	449,881	04/17/15	96722
16	Res	PV	10.1	16.0	8.06	14,167	02/16/16	96754
17	Com	PV	6.6	8.0	5.28	9,276	08/18/16	96754
18	Res	PV	7.6	16.0	6.05	10,625	10/05/16	96756
19	Res	PV	5.9	8.0	4.70	8,264	12/28/16	96714
20	Res	PV	10.9	16.0	8.74	15,347	12/28/16	96754
21	Res	PV	11.8	8.0	8.00	14,054	01/25/17	96754
22	Com	PV	215.5	180.0	172.37	302,816	04/10/17	96705
23	Com	PV	173.6	156.0	138.85	243,935	04/10/17	96796
24	Com	PV	257.7	216.0	206.14	362,140	04/20/17	96746
25	Com	PV	194.7	162.0	155.74	273,597	05/11/17	96756
26	Com	PV	219.6	168.0	168.00	295,142	08/29/17	96766
27	Com	PV	207.3	192.0	165.82	291,306	11/07/18	96766

			Totals	4,982.3	8,752,837		
Cumulative Installed kW	2015 & prior	2016	2017	2018	2019	2020	
	3,935	3,967	4,816	4,982	4,982	4,982	

Notes

- (A) **Customer #**
- (B) **Customer Type:** Res = Residential, Com = Commercial
- (C) **System Type:** PV = Photovoltaic, W=Wind
- (D) **Panel capacity:** Capacity of PV panels in kWdc
- (E) **Inverter Capacity:** Capacity of inverter in kWac
- (F) **Installed Capacity:** Lesser of (panel capacity x 80% efficiency factor) or inverter capacity
- (G) **Energy Produced:** Estimated using the installed capacity x 20% capacity factor x 8760 (or 8784 for Leap Year)
- (H) **Connection date:** Date KIUC installed the meter
- (I) **Zip Code**

¹ The customer-sited generation systems listed on this Attachment C are not Schedule Q, NEM, or NEM Pilot customers and have not entered into a power purchase agreement (PPA) with KIUC. Therefore, these customer-sited generation systems either do not export any energy to KIUC, or if they do export energy to KIUC, they do so without compensation.

² KIUC notes that the Pioneer Hi-Bred International Inc. PV facility (Pioneer Facility), which was the subject of Docket No. 2010-0122, was previously listed on line 3 of Attachment C (Larger Systems) in KIUC's 2011 Annual NEM Program Activity Summary (2011 NEM Report), which was filed with the Commission on May 16, 2012. As reflected on line 3 of Attachment C of the 2011 NEM Report, the Pioneer Facility began generating power for its own use on or about December 16, 2008. From December 16, 2008 up until November 18, 2010 (which was subsequent to the Commission's November 12, 2010 approval of the PPA for the Pioneer Facility), the Pioneer Facility, like the other facilities listed on this Attachment C, either did not export any energy to KIUC or if it did, did so without compensation. Subsequent to, and consistent with, the Commission's approval of the PPA for the Pioneer Facility, KIUC began purchasing excess energy exported to KIUC from the Pioneer Facility. Because the Pioneer Facility is currently subject to a Commission-approved PPA, the Pioneer Facility is no longer being listed above.

³ Changes to prior year Cumulative Installed kW indicates capacity changes for an increase in panels or inverter capacity.

ATTACHMENT D

(A.)	Customer Type (B)	System Type (C)	Panel Capacity (kW) (D)	Inverter Capacity (kW) (E)	Installed Capacity (kW) (F)	Energy Produced (kWh) (G)	Connection Date (H)	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	Annualized Imported Energy (kWh) (J)	Annualized Exported Energy (kWh) (K)	Financial Impact of Participant (\$) (L)	Zip Code (M)
								Surplus Energy 2011 (kWh)	Surplus Energy 2012 (kWh)	Surplus Energy 2013 (kWh)	Surplus Energy 2014 (kWh)	Surplus Energy 2015 (kWh)	Surplus Energy 2016 (kWh)	Surplus Energy 2017 (kWh)	Surplus Energy 2018 (kWh)	Surplus Energy 2019 (kWh)	Surplus Energy 2020 (kWh)				

(1)

Lesser of 3 Yrs or Limits:	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	Total
0.5 MW	0.041	0.000	0.423	0.042	-0.016	-0.004	-0.008	-0.037	-0.018	-0.011	0.410
0.5 MW	0.000	0.000	0.016	0.116	0.064	0.081	0.000	0.000	0.000	0.000	0.277
2.0 MW	0.000	0.200	0.156	0.773	0.298	1.068	0.200	0.000	0.000	0.000	2.666
Total	0.041	0.200	0.595	0.931	0.545	1.146	0.192	-0.037	-0.018	-0.011	3.363

PROGRAM TRACKING:

Installed MW:
 10 kW and under
 >10 kW to <=50 kW
 50 kW to 200 kW
 Total

ANALYSIS OF FINANCIAL IMPACT OF NEW PILOT PROGRAM:

Financial Impact by Rate Class¹

	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Schedule D	\$ (12,553)	\$ (12,318)	\$ (164,793)	\$ (165,516)	\$ (160,897)	\$ (161,732)	\$ (163,881)	\$ (164,641)	\$ (154,740)	\$ (152,519)
Schedule G	\$ (3,453)	\$ (3,450)	\$ (4,358)	\$ (40,809)	\$ (39,792)	\$ (77,209)	\$ (77,020)	\$ (82,792)	\$ (80,858)	\$ (82,415)
Schedule J	\$ -	\$ (78,210)	\$ (85,137)	\$ (182,475)	\$ (216,892)	\$ (320,217)	\$ (328,311)	\$ (345,342)	\$ (340,445)	\$ (358,308)
Schedule L	\$ -	\$ -	\$ (42,500)	\$ (292,494)	\$ (312,876)	\$ (572,511)	\$ (683,652)	\$ (683,988)	\$ (654,391)	\$ (636,152)
Schedule P	\$ (16,006)	\$ (93,978)	\$ (286,789)	\$ (841,294)	\$ (730,557)	\$ (1,131,688)	\$ (1,202,865)	\$ (1,258,774)	\$ (1,230,435)	\$ (1,228,384)
Total	\$ (32,016)	\$ (193,756)	\$ (683,473)	\$ (1,462,594)	\$ (1,441,131)	\$ (2,238,347)	\$ (2,458,729)	\$ (2,639,497)	\$ (2,480,869)	\$ (2,458,628)

Impact on Retail kWh Rate by Rate Class²

	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Schedule D	\$ (0.000078)	\$ (0.000078)	\$ (0.001044)	\$ (0.001040)	\$ (0.000995)	\$ (0.000986)	\$ (0.000986)	\$ (0.000942)	\$ (0.000864)	\$ (0.000861)
Schedule G	\$ (0.000058)	\$ (0.000058)	\$ (0.000074)	\$ (0.000675)	\$ (0.000644)	\$ (0.001282)	\$ (0.001295)	\$ (0.001265)	\$ (0.001189)	\$ (0.001428)
Schedule J	\$ -	\$ (0.001515)	\$ (0.001656)	\$ (0.003636)	\$ (0.004270)	\$ (0.006153)	\$ (0.006529)	\$ (0.006827)	\$ (0.006642)	\$ (0.007878)
Schedule L	\$ -	\$ -	\$ (0.000379)	\$ (0.002399)	\$ (0.002396)	\$ (0.005363)	\$ (0.005616)	\$ (0.005200)	\$ (0.004647)	\$ (0.004823)
Schedule P	\$ (0.000137)	\$ (0.001652)	\$ (0.003153)	\$ (0.007850)	\$ (0.007850)	\$ (0.013164)	\$ (0.014639)	\$ (0.014942)	\$ (0.014742)	\$ (0.014880)
Total	\$ (0.000372)	\$ (0.003303)	\$ (0.006266)	\$ (0.017364)	\$ (0.017364)	\$ (0.032681)	\$ (0.033110)	\$ (0.033110)	\$ (0.032681)	\$ (0.033110)

Annual kWh Sales by Rate Class

	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Schedule D	159,071,128	157,278,152	157,866,887	159,151,338	161,826,042	163,958,718	169,346,334	174,726,470	181,264,408	177,182,381
Schedule G	59,790,431	59,683,973	59,077,890	60,426,103	61,801,021	61,187,770	62,824,313	65,473,098	67,417,715	57,888,004
Schedule J	51,859,338	51,607,028	51,396,701	50,187,490	50,791,819	52,044,639	50,282,542	49,854,166	51,256,543	46,688,526
Schedule L	44,379,446	46,265,548	47,900,542	47,426,575	50,125,564	52,481,360	51,926,563	51,409,765	51,265,330	39,586,355
Schedule P	116,823,510	115,389,124	112,213,941	108,938,487	104,433,662	106,743,048	108,943,412	107,088,228	108,215,545	81,894,242

¹ Analysis of financial impact of NEM Pilot Program had the participants been included under the laws governing NEM, and not subject to the alternative rate structure [Docket No. 2008-0084]
² Financial Impact on Non-Generating Customers by Rate Class [Docket No. 2008-0084]

FILED

2021 Mar 29 AM 08:27

PUBLIC UTILITIES
COMMISSION

The foregoing document was electronically filed with the State of Hawaii Public Utilities Commission's Document Management System (DMS).